BENGAY GINGER CITRUS- lidocaine cream Johnson & Johnson Consumer Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BENGAY ® GINGER CITRUS

Drug Facts

Active ingredient

Lidocaine HCI 4%

Purpose

Topical analgesic

Uses

For the temporary relief of pain

Warnings

For external use only.

Do not use

• in large quantities, particularly over raw surfaces or blistered areas

When using this product

avoid contact with eyes

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use only as directed
- adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

store at 20° to 25°C (68° to 77°F)

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, aminomethyl propanol, butylene glycol, caprylyl glycol, ceteth-10 phosphate, cetostearyl alcohol, dicetyl phosphate, dimethicone, fragrance, glycerin, glyceryl distearate, glyceryl monostearate, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, phenoxyethanol, polysorbate 60, SD alcohol 40-B, squalane, steareth-21, water

Questions?

call 1-800-223-0182 (toll-free) or 215-273-8755 (collect) or visit www.bengay.com

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 85 g Tube Carton

LIDOCAINE 4%
TOPICAL ANALGESIC CREAM
BENGAY ®

Maximum Strength Lidocaine

Ginger Citrus Scent

NET WT 3.0 OZ (85 g)

BENGAY

TOPICAL ANALGESIC CREAM

BENGAY TOPICAL ANALGESIC CREAM



Desensitizes aggravated nerves for minor pain relief



Light, pleasant scent

LIDOCAINE 4%

TOPICAL ANALGESIC CREAM



Maximum Strength Lidocaine

Ginger Citrus Scent





Drug Facts



The makers of **BENGAY®** bring you the numbing relief of maximum strength lidocaine.

This non-greasy cream works to desensitize aggravated nerves and has a light, soothing **Ginger Citrus Scent.**

Active ingredient

Purpose

Lidocaine HCl 4%......Topical analgesic

Uses For the temporary relief of pain

Warnings

For external use only.

Do not use

. in large quantities, particularly over raw surfaces or blistered areas

When using this product

· avoid contact with eyes

Stop use and ask a doctor if

- · condition worsens or symptoms persist for more than 7 days
- · symptoms clear up and occur again within a few days

Keep out of reach of children,

If swallowed, get medical help or contact a Poison Control Center right away.

Directions


- · use only as directed
- · adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily
- · children under 12 years of age: ask a doctor

Other information store at 20° to 25°C (68° to 77°F)

Inactive ingredients acrylates/C10-30 alkyl acrylate crosspolymer, aminomethyl propanol, butylene glycol, caprylyl glycol, ceteth-10 phosphate, cetostearyl alcohol, dicetyl phosphate, dimethicone, fragrance, glycerin, glyceryl distearate, glyceryl monostearate, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, phenoxyethanol, polysorbate 60, SD alcohol 40-B, squalane, steareth-21, water

Questions? call 1-800-223-0182 (toll-free) or 215-273-8755 (collect) or visit www.bengay.com

Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558 © J&JCl 2020 Active Made in Taiwan



BENGAY GINGER CITRUS

lidocaine cream

Product Information

SQUALANE (UNII: GW89575KF9) **STEARETH-21** (UNII: 53J3F32P58)

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69968-0615

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthLIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)LIDOCAINE40 mg in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)				
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)				
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)				
CAPRYLYL GLYCOL (UNII: 00YIU5438U)				
CETETH-10 PHOSPHATE (UNII: 4E05O5N49G)				
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)				
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
GLYCERIN (UNII: PDC6A3C0OX)				
GLYCERYL DISTEARATE (UNII: 73071MW2KM)				
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)				
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
POLYSORBATE 60 (UNII: CAL22UVI4M)				
ALCOHOL (UNII: 3K9958V90M)				

F	Packaging						
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:69968- 0615-3	1 in 1 CARTON	01/21/2020				
1	L	85 g in 1 TUBE; Type 0: Not a Combination Product					

Marketing Information					
pplication Number or Monograph Citation	Marketing Start Date	Marketing End Date			
348	01/21/2020				
	Citation	Citation Date			

Labeler - Johnson & Johnson Consumer Inc (118772437)

Revised: 1/2023 Johnson & Johnson Consumer Inc