# DIPHENHYDRAMINE ORAL LIQUID- diphenhydramine hydrochloride liquid Rising Health, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **Drug Facts**

### Active ingredient in each 5 mL (in one teaspoonful)

Diphenhydramine HCl, 12.5 mg

### **Purpose**

**Antihistamine** 

### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

- runny nose
- sneezing

### Warnings

#### Do not use

• with any other product containing diphenhydramine, even one used on skin.

## Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis.
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

## When using this product

- marked drowsiness may occur
- avoid alcoholic drinks

- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children.

### If pregnant or breast-feeding,

ask a health professional before use

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- take every 4-6 hours
- Do not use more than 6 dose in 24 hours

adults and children 12 years of age and over	2 to 4 teaspoonfuls (25 to 50 mg)
children 6 to under	1 to 2 teaspoonfuls
12 years of age	(12.5 to 25 mg)
children under 6	ask a doctor
years	ask a doctor

### Other information

- store at room temperature 15º 30ºC (59º 86ºF)
- protect from freezing
- protect from light
- each teaspoon (5 mL) contains: sodium 8 mg

# TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

### Inactive ingredients

cherry flavor, citric acid, D & C Red #33, FD & C Red #40, flavor, sodium benzoate, sodium citrate, sodium saccharin, sorbitol, sucrose, water.

### Questions or comments?


1-844-474-7464

#### PRINCIPAL DISPLAY PANEL

Rising Health, LLC

NDC 57237-305-12

Diphenhydramine Hcl 12.5 mg/5 mL Oral Solution



## Drug Facts

Active ingredient in each 5 ml Purpose (in one teaspoonful)
Diphenhydramine HCl 12.5 mg......Antihistamine

Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■runny nose ■ sneezing ■ itch, watery eyes ■ itching of the nose or throat ■ temporarily relieves these symptoms due to the common cold: ■runny nose ■ sneezing

Warnings ■ Do not use with any other product containing diphenhydramine, even one used on skin.

#### Ask a doctor before use if you have

■ glaucoma ■ trouble urinating due to an enlarged prostate gland ■ a breathing problem such as emphysema or chronic bronchitis. ■ a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

#### When using this product

marked drowsiness may occur ■ avoid alcoholic drinks
 ■ alcohol, sedatives and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children.

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

### **Drug Facts** (continued)

Directions ■ take every 4-6 hours
■ Do not take more than 6 dose in 24 hours.

adults and children 12 years of age and over (25 to 50 mg)

children 6 to under 12 years of age (12.5 to 25 mg)

children under 6 years ask a doctor

Other information store at room temperature 15°-30° C (59°-86°F) protect from freezing protect from light each teaspoon (5mL) contains: sodium 8 mg
TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF BREAKWAY BAND ON CAP IS BROKEN OR MISSING.

Inactive ingredients: cherry flavor, citric acid, D&C Red #33, FD&C Red #40, sodium benzoate, sodium citrate, sodium saccharin, sorbitol. sucrose. water.

Questions or comments? 1-844-474-7464



This product is not manufacturademark of Benadryl®
Distributed by:
Rising Pharma Holdings, Inc.
East Brunswick, NJ 08816

Hsing Pharma Holdings, Inc.
East Brunswick, NJ 08816

### **DIPHENHYDRAMINE ORAL LIQUID**

diphenhydramine hydrochloride liquid

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:57237-305

Route of Administration ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

**Diphenhydramine Hydrochloride** (UNII: TC2D6JAD40) (Diphenhydramine - Diphenhydramine Hydrochloride in 5 mL

### **Inactive Ingredients**

Ingredient Name Strength
Anhydrous Citric Acid (UNII: XF417D3PSL)

D&C RED NO. 33 (UNII: 9DBA0SBB0L)

FD&C RED NO. 40 (UNII: WZB9127XOA)

Sodium Benzoate (UNII: OJ245FE5EU)

Sodium Citrate (UNII: 1Q73Q2JULR)

Saccharin Sodium (UNII: SB8ZUX40TY)
Sorbitol (UNII: 506T60A25R)
Sucrose (UNII: C151H8M554)

Water (UNII: 059QF0KO0R)

### **Product Characteristics**

Color PINK (dark pink to pink) Score
Shape Size

Flavor	CHERRY	Imprint Code	
Contains			

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:57237-305- 12	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/19/2022	
	2	NDC:57237-305- 16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/19/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	12/19/2022	

## Labeler - Rising Health, LLC (080500961)

Establishment			
Name	Address	ID/FEI	Business Operations
Invahealth Inc.		116840615	manufacture(57237-305) , pack(57237-305) , label(57237-305) , analysis(57237-305)

Revised: 12/2022 Rising Health, LLC