

**DRAINER - benzoicum acidum, berberis vulg., bryonia, cantharis, carduus benedictus, ceanothus, chelidonium majus, chionanthus virginica, cinchona, dioscorea, dolichos, iris versicolor, juniperus com., nux vom., ptelea, taraxacum, uricum acidum, carduus mar., cynara scolymus, solidago pellet
Newton Laboratories, Inc.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drainer

INDICATIONS & USAGE SECTION

Drainer: Formulated for liver, kidney and colon functions and for symptoms associated with toxic conditions.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) at bedtime or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

ACTIVE INGREDIENT SECTION

Benzoicum acidum 15x, Berber. vulg. 15x, Bryonia 15x, Cantharis 15x, Carduus benedictus 15x, Ceanothus 15x, Chelidonium majus 15x, Chionanthus virginica 15x, Cinchona 15x, Dioscorea 15x, Dolichos 15x, Iris versicolor 15x, Juniperus com.15x, Nux vom. 15x, Ptelea 15x, Taraxacum 15x, Uricum acidum 15x,Carduus mar. 3x, Cynara scolymus 3x, Solidago 3x, Taraxacum 3x.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

QUESTIONS? SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012
Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

PREGNANCY OR BREAST FEEDING SECTION


Consult a licensed healthcare professional if pregnant or nursing or if symptoms worsen or persist for more than a few days.

KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

www.newtonlabs.net
 Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30012
Questions? 1.800.448.7256
Warnings: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.



NDC#
55714-4401-1

Drainer

Formulated for liver, kidney and colon functions and for symptoms associated with toxic conditions.

1 oz (28.35 g)

Dispensed by healthcare professionals only.
 Not for over-the-counter sale.

Directions: Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) at bedtime or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

Active Ingredients: Benzoicum acidum 15x, Berber. vulg. 15x, Bryonia 15x, Cantharis 15x, Carduus benedictus 15x, Ceanothus 15x, Chelidonium majus 15x, Chionanthus virginica 15x, Cinchona 15x, Dioscorea 15x, Dolichos 15x, Iris versicolor 15x, Juniperus com. 15x, Nux vom. 15x, Ptelea 15x, Taraxacum 15x, Uricum acidum 15x, Carduus mar. 3x, Cynara scolymus 3x, Solidago 3x, Taraxacum 3x.

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

Stock# **R001** Lot#

DRAINER

benzoicum acidum, berberis vulg., bryonia, cantharis, carduus benedictus, ceanothus, chelidonium majus, chionanthus virginica, cinchona, dioscorea, dolichos, iris versicolor, juniperus com., nux vom., ptelea, taraxacum, uricum acidum, carduus mar., cynara scolymus, solidago pellet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:55714-4401
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Benzoic Acid (UNII: 8SKN0B0MIM) (Benzoic Acid - UNII:8SKN0B0MIM)	Benzoic Acid	15 [hp_X] in 1 g
Berberis Vulgaris Root Bark (UNII: 1TH8Q20J0U) (Berberis Vulgaris Root Bark - UNII:1TH8Q20J0U)	Berberis Vulgaris Root Bark	15 [hp_X] in 1 g
Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	15 [hp_X] in 1 g
Lytta Vesicatoria (UNII: 3Q034RO3BT) (Lyttta Vesicatoria - UNII:3Q034RO3BT)	Lytta Vesicatoria	15 [hp_X] in 1 g
Centaurea Benedicta (UNII: 6L5ZL09795) (Centaurea Benedicta - UNII:6L5ZL09795)	Centaurea Benedicta	15 [hp_X] in 1 g
Ceanothus Americanus Leaf (UNII: 25B1Y14T8N) (Ceanothus Americanus Leaf - UNII:25B1Y14T8N)	Ceanothus Americanus Leaf	15 [hp_X] in 1 g
Chelidonium Majus (UNII: 7E889U5RNN) (Chelidonium Majus - UNII:7E889U5RNN)	Chelidonium Majus	15 [hp_X] in 1 g
Chionanthus Virginicus Bark (UNII: S9Y4B22U2E) (Chionanthus Virginicus Bark - UNII:S9Y4B22U2E)	Chionanthus Virginicus	15 [hp_X]

UNII:S9Y4B22U2E)	Bark	in 1 g
Cinchona Officinalis Bark (UNII: S003A158SB) (Cinchona Officinalis Bark - UNII:S003A158SB)	Cinchona Officinalis Bark	15 [hp_X] in 1 g
Dioscorea Villosa Tuber (UNII: IWY3IWX2G8) (Dioscorea Villosa Tuber - UNII:IWY3IWX2G8)	Dioscorea Villosa Tuber	15 [hp_X] in 1 g
Mucuna Pruriens Fruit Trichome (UNII: 3E271BSI0C) (Mucuna Pruriens Fruit Trichome - UNII:3E271BSI0C)	Mucuna Pruriens Fruit Trichome	15 [hp_X] in 1 g
Iris Versicolor Root (UNII: X43D4L3DQC) (Iris Versicolor Root - UNII:X43D4L3DQC)	Iris Versicolor Root	15 [hp_X] in 1 g
Juniper Berry (UNII: O84B5194RL) (Juniper Berry - UNII:O84B5194RL)	Juniper Berry	15 [hp_X] in 1 g
Strychnos Nux-vomica Seed (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	15 [hp_X] in 1 g
Ptelea Trifoliata Bark (UNII: 5KQR6FTT0D) (Ptelea Trifoliata Bark - UNII:5KQR6FTT0D)	Ptelea Trifoliata Bark	15 [hp_X] in 1 g
Taraxacum Officinale (UNII: 39981FM375) (Taraxacum Officinale - UNII:39981FM375)	Taraxacum Officinale	15 [hp_X] in 1 g
Uric Acid (UNII: 268B43MJ25) (Uric Acid - UNII:268B43MJ25)	Uric Acid	15 [hp_X] in 1 g
Silybum Marianum Seed (UNII: U946SH95EE) (Silybum Marianum Seed - UNII:U946SH95EE)	Silybum Marianum Seed	3 [hp_X] in 1 g
Cynara Scolymus Leaf (UNII: B71UA545DE) (Cynara Scolymus Leaf - UNII:B71UA545DE)	Cynara Scolymus Leaf	3 [hp_X] in 1 g
Solidago Virgaurea Flowering Top (UNII: 5405K23S50) (Solidago Virgaurea Flowering Top - UNII:5405K23S50)	Solidago Virgaurea Flowering Top	3 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
Sucrose (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-440 1-1	28.35 g in 1 BOTTLE, GLASS		
2	NDC:55714-440 1-2	56.7 g in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/2011	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-4401)

