# FEM-PRIN- acetaminophen, pamabrom, pyrilamine maleate tablet, film coated HART Health

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **FEM-PRIN**

### Active ingredient (in each caplet)

Acetaminophen 500 mg

Pamabrom 25 mg

Pyrilamine maleate 15 mg

### **Purpose**

Pain reliever/fever reducer

Diuretic

**Antihistamine** 

#### Uses

for the temporary relief of minor aches, pain, and water weight gain due to mentrual cycle

## Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

#### Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription).

# Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- liver disease

■ glaucoma

### Ask a doctor or pharmacist before use if

- you do not know if other drugs you are taking contain acetaminophen
- you are taking sedatives or tranquilizers
- you are taking the blood thinning drug warfarin

### When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

### Stop use and ask a doctor if

- an allergic reaction occurs, seek medical help right away
- fever worsens or lasts more than 3 days
- pain worsens or lasts more than 10 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. Quick medical attention is critical for adults as well as for children even if you do notice any signs or symptoms. In case of overdose, get medical help or contact a Poison Control Center right away. 1-800-222-1222

#### **Directions**

#### Do not take more than directed

Adults and children 12 years of age and over

- take 2 caplets every 6 hours while symptoms persist
- do not take more than 6 caplets in 24 hours unless directed by a doctor

Children under 12 years: ask a doctor


Other information

■ caplets enclosed in a sealed packet

- do not use if packet is torn, cut or open
- store at 59° to 86°F (15°-30°C)
- avoid excessive heat and humidity

## Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide



# FEM-PRIN acetaminophen, pamabrom, pyrilamine maleate tablet, film coated Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:50332-0145 Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
PAMABROM (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZG87K1MQ6)	PAMABROM	25 mg	
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg	

Inactive Ingredients		
Ingredient Name	Strength	
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)		
FD&C BLUE NO. 2ALUMINUM LAKE (UNII: 4AQJ3LG584)		
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
TALC (UNII: 7SEV7J4R1U)		
CROSPOVIDONE (UNII: 2S7830E561)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
SHELLAC (UNII: 46N107B710)		
STARCH, CORN (UNII: O8232NY3SJ)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		

Product Characteristics				
Color	purple	Score	no score	
Shape	CAPSULE (Caplet)	Size	17mm	
Flavor		Imprint Code	44;679	
Contains				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50332- 0145-4	40 in 1 BOX	01/09/2023	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:50332- 0145-7	100 in 1 BOX	01/09/2023	
2		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not	nort242	01/00/2022		

final part343 01/09/2023

# Labeler - HART Health (069560969)

Revised: 8/2023 HART Health