

**CONGESTION PE- phenylephrine hcl tablet, film coated
SAVE-A-LOT FOOD STORES, LTD.**

Being Well 44-453 Congestion-Delisted

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur

- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

Compare to **Sudafed PE® Sinus Congestion** active ingredient*

being
well®

NON-DROWSY

Congestion PE

Phenylephrine HCl, 10 mg

Nasal Decongestant
Maximum Strength

18
Tablets

Actual Size

For Relief of
Sinus + Nasal Congestion
Sinus Pressure

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed PE® Sinus Congestion. 50844 REV0820H45344

DISTRIBUTED BY:
SAVE A LOT, LTD.
ST. ANN, MO 63074
savealot.com

**save
a lot
100% MONEY BACK
guarantee**

NON-DROWSY

Congestion PE

Phenylephrine HCl, 10 mg / Nasal Decongestant / Maximum Strength

18

Tablets



Compare to **Sudafed PE® Sinus Congestion** active ingredient*

NON-DROWSY

Congestion PE

Phenylephrine HCl, 10 mg
Nasal Decongestant
Maximum Strength

18
Tablets

Actual Size



For Relief of
Sinus + Nasal Congestion
Sinus Pressure



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING

OMIT X

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed PE® Sinus Congestion. 50844 REV0820H45344



B-1811-453-44-RR
REV0820H45344



100% MONEY
BACK
guarantee



DISTRIBUTED BY:
SAVE A LOT, LTD.
51 ANN, MO 63074
savealot.com

Drug Facts (continued)

Active ingredient (in each tablet) Phenylephrine HCl 10 mg Nasal decongestant

Uses
 ■ temporarily relieves nasal congestion due to the common cold,
 ■ hay fever or other upper respiratory allergies
 ■ temporarily relieves sinus congestion and pressure

Warnings
 Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
 Ask a doctor before use if you have
 ■ heart disease
 ■ diabetes
 ■ thyroid disease
 ■ high blood pressure
 ■ difficulty in urination due to enlargement of the prostate gland

When using this product do not exceed recommended dosage.
 ■ nervousness, dizziness, or sleeplessness occur
 ■ symptoms do not improve within 7 days or occur with fever

Stop use and ask a doctor if
 ■ tamper evident: do not use if outer package is torn or broken or if blister unit is torn or broken
 ■ see end flap for expiration date and lot number

Other information
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
 ■ children under 12 years: ask a doctor

Inactive ingredients croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions or comments? 1-800-426-9391

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Being Well 44-453 REV0820H

CONGESTION PE

phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46994-953
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;453
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46994-953-44	1 in 1 CARTON	10/18/2019	06/13/2025
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/18/2019	06/13/2025

Labeler - SAVE-A-LOT FOOD STORES, LTD. (095484572)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(46994-953) , pack(46994-953)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(46994-953)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(46994-953)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(46994-953)

Revised: 8/2024

SAVE-A-LOT FOOD STORES, LTD.