

MENSTRUAL COMPLETE- acetaminophen, caffeine, pyrilamine maleate tablet, film coated

Family Dollar Services Inc

Family Wellness 44-390

Active ingredients (in each caplet)

Acetaminophen 500 mg

Caffeine 60 mg

Pyrilamine maleate 15 mg

Purpose

Pain reliever

Diuretic

Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal display panel

**FAMILY
Wellness™**

*COMPARE TO THE
ACTIVE INGREDIENTS IN
MIDOL® COMPLETE

MENSTRUAL COMPLETE

Acetaminophen - Pain Reliever
Caffeine - Diuretic
Pyrilamine maleate - Antihistamine

MULTI-SYMPTOM RELIEF OF:
Cramps, Bloating, Fatigue,
Backache & Headache

ACTUAL SIZE

16 CAPLETS

NDC 55319-301-21

**TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed
by Bayer HealthCare LLC, owner of the registered
trademark Midol® Complete.

50844 ORG062339021

**DISTRIBUTED BY: MIDWOOD BRANDS LLC,
500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA
NOT 100% SATISFIED?**

Return within 30 days to the store of purchase
for a refund (with receipt) or exchange.




*COMPARE TO THE ACTIVE INGREDIENTS IN MIDOL® COMPLETE

MENSTRUAL COMPLETE

Acetaminophen - Pain Reliever
Caffeine - Diuretic
Pyrilamine maleate - Antihistamine

MULTI-SYMP TOM RELIEF OF:
 Cramps, Bloating, Fatigue,
 Backache & Headache



ACTUAL SIZE

16 CAPLETS

NDC 55319-301-21



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNITS IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No print/No varnish
 Lot & Exp date

This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete. 50844 ORG062339021
 SKU 999982
 DISTRIBUTED BY: MIDWOOD BRANDS LLC, 500 VOLVO PARKWAY, CHESTER, PA 23320 USA
 NOT 100% SATISFIED? Return within 30 days to the store of purchase for a refund (with receipt) for exchange.

Drug Facts (continued)
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredients (in each caplet)
 Acetaminophen 500 mg Pain reliever
 Caffeine 60 mg Diuretic
 Pyrilamine maleate 15 mg Antihistamine

Purpose
 associated with menstrual periods: ■ fatigue ■ bloating ■ headache ■ muscle aches ■ cramps ■ backache ■ water-weight gain

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen.

Uses for the temporary relief of these symptoms

Drug Facts (continued)

Directions
 ■ do not take more than directed

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Other information ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

Drug Facts (continued)

■ adults and children 12 years and over: take 2 caplets with water
 ■ repeat every 6 hours, as needed
 ■ do not exceed 6 caplets per day
 ■ children under 12 years: ask a doctor

Drug Facts (continued)

Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have
 ■ difficulty in urination due to enlargement of the prostate gland ■ liver disease
 ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

Ask a doctor or pharmacist before use if you are
 ■ taking sedatives or tranquilizers

When using this product
 ■ avoid alcoholic beverages
 ■ drowsiness may occur
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ excitability may occur, especially in children
 ■ use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if
 ■ redness or swelling is present
 ■ new symptoms occur
 ■ pain gets worse or lasts more than 10 days
 ■ fever gets worse or lasts more than 3 days
 ■ If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Allegory alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin redness ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.

Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have
 ■ difficulty in urination due to enlargement of the prostate gland ■ liver disease
 ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

Ask a doctor or pharmacist before use if you are
 ■ taking sedatives or tranquilizers

When using this product
 ■ avoid alcoholic beverages
 ■ drowsiness may occur
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ excitability may occur, especially in children
 ■ use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if
 ■ redness or swelling is present
 ■ new symptoms occur
 ■ pain gets worse or lasts more than 10 days
 ■ fever gets worse or lasts more than 3 days
 ■ If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

■ see end flap for expiration date and lot number
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients corn starch, croscarmellose sodium, croscopolidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments? 1-800-426-9391

B-0500-390-21-N
 ORG062339021

MENSTRUAL COMPLETE

acetaminophen, caffeine, pyrilamine maleate tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-301
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-301-21	2 in 1 CARTON	01/25/2024	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/25/2024	

Labeler - Family Dollar Services Inc (024472631)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55319-301)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55319-301) , pack(55319-301)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55319-301)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55319-301)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55319-301)

Revised: 4/2024

Family Dollar Services Inc