

DOANS PAIN RELIEVING- lidocaine and menthol, unspecified form cream
Dr. Reddy's Laboratories Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Doan's[®] Pain Relieving Cream

Drug Facts

<i>Active ingredient</i>	<i>Purpose</i>
Lidocaine 4% w/w	Topical Anesthetic
Menthol 1%	Topical Analgesic

Use

For the temporary relief of pain

Warnings

For external use only

Do not use

- if you have had an allergic reaction to lidocaine, or other local anesthetics
- over a large area of the body, or on cut, irritated, punctured, blistered, or swollen skin
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this carton. Keep this carton for important information.
- avoid contact with eyes
- do not bandage or apply local heat (such as heating pads) to the area of use
- wash hands after applying

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Store out of reach of children and pets.

Dispose of product out of the reach of children and pets. If swallowed, get medical help, or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:

- apply a thin layer to affected area every 6 to 8 hours
- do not exceed 3 applications in a 24 hour period

Children 12 years and younger: ask a doctor

Other information

Store at controlled room temperature 20-25 C (66-78 F). Child resistant packaging. Close cap tightly between uses.

Inactive ingredients

benzyl alcohol, carbomer, lecithin, propylene glycol, purified water, tocopheryl acetate

Questions or Comments

1-800-790-6417

PRINCIPAL DISPLAY PANEL - 77.9 g Tube Carton***Maximum Strength Lidocaine***

Available Without a Prescription

DOAN'S®

Pain Relieving Cream

with

4%

LIDOCAINE

PLUS

MENTHOL

DUAL ACTION

Local Anesthetic + Topical Analgesic

- ***NUMBS AWAY PAIN***
- ***Non-Greasy***
- ***Fast Acting***

NET WT.

2.75 oz (77.9g)

DOAN'S[®]

Pain Relieving Cream

with **LIDOCAINE** PLUS
4% **MENTHOL**

Maximum Strength Lidocaine

Available Without a Prescription

DOAN'S[®]

Pain Relieving Cream

with **LIDOCAINE** PLUS
4% **MENTHOL**

DUAL ACTION

Local Anesthetic + Topical Analgesic

- **NUMBS AWAY PAIN**
- **Non-Greasy**
- **Fast Acting**



Drug Facts

Active ingredient	Purpose
Lidocaine 4% w/w	Topical Anesthetic
Menthol 1%	Topical Analgesic

Use

For the temporary relief of pain

Warnings

For external use only

Do not use

- if you have had an allergic reaction to lidocaine, or other local anesthetics
- over a large area of the body, or on cut, irritated, punctured, blistered, or swollen skin
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this carton. Keep this carton for important information.
- avoid contact with eyes
- do not bandage or apply local heat (such as heating pads) to the area of use
- wash hands after applying

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Store out of reach of children and pets.

Dispose of product out of the reach of children and pets. If swallowed, get medical help, or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:

- apply a thin layer to affected area every 6 to 8 hours
- do not exceed 3 applications in a 24 hour period

Children 12 years and younger: ask a doctor

Other information Store at controlled room temperature 20-25 C (66-78 F). Child resistant

packaging. Close cap tightly between uses.

Inactive ingredients benzyl alcohol, carbomer, lecithin, propylene glycol, purified water, tocopheryl acetate

Questions or Comments
1-800-790-6417

©2016 Copyright & Distributed by:
Ducere Pharma, LLC, New Hope, PA 18938 USA
All Rights Reserved FC80002-01



NET WT.
2.75 oz (77.9g)

DUAL ACTION

Contains both a local anesthetic and topical analgesic

- NUMBS AWAY PAIN
- Non-Greasy
- Fast Acting
- Vanishing Scent

Maximum Strength Lidocaine Available Without a Prescription

DOAN'S
Pain Relieving Cream
with **LIDOCAINE** PLUS
4% **MENTHOL**

DUAL ACTION

Local Anesthetic + Topical Analgesic

- NUMBS AWAY PAIN
- Non-Greasy
- Fast Acting
- Vanishing Scent



DOANS PAIN RELIEVING

lidocaine and menthol, unspecified form cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55741-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Lidocaine (UNII: 98PI200987) (Lidocaine - UNII:98PI200987)	Lidocaine	4 g in 100 g
menthol, unspecified form (UNII: L7T10EIP3A) (menthol, unspecified form - UNII:L7T10EIP3A)	menthol, unspecified form	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
benzyl alcohol (UNII: LKG8494WBH)	
carbomer homopolymer type B (Allyl Pentaerythritol crosslinked) (UNII: HHT01ZNK31)	
lecithin, soybean (UNII: 1DI56QDM62)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0K00R)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55741-002-03	1 in 1 CARTON	05/24/2016	
1		77.9 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/24/2016	

Labeler - Dr. Reddy's Laboratories Inc. (802315887)

Revised: 6/2016

Dr. Reddy's Laboratories Inc.