

BACITRACIN ZINC- first aid antibiotic ointment
BluePoint Laboratories

Bacitracin Zinc Ointment USP

Active Ingredient

Bacitracin Zinc (500 units in each gram)

Purpose

First Aid Antibiotic

Uses

First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings

For external use only

Do not use

- In the eyes or apply over large areas of the body
- If you are allergic to any of the ingredients
- Longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

the condition persists or gets worse

if a rash or other allergic reaction develops

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other Information

- Do not use if seal on the tube is damaged or is not visible
- To open, unscrew cap, pull tab to remove foil seal
- Store at room temperature
- Avoid excessive heat and humidity
- Preserve in well-closed container
- See crimp of tube or carton for Lot Number and Expiry Date

Inactive Ingredients

Mineral Oil, Paraffin, White Petrolatum

Questions?

Contact 1-800-707-4621

Manufactured in India by:

Gopaldas Visram & Company Limited
 Plot No. A327, T.T.C Indl. Area, M.I.D.C
 Mahape, Navi Mumbai - 400710.
 Mfg. Lic. No.: KD/503

For BluePoint Laboratories

Rev 02/2022

0.5oz Label

NDC: 68001-531-45

Bacitracin Zinc Ointment USP

First Aid Antibiotic

BluePoint
LABORATORIES

Net Wt. 0.5 oz (14.2 g)

Drug Facts	Purpose
Active ingredient Bacitracin Zinc (500 units in each gram)	First Aid Antibiotic
Uses ■ First aid to help prevent infection in minor cuts, scrapes, and burns	
Warnings ■ For external use only ■ Do not use in the eyes or apply over large areas of the body ■ If you are allergic to any of the ingredients longer than 1 week unless directed by a doctor ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ■ Other information ■ Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal ■ Store at room temperature ■ Avoid excessive heat and humidity ■ Preserve in well-closed container ■ See crimp of tube or carton for Lot Number and Expiry Date ■ Questions? Contact 1-800-707-4621 ■ Important See box for complete Drug Facts	

Manufactured in India by:
 Gopaldas Visram & Company Limited,
 Plot No. A327, T.T.C. Indl. Area, M.I.D.C.
 Mahape, Navi Mumbai - 400710.


Mfg. Lic. No.: KD/503

For BluePoint Laboratories

31680015314510

Rev 02/2022


0.5oz Carton

<p>Drug Facts</p> <p>Active ingredient Bacitracin Zinc (500 units in each gram) First Aid Antibiotic</p> <p>Purpose First Aid Antibiotic</p> <p>Uses First aid to help prevent infection in minor cuts, scrapes, and burns</p> <p>Warnings For external use only</p>		<p>Drug Facts (continued)</p> <p>Do not use</p> <ul style="list-style-type: none"> in the eyes or apply over large areas of the body if you are allergic to any of the ingredients longer than 1 week unless directed by a doctor <p>Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns</p> <p>Stop use and ask a doctor if the condition persists or gets worse or a rash or other allergic reaction develops</p>		Space for Unvarnished Area
<p>Drug Facts (continued)</p> <p>Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> Clean the affected area, Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily, May be covered with a sterile bandage. 		<p>Drug Facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none"> Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal Store at room temperature Avoid excessive heat and humidity Preserve in well-closed container See crimp of tube or carton for Lot Number and Expiry Date 		
<p>NDC: 68001-531-45</p> <p>Bacitracin Zinc Ointment USP</p> <p>First Aid Antibiotic</p> <p> Net Wt. 0.5 oz (14.2 g)</p>		<p>Manufactured in India by: Gopaldas Visram & Company Limited, Plot No. A327, T.T.C. Ind. Area, M.L.D.C. Mahape, Navi Mumbai - 400710.</p> <p>Mfg. Lic. No.: KD/503 For BluePoint Laboratories Rev 02/2022</p>		
<p>Drug Facts (continued)</p> <p>Inactive ingredients Mineral Oil, Paraffin, White Petrolatum</p> <p>Questions? Contact 1-800-707-4621</p>				

1oz Label

<p>NDC: 68001-531-46</p> <p>Bacitracin Zinc Ointment USP</p> <p>First Aid Antibiotic</p> <p> Net Wt. 1 oz (28.4 g)</p>		<p>Manufactured in India by: Gopaldas Visram & Company Limited, Plot No. A327, T.T.C. Ind. Area, M.L.D.C. Mahape, Navi Mumbai - 400710.</p> <p>Mfg. Lic. No.: KD/503 For BluePoint Laboratories</p> <p> N 3 680015314617</p> <p>Rev 02/2022</p>	
<p>Drug Facts</p> <p>Active ingredient Bacitracin Zinc (500 units in each gram) First Aid Antibiotic</p> <p>Purpose First Aid Antibiotic</p> <p>Uses ■ First aid to help prevent infection in minor cuts, scrapes, and burns</p> <p>Warnings ■ For external use only</p> <p>Do not use ■ in the eyes or apply over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor</p> <p>Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns</p> <p>Stop use and ask a doctor if the condition persists or gets worse or a rash or other allergic reaction develops</p>		<p>Drug Facts (continued)</p> <p>Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions ■ Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.</p> <p>Other information ■ Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal ■ Store at room temperature ■ Avoid excessive heat and humidity ■ Preserve in well-closed container ■ See crimp of tube or carton for Lot Number and Expiry Date</p> <p>Inactive ingredients Mineral Oil, Paraffin, White Petrolatum</p> <p>Questions? Contact 1-800-707-4621</p>	

1oz Carton



BACITRACIN ZINC

first aid antibiotic ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68001-531
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PARAFFIN (UNII: I9O0E3H2ZE)	
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68001-531-45	1 in 1 CARTON	03/04/2022	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:68001-531-46	1 in 1 CARTON	03/04/2022	
2		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	03/04/2022	

Labeler - BluePoint Laboratories (985523874)

Establishment

Name	Address	ID/FEI	Business Operations
Gopaldas Visram & Co. Ltd		858030888	manufacture(68001-531)

Revised: 11/2023

BluePoint Laboratories