

ZICAM INTENSE SINUS RELIEF- oxymetazoline hydrochloride spray
Church & Dwight Co., Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Zicam® Intense Sinus Relief Nasal Spray

Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - the common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- helps clear nasal passages
- shrinks swollen membranes

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may result
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To use pump:

- to open, hold the actuator to squeeze and turn cap
- hold with thumb at bottom of bottle and nozzle between fingers
- before using the first time, prime pump by depressing several times
- place tip of nozzle just past nasal opening (approximately 1/8")
- pump 2 or 3 times in each nostril without tilting your head. Sniff deeply.
- wipe nozzle clean after use
- to close, turn cap until it 'clicks'

Other information

- store between 15-29°C (59-84°F)
- retain carton for future reference on full labeling

Inactive ingredients

aloe barbadensis gel, benzalkonium chloride, benzyl alcohol, disodium EDTA, disodium phosphate, dl-alpha tocopherol, eucalyptol, glycerin, hydroxyethylcellulose, menthol, monosodium phosphate, polysorbate 80, purified water

Questions? Comments?

call 877-942-2626 toll free

www.zicam.com

PRINCIPAL DISPLAY PANEL - 15 mL Bottle Carton

ZICAM®

INTENSE
SINUS
RELIEF

OXYMETAZOLINE HCl 0.05%
NASAL DECONGESTANT

12
HOUR

RELIEF

COLDS*ALLERGIES

Maximum Strength
Relief of Sinus
Pressure

No-Drip Liquid[®]
NASAL SPRAY

Cooling
Menthol & Eucalyptus

0.50 FL OZ (15 mL)

ZICAM.

INTENSE SINUS RELIEF

OXYMETAZOLINE HCl 0.05%, NASAL DECONGESTANT

SAFETY SEALED. DO NOT USE IF MARKED TAMPER EVIDENT SEAL AROUND THE BOTTLE IS BROKEN OR MISSING.

ZICAM. ZICAM.

Drug Facts

Active ingredient Purpose
Oxymetazoline Nasal
hydrochloride 0.05%.....decongestant

Uses

- temporarily relieves nasal congestion due to:
 - the common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- helps clear nasal passages
- shrinks swollen membranes

Warnings

- Ask a doctor before use if you have
- heart disease
 - high blood pressure
 - thyroid disease
 - diabetes
 - trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may result
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If ingested, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.

Drug Facts (continued)

- children under 6 years of age: ask a doctor
- To use pump:**
 - to open, hold the actuator to squeeze and turn cap
 - hold with thumb at bottom of bottle and nozzle between fingers
 - before using the first time, prime pump by depressing several times
 - place tip of nozzle just past nasal opening (approximately 1/8")
 - pump 2 or 3 times in each nostril without tilting your head. Sniff deeply.
 - wipe nozzle clean after use
 - to close, turn cap until it 'clicks'

Other information

- store between 15-29°C (59-84°F)
- retain carton for future reference on full labeling

Inactive ingredients

aloe barbadensis gel, benzalkonium chloride, benzyl alcohol, disodium EDTA, disodium phosphate, dl-alpha tocopherol, eucalyptol, glycerin, hydroxyethylcellulose, menthol, monosodium phosphate, polysorbate 80, purified water

KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION; SEE OPPOSITE PANEL FOR DETAILED INSTRUCTIONS ON HOW TO USE PUMP

SATISFACTION GUARANTEED

Questions? Comments?
call 877-942-2626 toll free
www.zicam.com

DISTRIBUTED BY
CHURCH & DWIGHT CO., INC.
EWING, NJ 08628

US Patent No. 7,714,011

ZCFC-20400-02
72026089

INTENSE SINUS RELIEF

OXYMETAZOLINE HCl 0.05%
NASAL DECONGESTANT



COLDS • ALLERGIES



Maximum Strength
Relief of Sinus
Pressure

No-Drip Liquid®
NASAL SPRAY

Cooling
Menthol & Eucalyptus

0.50 FL OZ (15 mL)

TO USE PUMP

- To open, hold white wings with thumb and forefinger; with other hand, pinch gray grips on cap and twist to open.
- Hold with thumb at bottom of bottle and nozzle between your fingers.
- Before using the first time, prime pump by firmly depressing several times.
- Place tip of nozzle just past nasal opening (approximately 1/8").
- Pump 2 or 3 times into each nostril without tilting your head.
- Sniff deeply. Do not use more often than once every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. Wipe nozzle clean after use.
- To close, hold white wings in place while turning the gray cap until it clicks.



7 32216 20400 1

ZICAM INTENSE SINUS RELIEF

oxymetazoline hydrochloride spray

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:10237-471

Route of Administration NASAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
EUCALYPTOL (UNII: RV6J6604TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYETHYL CELLULOSE (100 MPAS AT 2%) (UNII: R33S7TK2EP)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-471-15	1 in 1 CARTON	02/28/2022	
1		15 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/28/2022	

Labeler - Church & Dwight Co., Inc. (001211952)

Revised: 2/2023

Church & Dwight Co., Inc.