

**GOOD SENSE MILK OF MAGNESIA STIMULANT FREE- magnesium hydroxide suspension  
L Perrigo Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Perrigo Milk of Magnesia Drug Facts**

**Active ingredient (in each 15 mL)**

Magnesium hydroxide 1200 mg

**Purpose**

Saline laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**Ask a doctor or pharmacist before use if you are**

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not exceed the maximum recommended daily dose in a 24 hour period

- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose
- for accurate dosing, use dose cup provided
- mL = milliliter

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

**Other information**

- each 15 mL contains: calcium 20 mg, magnesium 595 mg, and sodium 2 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- close cap tightly after use
- avoid freezing

**Inactive ingredients**

light mineral oil, peppermint oil, purified water, saccharin sodium

**Questions or comments?**

1-800-719-9260

**Principal Display Panel**

Stimulant Free

Genuine

Milk of Magnesia

Saline Laxative

Magnesium Hydroxide, 1200 mg per 15 mL

DOCTOR RECOMMENDED

#1

saline laxative active ingredient

Comfortable, Cramp Free Relief

Sugar Free

Fresh Mint Flavor

Compare to active ingredient of Phillips'® Milk of Magnesia

12 FL OZ (355 mL)

GOODSENSE®

NDC 0113-0332-40

**Stimulant Free**

**Genuine**

# Milk of Magnesia



Saline Laxative  
Magnesium Hydroxide,  
1200 mg per 15 mL

- Comfortable,  
Cramp Free Relief
- Sugar Free

**Fresh Mint Flavor**

Compare to *active ingredient of*  
**Phillips'® Milk of Magnesia**



12 FL OZ (355 mL)

: 33240 C2 F8



## Drug Facts

**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING.**

### Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg.....Saline laxative

### Purpose

### Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

### Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug.

Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.

- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose
- for accurate dosing, use dose cup provided
- mL = milliliter

adults and children 12 years and older

30 mL to 60 mL

children 6 to 11 years

15 mL to 30 mL

children under 6 years

ask a doctor

### Other information

- each 15 mL contains: calcium 20 mg, magnesium 595 mg, and sodium 2 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- close cap tightly after use
- avoid freezing

### Inactive ingredients

light mineral oil, peppermint oil, purified water, saccharin sodium

Questions or comments? 1-800-719-9260

: 33240 C2 B9

◆In the U.S. Source: AlphaImpactRx.

**Gluten Free**

Distributed By

**Perrigo®**

Allegan, MI 49010



**GOOD SENSE MILK OF MAGNESIA STIMULANT FREE**

magnesium hydroxide suspension

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0113-0332
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

**Inactive Ingredients**

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
PEPPERMINT OIL (UNII: AV092KU4JH)	

**Product Characteristics**

<b>Color</b>	WHITE (opaque)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-0332-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/15/1991	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	06/15/1991	

**Labeler** - L Perrigo Company (006013346)

Revised: 12/2019

L Perrigo Company