

**DOCUSATE SODIUM - docusate sodium capsule, liquid filled**  
**SDA Laboratories, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient (in each softgel)**

Docusate sodium 100 mg

**Purpose**

Stool softener

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

**Warnings**

**Do not use**

if you are currently taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain, nausea or vomiting
- have noticed a sudden change in bowel habits that lasts over 2 weeks

**Stop use and ask a doctor if**

- you have rectal bleeding
- you fail to have a bowel movement after use
- you need to use a stool softener laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- doses may be taken as a single daily dose or in divided doses

adults and children 12 years and over	take 1 to 3 softgels daily
---------------------------------------	-------------------------------

children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

### Other information

- each capsule contains sodium 6 mg
- store at room temperature 15°-30°C (59°-86°F)
- **Tamper Evident:** Do not use if imprinted safety seal under cap is broken or missing

**Inactive ingredients: D&C red #33, Edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, sorbitol special**

### Questions?

Adverse drug event call (800) 687-0176

### Principal Display Panel

NDC 66424-030-10

Compare to the active ingredient in Colace®†

# STOOL SOFTENER

ORIGINAL

DOCUSATE SODIUM 100 mg

1000 Softgel Capsules

**SDA Laboratories, Inc.**

**Drug Facts**

**Active Ingredients** (in each softgel)  
 Docusate Sodium 100 mg ..... Stool softener

**Uses:** • relieves occasional constipation (irregularity) • generally produces bowel movement in 12 to 72 hours

**Warnings:**  
**Do not use:** if you are currently taking mineral oil, unless directed by a doctor  
**Ask a doctor before use if you have:** • stomach pain, nausea or vomiting • noticed a sudden change in bowel habits that lasts over 2 weeks  
**Stop use and ask a doctor if:** • you have rectal bleeding • you fail to have a bowel movement after use • you need to use a stool softener laxative for more than 1 week  
**If pregnant or breast feeding,** ask a health care professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.


**Directions**  
 • doses may be taken as a single daily dose or in divided doses

adults and children 12 years and over	take 1 to 3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

**Other Information:** • each capsule contains sodium 6 mg • store at controlled room temperature 15°-30°C (59°-86°F) • **Tamper Evident:** Do not use if imprinted safety seal under cap is broken or missing

**Inactive Ingredients:** D&C Red #33, Edible Ink, FD&C Red #40, FD&C Yellow #6, Gelatin, Glycerin, Polyethylene Glycol, Propylene Glycol, Sorbitol Special

**Questions? Adverse drug events call** (800) 687-0176  
 This product is not manufactured or distributed by Purdue Pharma L.P., owner of the registered trademark Colace®  
**Distributed by: SDA Laboratories, Inc.** Greenwhich, CT 06830  
 L.Rev. 08/10



## DOCUSATE SODIUM

docusate sodium capsule, liquid filled

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66424-030
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Docusate Sodium</b> (UNII: F05Q2T2JA0) (Docusate - UNII:M7P27195AG)	Docusate Sodium	100 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOLS</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>	red (Two toned- white and clear red)	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	5mm
<b>Flavor</b>		<b>Imprint Code</b>	51A
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66424-030-01	100 in 1 BOTTLE		
2	NDC:66424-030-10	1000 in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC mono graph not final	part334	09/15/2010	

**Labeler** - SDA Laboratories, Inc. (948067889)

**Registrant** - Pharbest Pharmaceuticals, Inc. (557054835)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharbest Pharmaceuticals, Inc		557054835	repack