

**CHILDRENS PAIN AND FEVER- acetaminophen suspension  
CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED**

-----  
**CVS 44-098**

***Active ingredient (in each 5 mL)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - toothache
  - sore throat
  - flu
  - the common cold
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- any new symptoms appear
- redness or swelling is present

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- **shake well before using**
- mL = milliliter
- only use the dose cup provided
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (mL)*</b>
Under 24	Under 2	Ask a doctor
24-35	2-3	5 mL
36-47	4-5	7.5 mL
48-59	6-8	10 mL
60-71	9-10	12.5 mL
72-95	11	15 mL

\*or as directed by a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

anhydrous citric acid, flavor, glycerin, high fructose corn syrup, microcrystalline cellulose and carboxymethylcellulose sodium, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

***Questions or comments?***

**1-800-426-9391**

***Principal display panel***

**♥CVS**

Health®

Compare to the active ingredient in Children's Tylenol® Oral Suspension†

**Oral Suspension**

**Children's  
Pain &  
Fever**

**ACETAMINOPHEN**

**160 mg / 5 mL**

Pain reliever; Fever reducer

Ages 2 to 11 years

- Free of alcohol
- Aspirin Free
- Ibuprofen Free
- Paraben Free

DYE

FREE

Grape Flavored

Dosage Cup Included

Package

Contains

One Bottle

**8 FL OZ (237 mL)**

**DIRECTIONS:**

Step 1.

Shake well

before using

Step 2.

Remove child-protective cap

Step 3.  
Pour your  
child's dose  
into the  
dosing cup

**IMPORTANT:**

Please see dosing chart or ask  
a doctor for your child's correct dose.

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

†This product is not manufactured or distributed by Kenvue  
Inc., owner of the registered trademark Children's Tylenol®  
Oral Suspension.

50844 ORG022409819

**Distributed by:**  
**CVS Pharmacy, Inc.**  
**One CVS Drive**  
**Woonsocket, RI 02895**  
**© 2024 CVS/pharmacy**  
**CVS.com®**  
**1-800-SHOP CVS**  
**V-11112**

100% money back  
guaranteed.  
[CVS.com/returnpolicy](https://www.cvs.com/returnpolicy)



## CHILDRENS PAIN AND FEVER

acetaminophen suspension

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:51316-098

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

### Product Characteristics

Color	white	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-098-19	1 in 1 CARTON	04/05/2024	
1		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:51316-098-36	1 in 1 CARTON	04/05/2024	
2		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/05/2024	

Labeler - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(51316-098) , pack(51316-098)

Revised: 4/2024

CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED