

TARSUM PROFESSIONAL- coal tar shampoo
Summers Laboratories Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CONTAINS

2% COAL TAR

(10% LCD EQUIV. TO 2% COAL TAR)

PURPOSE

PSORIASIS, SEBORRHEIC DERMATITIS, DANDRUFF TREATMENT

USE

- **CONTROLS ITCHING, FLAKING AND REDNESS DUE TO PSORIASIS, SEBORRHEIC DERMATITIS AND DANDRUFF**

WARNINGS

FOR EXTERNAL USE ONLY

Ask a doctor before use if you have

- condition that covers a large area of the body
- condition in or around the rectum or genitals

When using this product

- avoid contact with eyes. If contact occurs rinse eyes thoroughly with water.
- use caution in exposing skin to sunlight after applying this product. It may increase your tendency to sunburn up to 24 hours after application.
- do not use for prolonged periods without consulting a doctor.
- do not use this product with other forms of psoriasis therapy such as ultraviolet radiation or prescription drugs unless directed to do so by a doctor.

Stop and ask a doctor if

- condition worsens or does not improve after regular use as directed
- excessive irritation occurs

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

Other information

In rare instances, temporary discoloration of gray or blonde hair may occur.

Directions

- For use as a scalp treatment before showering: Twist open applicator tip. Apply evenly to affected areas. Leave on for 5 minutes, gradually increasing treatment time to 1 hour, or as directed by your doctor. Rinse thoroughly.
- As a shampoo: Wet hair, apply Tarsum for several minutes, then rinse.
- For best results use twice a week or as directed by a physician.

Inactive ingredients

water, TEA lauryl sulfate, cocamide DEA, sodium lauryl sulfate, ethanol (8%), salicylic acid, triethanolamine, glycerin, lauryl alcohol, diethanolamine, sodium chloride, polysorbate 80, fragrance

Store at controlled room temperature

59° to 86° F (15° to 30° C)

Questions or comments?

Call 1-800-533-7546 (USA and Canada)

For more information go to www.sumlab.com

1 / 32

MEDICATED SHAMPOO/GEL

TARSUM

DERMATOLOGIST RECOMMENDED

MORE THAN A MEDICATED SHAMPOO - TARSUM IS A SCALP TREATMENT.

Drug Facts

Active ingredient Purpose
2% Coal Tar Psoriasis, seborrheic dermatitis, (OTC LCG) (up to 2% coal tar) dandruff treatment

Use Controls itching, flaking and redness due to psoriasis, seborrheic dermatitis and dandruff.

Warnings For external use only

Ask a doctor before use if you have

- a condition that covers a large area of the body
- a condition in or around the nose, or genitals

When using this product

- avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water.
- use caution in exposing skin to sunlight after applying this product. It may increase your tendency to sunburn up to 24 hours after application.
- Do not use for prolonged periods without consulting a doctor.
- do not use this product with other forms of psoriasis therapy such as ultraviolet radiation or prescription drugs unless directed to do so by a doctor.

Stop and ask a doctor if

- condition worsens or does not improve after regular use as directed.
- excessive irritation occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For use as a scalp treatment before shampooing. Partly open applicator tip. Apply evenly to affected areas. Leave on for 5 minutes, gradually increasing treatment time to 15 min, or as directed by your doctor. Rinse thoroughly.
- As a shampoo, wet hair, apply Tarsum for several minutes, then rinse.
- For best results use twice a week or as directed by a physician.

Other information

In rare instances, temporary discoloration of gray or blonde hair may occur.

Inactive ingredients

water, PEG-400, sodium cocoyl sulfate, cocamide DEA, sodium lauryl sulfate, ethanol (95%), salicylic acid, hydroxyacetone, glycerin, lauryl alcohol, dithioisobutene, sodium chloride, polysorbate 80, fragrance

Questions or comments?
Call 1-800-533-7546 (USA and Canada)
For more information go to www.sumlab.com

TARSUM controls itching, flaking and redness associated with psoriasis, seborrheic dermatitis and severe dandruff.

TARSUM is more than a shampoo, it's a scalp treatment - Use as a shampoo, or use applicator tip to pretreat affected areas of the scalp **BEFORE** showering! See right panel for full strength pre-treatment details.



TARSUM is recommended by leading dermatologists because it works!

DERMATOLOGIST RECOMMENDED

TARSUM

PROFESSIONAL

MEDICATED SHAMPOO/GEL

TREATS

SEBORRHEIC DERMATITIS,
PSORIASIS, AND SEVERE DANDRUFF.

CONTROLS

ITCHING, FLAKING AND REDNESS

Why does full strength pre-treatment make sense?

Other medicated shampoos direct you to add water, lather and wait. Taking this approach treats the hair, the unaffected scalp and problem areas equally, with perhaps more water than medication. And, who wants to wait around with a head full of lather?

TARSUM is different.

Use Tarsum's unique applicator tip to apply TARSUM full strength, directly to affected areas of the scalp, **BEFORE** showering.

You can apply Tarsum and go about your morning or evening routine while Tarsum works full strength to help eliminate flaking, itching, redness and irritation. After a treatment of a few minutes or up to an hour, simply add water, lather, then immediately rinse.

No more waiting in the shower for your shampoo to work. You have time to use your favorite conditioner, or simply spend less time in the shower.

Full strength medication and convenience - TARSUM has it all!

NDC 11096-011-01



7 94731 01101 4

100% MONEY BACK GUARANTEE

If Tarsum is not the best medicated shampoo you have ever used, we will refund your full purchase price.

4 FL. OZ. (118 mL) 2% Coal Tar

Distributed by Summers Laboratories, Inc.
Collegeville, PA 19426-2144
1-800-533-3KIN (7546)

SUMMERS
LABORATORIES, INC.

Drug Facts	
Active Ingredient 10% L. C. D. (equiv. to 2% coal tar)	Purpose Psoriasis, seborrheic dermatitis, dandruff treatment
Use controls itching, flaking and redness due to psoriasis, seborrheic dermatitis and dandruff	
Warnings For external use only Ask a doctor before use if you have a condition that covers a large area of the body or a condition in or around the rectum or genital area or groin When using this product Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. Use caution in exposing skin to sunlight after applying this product. It may increase your tendency to sunburn for up to 24 hours after application. Do not use for prolonged periods without consulting a doctor. Do not use this product with other forms of psoriasis therapy such as ultraviolet radiation or prescription drugs unless directed to do so by a doctor. Stop use and ask a doctor if condition worsens or does not improve after regular use as directed. Irritable reaction occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. In rare instances, temporary discoloration of gray or blond hair may occur.	
Directions For use as a scalp treatment before bathing: twist open applicator tip. Apply evenly on affected areas. Leave on for 5 minutes, gradually increasing treatment times to 1 hour, or as directed by a doctor. Then rinse thoroughly with water. As a shampoo: wet hair, apply Tarsum, up to 10 minutes, then rinse. Use daily with bathing and itching are under control, then at least twice a week or as directed by a physician.	
Inactive ingredients TEA lauryl sulfate, sodium lauryl sulfate, cocamide DEA, salicylic acid, sodium chloride, fragrance	

Satisfaction Guaranteed.
For information about our other Summers Labs products for psoriasis, acne, and severe-dry skin, call 1-800-533-7546 or visit www.summlab.com



tarsum™ shampoo/gel

■ Controls itching, flaking and redness associated with psoriasis, seborrheic dermatitis and severe dandruff.

■ More than a shampoo - it's a scalp treatment! Use as a shampoo, or use applicator tip to pretreat affected areas of the scalp BEFORE bathing! Allows full strength treatment for up to an hour. When ready, simply add water, lather and rinse. No more waiting in the shower for your medicated shampoo to work!

■ Recommended by leading dermatologists because it works!

Distributed by
Summers Laboratories, Inc.
Collegeville, PA 19426
1-800-533-SKIN
www.summlab.com



8 oz. (236ml)

TARSUM PROFESSIONAL

coal tar shampoo

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11086-011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COAL TAR (UNII: R533ESO2EC) (COAL TAR - UNII:R533ESO2EC)	COAL TAR	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
TRIETHANOLAMINE LAURYL SULFATE (UNII: E8458C1KAA)	
COCO DIETHANOLAMIDE (UNII: 92005F972D)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
ALCOHOL (UNII: 3K9958V90M)	8 g in 100 mL
SALICYLIC ACID (UNII: 0414PZ4LPZ)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
LAURYL ALCOHOL (UNII: 178A96NLP2)	

DIETHANOLAMINE (UNII: AZE05TDV2V)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11086-011-11	1 in 1 BOX	10/30/2013	
1	NDC:11086-011-01	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11086-011-02	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/30/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358H	10/30/2013	

Labeler - Summers Laboratories Inc (002382612)

Establishment

Name	Address	ID/FEI	Business Operations
Summers Laboratories Inc		002382612	manufacture(11086-011) , pack(11086-011)

Revised: 9/2017

Summers Laboratories Inc