ALCOHOL FREE ANTIBACTERIAL HAND SANITIZER- polyhexamethylene biguanide gel Ningbo Meilei Electrical Appliance Co.,LTD

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Polyhexamethylene biguanide 0.09% (w/w)

Medical Glycerin[]Benzalkonium Chloride[]Purified water

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

For external use only.Use with caution in people with polxhexammethyl metformin and quaternary ammonium allergies.

Do notuse in children less than 2 months of age

Do notuse on open skin wounds

Avoid compatibility with soap and anions, and do not share it with other detergents

When using this product keep out of eyes ears, and mouth. In case of contact with eyes, rinse eyesthoroughly with water.

stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center rightaway.

Antiseptic

Place enough product on hands to cover all surfaces.Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

Place enough product on hands to cover all surfaces.Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

Store between 5-40°C(41-104°F) Avoid freezing and excessive heat above 50°C(122°F)

	Polyhexamethylene Biguanide 0.09%	
	Topical Solution	
	Alcohol Free Antibacterial MEILEI	
	Hand Sanitizer Gele	
23	Net: 40mL←	
Dru	g Facts	
Act	vive ingredient[s] purpose	
Poly	vhexamethylene Biguanide 0.09%(w/ <u>w)</u> Antiseptic	
Wa For	alth care personnel hand rub to help reduce bacteria that potentially can cause disease	ary
	monium allergies.쉭 notuse식	
•	in children less than 2 months of age 🗠	
•	on open skin wounds∉	
•	Avoid compatibility with soap and anions, and do not share it with other detergents	
	en using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse e roughly with water.	yes
sto	p use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.	
	ep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right ay. ^ლ	
Dir	rections	
•	Place enough product on hands to cover all surfaces. Rub hands together until dry.	
•	Supervise children under 6 years of age when using this product to avoid swallowing.₽	
Oth	ner information 4	
•	Store between 5-40C(41-104F)↔	
•	Avoid freezing and excessive heat above 50 $^\circ C$ (122 $^\circ F$) $^{ m cl}$	
Ina	ctive ingredients Medical Glycerin, Benzalkonium Chloride, purified water 🚭	

Polyhexamethylene Biguanide 0.09%						
Topical Solution						
Alcohol Free Antibacterial MEILEI						
Hand Sanitizer Gele						
Net: 50mL						
Drug Facts						
Active ingredient[s] purpose						
Polyhexamethylene Biguanide 0.09%(w/ <u>w)</u> Antiseptic						
Ųse [s] ↔						
Health care personnel hand rub to help reduce bacteria that potentially can cause disease						
Warnings						
For external use only. Use with caution in people with polyhexammethyl metformin and quaternary ammonium allergies.						
Do notuse						
● in children less than 2 months of age ←						
● on open skin wounds←						
 Avoid compatibility with soap and anions, and do not share it with other detergents 						
When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.						
stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.						
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. 더						
Directions						
● Place enough product on hands to cover all surfaces. Rub hands together until dry.←						
● Supervise children under 6 years of age when using this product to avoid swallowing.						
Other information						
● Store between 5-40C(41-104F)←						
● Avoid freezing and excessive heat above 50°C(122°F)←						
Inactive ingredients Medical Glycerin, Benzalkonium Chloride, purified water 😅						

<u></u>		
T	opical Solution	
A	lcohol Free Antibacterial	MEILEI
Ha	and Sanitizer Gel↔	
N	et: 60mL	
Drug I	Facts←	
Activ	ve ingredient[<u>s]</u>	purpose⇔
Polyh	examethylene Biguanide 0.09%(w/ <u>w)</u>	Antiseptic
Use [<mark>ç]</mark>	
Healt	h care personnel hand rub to help reduce bacteria	that potentially can cause disease
Warn	ings	
	ings←	with polyheyammethyl metformin and quaterna
For e		vith polyhexammethyl metformin and quaterna
For e ammo	external use only.Use with caution in people v	vith <u>polyhexammethyl</u> metformin and quaterna
For e ammo Do no	external use only.Use with caution in people v onium allergies.식	vith <u>polyhexammethyl</u> metformin and quaterna
For e ammo Do no ir	external use only.Use with caution in people v onium allergies. ^교	vith <u>polyhexammethyl</u> metformin and quaterna
For e ammo Do no ir o	external use only.Use with caution in people woonium allergies. onium allergies. otuse n children less than 2 months of age ←	
For e ammo Do no ir ir o o A When	external use only.Use with caution in people wonium allergies.	
For e ammo Do no ir o o A When thoro	external use only.Use with caution in people woonium allergies. onium allergies. on children less than 2 months of age 쓴 on open skin wounds Avoid compatibility with soap and anions, and do not n using this product keep out of eyes, ears, and	oot share it with other detergents⇔ d mouth. In case of contact with eyes, rinse eye
For e ammo Do no ir o o A When thoro stop u Keep	external use only Use, with caution in people wonium allergies. onium allergies. on children less than 2 months of age on open skin wounds woid compatibility with soap and anions, and do not n using this product keep out of eyes, ears, and ughly with water. use and ask a doctor if irritation or rash occurs. The out of reach of children. If swallowed, get medical	iot share it with other detergents纪 d mouth. In case of contact with eyes, rinse ey ese may be signs of a serious condition.싄
For e ammo Do no ir o o A When thoro stop u Keep away.	external use only Use, with caution in people wonium allergies. onium allergies. on children less than 2 months of age on open skin wounds woid compatibility with soap and anions, and do not n using this product keep out of eyes, ears, and ughly with water. use and ask a doctor if irritation or rash occurs. The out of reach of children. If swallowed, get medical	iot share it with other detergents纪 d mouth. In case of contact with eyes, rinse ey ese may be signs of a serious condition.싄
For e ammo Do no ir o o A When thoro stop u Keep away.	external use only. Use, with caution in people wonium allergies. onium allergies. on open skin wounds Avoid compatibility with soap and anions, and do not a using this product keep out of eyes, ears, and ughly with water. use and ask a doctor if irritation or rash occurs. The out of reach of children. If swallowed, get medica	oot share it with other detergents d mouth. In case of contact with eyes, rinse eye ese may be signs of a serious condition. I help or contact a Poison Control Center right
For e ammo Do no ir o o A When thoro stop u Keep away. Direo	external use only Use with caution in people wonium allergies. onium allergies. on open skin wounds Avoid compatibility with soap and anions, and do not a using this product keep out of eyes, ears, and ughly with water. use and ask a doctor if irritation or rash occurs. The out of reach of children. If swallowed, get medica et al. ctions et al. ctions et al. on one of the out of eyes of the out of et al. et al. out of reach of children. If swallowed, get medica	iot share it with other detergents d mouth. In case of contact with eyes, rinse eye ese may be signs of a serious condition.식 I help or contact a Poison Control Center right es. Rub hands together until dry.식
For e ammo Do no ir o o A When thoro stop u Keep away. Direc S	external use only. Use, with caution in people wonium allergies. onium allergies. on open skin wounds Avoid compatibility with soap and anions, and do not be using this product keep out of eyes, ears, and ughly with water. use and ask a doctor if irritation or rash occurs. The out of reach of children. If swallowed, get medical ctions Place enough product on hands to cover all surface	iot share it with other detergents d mouth. In case of contact with eyes, rinse eye ese may be signs of a serious condition.식 I help or contact a Poison Control Center right es. Rub hands together until dry.식
For e ammo Do no ir o o A When thoro stop u Keep away. Direc S Other	external use only. Use, with caution in people wonium allergies. onium allergies. on open skin wounds woid compatibility with soap and anions, and do not using this product keep out of eyes, ears, and ughly with water. use and ask a doctor if irritation or rash occurs. The out of reach of children. If swallowed, get medical ctions place enough product on hands to cover all surface Supervise children under 6 years of age when using but of a get when using ctions when using the product on the out of age when using cupervise children under 6 years of age when using cupervise children under 6 years of age when using cupervise children under 6 years of age when using out of age when age out of age when age out of age	iot share it with other detergents d mouth. In case of contact with eyes, rinse eye ese may be signs of a serious condition.식 I help or contact a Poison Control Center right es. Rub hands together until dry.식

Polyhexamethylene Biguan	<u>ide 0.09</u> %←
<u>Topical Solution</u>	
Alcohol Free Antibacteria	al MEILEI~
Hand Sanitizer Gel	
Net: 80mL4	
Drug Facts	¢
Active ingredient[s]	purpose⇔
Polyhexamethylene Biguanide 0.09%(w/w)	Antiseptic
Use [s] ↔ Health care personnel hand rub to help reduce Warnings↔ For external use <u>only.Use</u> with caution in p	bacteria that potentially can cause disease
ammonium allergies.↩	
Do <u>notuse</u> ⇔	÷
 in children less than 2 months of age < 	
• on open skin wounds	
	and do not share it with other detergents
thoroughly with water.	ears, and mouth. In case of contact with eyes, rinse eyes ϵ
stop use and ask a doctor if irritation or rash oc	ccurs. These may be signs of a serious condition. ${}^{\scriptscriptstyle \!$
Keep out of reach of children. If swallowed, get away.역	t medical help or contact a Poison Control Center right
Directions	
• Place enough product on hands to cover al	l surfaces. Rub hands together until dry.↔
• Supervise children under 6 years of age wh	en using this product to avoid swallowing.
Other information ←	€
● Store between 5-40C(41-104F)	
• Avoid freezing and excessive heat above 50	
Inactive ingredients Medical Glycerin, Benzalko	enium Chloride, purified water 🗧 🤟

 \mathbf{I}_{i}^{n}

Topical Solution Alcohol Free Antibacterial Hand Sanitizer Gel Net: 100mL ug Facts tive ingredient[s] whexamethylene Biguanide 0.09%(w/w)	MEILEI ← purpose
Hand Sanitizer Gel Net: 100mL ug Facts tive ingredient[<u>s]</u>	purpose
Net: 100mL← ug Facts← tive ingredient[<u>s]</u>	
ug Facts∉ tive ingredient[<u>s]</u>	
tive ingredient[s]	
vhexamethylene Biguanide 0.09%(w/ <u>w)</u>	2 2 2
	Antiseptic
e,[s] ↔ alth care personnel hand rub to help reduce bacteria tha	t potentially can cause disease여
r external use only.Use with caution in people with monium allergies.역 notuse	polynexammethyl metformin and quaternal
in children less than 2 months of age 🚭	
on open skin wounds←	
Avoid compatibility with soap and anions, and do not s	share it with other detergents
nen using this product keep out of eyes, ears, and m proughly with water. 싄	nouth. In case of contact with eyes, rinse eye
p use and ask a doctor if irritation or rash occurs. These	
ep out of reach of children. If swallowed, get medical he ay.≪	Ip or contact a Poison Control Center right
rections	
Place enough product on hands to cover all surfaces. R	ub hands together until dry.
Supervise children under 6 years of age when using thi	s product to avoid swallowing.
her information	
Store between 5-40C(41-104F)↔	
Avoid freezing and excessive heat above 50 $^\circ C$ (122 $^\circ F$) $\stackrel{<}{\leftarrow}$	2

Polyhexamethylene Biguanide 0.09% Topical Solution Alcohol Free Antibacterial MEILEI Hand Sanitizer Gel Net: 330mL

Drug Facts Active ingredient [s] Purpose Polyhexamethylene Biguanide 0.09% (w/w) Antiseptic Use[s] Health care personnel hand rub to help reduce bacteria that potentially can cause disease Warnings For external use only. Use with caution in people with polyhexammethyl metformin and quaternary ammonium allergies. Do not use in children less than 2 months of age on open skin wounds Avoid compatibility with soap and anions, and do not share it with other detergents. When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, ninse eyes thoroughly with water. stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing. Other information Store between 5-40C(41-104F) Avoid freezing and excessive heat above 50C(122F) Inactive Ingredients Glycerin, Benzalkonium Chloride, purified water

Polyhexamethylene Biguanide 0.09% Topical Solution Alcohol Free Antibacterial Hand Sanitizer Gel Net: 360mL

Drug Facts

Active ingredient [s]

Polyhexamethylene Biguanide 0.09% (w/w)

Use[s]

Health care personnel hand rub to help reduce bacteria that potentially can cause disease

Warnings

For external use only. Use with caution in people with polyhexammethyl metformin and quaternary ammonium allergies.

Purpose

Antiseptic

Do not use

- in children less than 2 months of age
- on open skin wounds
- Avoid compatibility with soap and anions, and do not share it with other detergents

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 5-40C(41-104F)
- Avoid freezing and excessive heat above 50C(122F)

Inactive ingredients Glycerin, Benzalkonium Chloride, purified water

Polyhexamethylene Biguanide 0.09% Topical Solution Alcohol Free Antibacterial Hand Sanitizer Gel Net: 400mL

Drug Facts Active ingredient [s] Purpose Polyhexamethylene Biguanide 0.09% (w/w) Antiseptic Use[s] Health care personnel hand rub to help reduce bacteria that potentially can cause disease Warnings For external use only. Use with caution in people with polyhexammethyl metformin and guaternary ammonium allergies. Do not use in children less than 2 months of age on open skin wounds · Avoid compatibility with soap and anions, and do not share it with other detergents When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions · Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing. Other information Store between 5-40C(41-104F) Avoid freezing and excessive heat above 50C(122F) Inactive ingredients Glycerin, Benzalkonium Chloride, purified water

MEILEI

ALCOHOL FREE ANTIBACTERIAL HAND SANITIZER

polyhexamethylene biguanide gel

Product Information						
Product Type	HUMAN OTC DRUG	ltem Code (Source)	IDC:82658-002		
Route of Administration	TOPICAL					
Active Ingredient/Active	e Molety					
Ingr	edient Name		Basis of Streng	th Strength		
POLIHEXANIDE (UNII: 322U039GMF) (POLIHEXANIDE - UNII:322U039GMF) POLIHEXANIDE			9 g in 10000 g			
Inactive Ingredients						
Inactive Ingredients	Ingredient Name			Strength		
Inactive Ingredients BENZALKONIUM CHLORIDE (U	-			Strength		
	-			Strength		
BENZALKONIUM CHLORIDE (U	-			Strength		

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82658-002- 01	40 g in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2022	
2	NDC:82658-002- 02	50 g in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2022	
3	NDC:82658-002- 03	60 g in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2022	
4	NDC:82658-002- 04	80 g in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2022	
5	NDC:82658-002- 05	100 g in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2022	
6	NDC:82658-002- 06	330 g in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2022	
7	NDC:82658-002- 07	360 g in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2022	
8	NDC:82658-002- 08	400 g in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2022	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		04/18/2022		

Labeler - Ningbo Meilei Electrical Appliance Co.,LTD (540125107)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ningbo Meilei Electrical Appliance Co., LTD		540125107	manufacture(82658-002)	

Revised: 3/2022

Ningbo Meilei Electrical Appliance Co.,LTD