EQUI-BLOCK ORIGINAL- caps aicin gel MIRACLE CORP

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

MIRACLE COAT - EQUI-BLOCK - THE ORIGINAL

ACTIVE INGREDIENT:

CAPSAICIN .025%

PURPOSE

TOPICAL ANALGESIC

USES

- FOR TEMPORARY RELIEF OF MINOR ACHES AND PAIN IN
- JOINTS
- TENDONS
- MUSCLES AND LIGAMENTS DUE TO OVER EXTENTION, INJURY, OR ARTHRITIS PAIN OR RELATED CONDITIONS

WARNINGS

- FOR EXTERNAL USE ONLY
- FOR ANIMAL USE ONLY
- NOT FOR HUMAN USE

DO NOT USE

- IN CONJUNCTION WITH WRAPPING OR SWEATING
- UNDER SADDLE GEAR

WHEN USING THIS PRODUCT

- AVOID CONTACT WITH EYES
- MUCOUS MEMBRANES
- OPEN WOUNDS
- CUTS
- ABRASIONS
- SENSITIVE AREAS
- RINSE EYES WITH COOL WATER IF IRRITATED

STOP USE AND CONSULT A VETERINARIAN IF

- EXCESSIVE IRRITATION OCCURS
- CONDITION WORSENS
- SYMPTOMS PERSIST FOR MORE THAN 7 DAYS OR CLEAR UP AND REOCCUR WITHIN A FEW DYS

KEEP OUT OF REACH OF CHILDREN.

• IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

• SHAKE WELL


- MASSAGE LIBERAL AMOUNT INTO THE REGION OF SPECIFIC PAIN OR INJURY
- CIRCLE ENTIRE JOINT WHERE APPLICABLE
- REAPPLY UP TO THREE TIMES DAILY FOR UP TO TWO WEEKS
- THEREAFTER USE ONCE DAILY OR AS NEEDED
- WEAR DISPOSABLE GLOVES OR WASH HANDS THOROUGHLY AFTER EACH APPLICATION

OTHER INFORMATION

- WHERE SWEATING IS EXCESSIVE, USE THIS PRODUCT IN CONJUNCTION WITH OUR EQUI-BLOCK LEG TIGHTENER AND LINIMENT WITHOUT A WRAP
- RECOMMEND THAT TRAINERS APPLY EQUI-BLOCK TO THE LEGS ONE HOUR BEFORE A WORKOUT TO DILATE BLOOD VESSELS AND REDUCE PAIN FROM OVER EXERTION
- USE LESSER AMOUNTS WITH FIRST APPLICATION

INACTIVE INGREDENTS

 PURIFIED WATER, CHAMOMILE EXTRACT, CARBOMER, POLYSORBATE 20, TRIETHANOLAMINE, PROPYL GALLATE, IMIDAZOLIDINYL UREA, METHYLPARABEN, PROPYLPARABEN, FRAGRANCE





EQUI-BLOCK ORIGINAL

capsaicin gel

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:61429-181

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.025 g in 100 mL

Inactive Ingredients

Strength

Packaging

ı					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:61429-181-08	227 mL in 1 BOTTLE			

Marketing Information

The ting time to the time to t			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/30/2013	

Labeler - MIRACLE CORP (604479543)

Revised: 6/2020 MIRACLE CORP