


OXYGEN- oxygen gas
GC Medical Equipment, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen



OXYGEN, Compressed U.S.P
UN 1072
DANGER
High Pressure oxidizing gas vigorously
accelerates combustion.
Keep away from children.
Produced by AIR LIQUEFACTION
Manufactured/Filled by:
GC MEDICAL EQUIPMENT
4651 State Road, Peninsula, Ohio 44264
888-338-0202
FOR CHEMICAL EMERGENCY
CALL CHEM-TREC 1-800-424-9300

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY
TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR
ALL MEDICAL APPLICATIONS, Rx ONLY.

KEEP AWAY FROM HEAT, SPARKS OR FLAME. KEEP OIL, GREASE AND COMBUSTIBLES
AWAY. ALWAYS SECURE CYLINDERS. OPEN VALVE SLOWLY, CLOSE VALVE AFTER
EACH USE AND WHEN EMPTY. USE IN ACCORDANCE WITH MATERIAL SAFETY
DATA SHEET FOR THIS PRODUCT.

WARNING: UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A
LONG DURATION, WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF
ARTERIAL BLOOD, MAY BE HARMFUL. USE ONLY WITH EQUIPMENT CLEANED FOR
OXYGEN
SERVICE AND RATED FOR CYLINDER PRESSURE. RETURN CYLINDER WITH 25 PSIG

PRESSURE
AND CYLINDER CAP SECURED.

FEDERAL LAW REQUIRES THAT THIS CONTAINER BE REFILLED WITH GASEOUS
OXYGEN U.S.P. ONLY
BY ESTABLISHMENTS REGISTERED AS A DRUG PRODUCER IN ACCORDANCE WITH THE
FEDERAL FOOD,
DRUG AND COSMETICS ACT.

CONTENTS: Cylinder Type/Liters E/680 D/425 M9/255 ML6/170 M6/170 M4/113 M2/42
DO NOT REMOVE THIS PRODUCT LABEL.

Lot:02220560236

Liters: 1699

8

Oxygen U.S.P.

OXYGEN REFRIGERATED LIQUID UN1073

WARNING!

EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER
PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY
EXPLODE ON IGNITION OR IMPACT.

CAN CAUSE SEVERE FROSTBITE.



PRODUCED BY AIR LIQUEFACTION

Warning! Always Keep Container In Upright Position.

For Emergency use only when administered by properly trained personnel for
oxygen deficiency and resuscitation. For all other medical applications, Rx Only.

CAUTION: Federal law prohibits dispensing without prescription.

Uninterrupted use of high concentrations of oxygen over a long duration, without
monitoring its effect on oxygen contents of arterial blood, may be harmful. Use

only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty.

In Case of Frostbite, obtain Medical treatment IMMEDIATELY.

Keep Out of Reach of Children. Contents under pressure and can vigorously accelerate combustion. Keep free from oil and grease. Do not use or store near heat or open flame and use only with equipment conditioned for oxygen service.

Federal law requires that this container be refilled with Liquid Oxygen, U.S.P. only by establishments registered as a drug producer in accordance with the Federal Food, Drug and Cosmetic Act.

DO NOT REMOVE THIS LABEL

Oxygen U.S.P.

OXYGEN REFRIGERATED LIQUID UN1073

WARNING!

EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

CAN CAUSE SEVERE FROSTBITE.

PRODUCED BY AIR LIQUEFACTION

Warning! Always Keep Container In Upright Position.

For Emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.

CAUTION: Federal law prohibits dispensing without prescription.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen contents of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty.

In Case of Frostbite, obtain Medical treatment IMMEDIATELY.

Keep Out of Reach of Children. Contents under pressure and can vigorously

accelerate combustion. Keep free from oil and grease. Do not use or store near heat or open flame and use only with equipment conditioned for oxygen service. Federal law requires that his container be refilled with Liquid Oxygen, U.S.P. only by establishments registered as a drug producer in accordance with the Federal Food, Drug and Cosmetic Act.
DO NOT REMOVE THIS LABEL.

B055220447

162.0LB

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:66878-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	991 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66878-001-01	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
2	NDC:66878-001-02	164 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
3	NDC:66878-001-03	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
4	NDC:66878-001-04	248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
5	NDC:66878-001-05	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
6	NDC:66878-001-06	566 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
7	NDC:66878-001-07	596 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
8	NDC:66878-001-08	616 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
9	NDC:66878-001-09	675 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
10	NDC:66878-001-10	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	

11	NDC:66878-001-11	3450 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
12	NDC:66878-001-12	7106 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
13	NDC:66878-001-13	9544 L in 1 CYLINDER; Type 0: Not a Combination Product	01/03/2011	
14	NDC:66878-001-14	28 L in 1 DEWAR; Type 0: Not a Combination Product	01/03/2011	
15	NDC:66878-001-15	40 L in 1 DEWAR; Type 0: Not a Combination Product	01/03/2011	
16	NDC:66878-001-16	55 L in 1 DEWAR; Type 0: Not a Combination Product	01/03/2011	
17	NDC:66878-001-18	180 L in 1 DEWAR; Type 0: Not a Combination Product	01/03/2011	
18	NDC:66878-001-19	41 L in 1 DEWAR; Type 0: Not a Combination Product	01/03/2011	
19	NDC:66878-001-20	45 L in 1 DEWAR; Type 0: Not a Combination Product	01/03/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/03/2011	

Labeler - GC Medical Equipment, Inc. (129946943)

Establishment

Name	Address	ID/FEI	Business Operations
GC Medical Equipment, Inc.		129946943	manufacture(66878-001)

Revised: 10/2023

GC Medical Equipment, Inc.