

CHILDRENS ALLERGY RELIEF- diphenhydramine hcl solution
Rite Aid Corporation

Rite Aid Corporation Children's Allergy Relief Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - itching of the nose or throat
 - runny nose
 - itchy, watery eyes

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- **each 5 mL contains:** sodium 15 mg
- store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- **do not use if printed neckband is broken or missing**

Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredient in Children's Benadryl® Allergy

FREE FROM | GLUTEN FREE ALCOHOL FREE

AGES 6-11

CHILDREN'S ALLERGY RELIEF

DIPHENHYDRAMINE HCl ORAL SOLUTION 12.5 mg / 5 mL ANTIHISTAMINE

relieves:

sneezing ● runny nose
 itchy, watery eyes
 itching of the nose or throat
 CHERRY FLAVOR
 DOSAGE CUP INCLUDED
 4 FL OZ (118 mL)



Drug Facts (continued)
Other information
 ■ each 5 mL contains: sodium 15 mg
 ■ store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
 ■ do not use if printed neckband is broken or missing
Inactive ingredients
 anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution
Questions or comments?
 1-800-719-9260

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Children's Benadryl Allergy.



DOSAGE CUP INCLUDED

DISTRIBUTED BY: RITE AID,
 200 NEWBERRY COMMONS
 ETTERS, PA 17319
 www.riteaid.com

SATISFACTION GUARANTEE
 If you're not satisfied, we'll happily refund your money.

NDC 11822-0379-0
 Compare to the active ingredient in Children's Benadryl® Allergy*

FREE | **GLUTEN FREE**
 F R M | **ALCOHOL FREE**

AGES 6-11

CHILDREN'S ALLERGY RELIEF

DIPHENHYDRAMINE HCl ORAL SOLUTION
12.5 mg / 5 mL ANTIHISTAMINE

relieves:
 sneezing • runny nose
 itchy, watery eyes
 itching of the nose or throat



CHERRY FLAVOR

DOSAGE CUP INCLUDED

4 FL OZ (118 mL)



NDC 11822-0379-0
 Compare to the active ingredient in Children's Benadryl® Allergy*

FREE | **GLUTEN FREE**
 F R M | **ALCOHOL FREE**

AGES 6-11

CHILDREN'S ALLERGY RELIEF

DIPHENHYDRAMINE HCl ORAL SOLUTION
12.5 mg / 5 mL ANTIHISTAMINE

relieves:
 sneezing • runny nose
 itchy, watery eyes
 itching of the nose or throat



CHERRY FLAVOR

DOSAGE CUP INCLUDED

4 FL OZ (118 mL)



Drug Facts
Active ingredient (in each 5 mL) **Purpose**
 Diphenhydramine HCl 12.5 mg.....Antihistamine

Uses
 ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ sneezing
 ■ itching of the nose or throat
 ■ runny nose
 ■ itchy, watery eyes

Warnings
Do not use
 ■ with any other product containing diphenhydramine, even one used on skin
 ■ to make a child sleepy

Ask a doctor before use if the child has
 ■ a breathing problem such as chronic bronchitis
 ■ glaucoma
 ■ a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers

When using this product
 ■ marked drowsiness may occur
 ■ excitability may occur, especially in children
 ■ sedatives and tranquilizers may increase drowsiness

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
 ■ find right dose on chart below
 ■ mL = milliliter
 ■ take every 4 to 6 hours, or as directed by a doctor
 ■ do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.



37926 83 C5

CHILDRENS ALLERGY RELIEF

diphenhydramine hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0379
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	RED (Bluish-Red)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0379-0	1 in 1 CARTON	04/05/2023	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11822-0379-1	1 in 1 CARTON	04/05/2023	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/05/2023	

Labeler - Rite Aid Corporation (014578892)

Revised: 4/2024

Rite Aid Corporation