

**DIPHENHYDRAMINE HYDROCHLORIDE- diphenhydramine
hydrochloride capsule
Walgreen Company**

0835K-Walgreen

Drug Facts

Active ingredient (in each capsule)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose sneezing itchy, watery eyes itching of the nose or throat
- temporarily relieves these symptoms due to the common cold: runny nose sneezing

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

| | |
|--|-----------------|
| adults and children 12 years of age and over | 1 to 2 capsules |
| children 6 to under 12 years of age | 1 capsule |
| children under 6 years of age | do not use |

Other information

- store in a dry place at 15° - 30°C (59° - 86°F)
- protect from moisture
- do not use if imprinted safety seal under cap is broken or missing or if red band around capsule is broken or missing

corn starch, D&C red #28, FD&C blue #1, FD&C red #40, gelatin, lactose monohydrate, magnesium stearate, sodium lauryl sulfate

Questions or comments?

1-800-925-4733

Walgreens Pharmacist Recommended.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl®.

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED walgreens.com ©2022 Walgreen Co.

PRODUCT OF CHINA. MANUFACTURED AND PACKAGED IN THE USA USING DOMESTIC AND IMPORTED INGREDIENTS.

NDC 0363-8350-02

Compare to the active ingredient in Benadryl® Allergy††

Allergy


Relief

DIPHENHYDRAMINE HCl 25 mg / ANTIHISTAMINE

• Relief of runny nose, sneezing,
itchy throat & itchy, watery eyes

600 Capsules

VALUE SIZE NDC 0363-8350-02




Compare to the active ingredient in Benadryl® Allergy*

Allergy Relief

DIPHENHYDRAMINE HCl 25 mg / ANTIHISTAMINE

• Relief of runny nose, sneezing, itchy throat & itchy, watery eyes

600
CAPSULES



ACTUAL SIZE

| | |
|-------------------|---|
| Drug Facts | Active ingredient (in each capsule) Diphenhydramine HCl 25 mg |
| | Purpose Antihistamine |
| | Uses ■ Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat ■ Temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing |
| | Warnings Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. |
| | Directions ■ Take every 4 to 6 hours, or as directed by a doctor. ■ Do not take more than 6 doses in 24 hours. adults and children 12 years of age and over 1 to 2 capsules children 6 to under 12 years of age 1 capsule children under 6 years of age do not use |
| | Other information ■ Store in a dry place at 15° – 30°C (59° – 86°F) ■ protect from moisture ■ do not use if imprinted safety seal under cap is broken or missing or if red band around capsule is broken or missing |
| | Inactive ingredients corn starch, D&C red #28, FD&C blue #1, FD&C red #40, gelatin, lactose monohydrate, magnesium stearate, sodium lauryl sulfate |
| | Questions or comments? 1-800-925-4733 |

Walgreens Pharmacist Recommended. Our pharmacist recommends the Walgreens brand. We invite you to compare to other brands. This product is not intended to be used in conjunction with any other product. © 2012 Walgreen Company, owner of the registered trademark Benadryl®. 001208 (U) (E) (P) WALGREENS CO. 214 WILLOW ST. DEERFIELD, IL 60015 APPROXIMATELY 600 CAPSULES PER BOTTLE. THIS PRODUCT IS PACKAGED IN THE USA USING DOMESTIC AND IMPORTED INGREDIENTS. W30RG0821-F REV-0322 R51108 ITEM 285447 W000000-0000-0

DIPHENHYDRAMINE HYDROCHLORIDE

diphenhydramine hydrochloride capsule

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-8350 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------|----------|
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 25 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| GELATIN (UNII: 2G86QN327L) | |
| MAGNESIUM STEARATE (UNII: 70097M6130) | |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| D&C RED NO. 28 (UNII: 767IP0Y5NH) | |

Product Characteristics

| | | | |
|---------------|--|----------------|----------|
| Color | pink (HALF PINK AND HALF CLEAR WTH WHITE POWDER INSIDE AND SEALED WTH RED BAND) | Score | no score |
| Shape | CAPSULE | Size | 14mm |
| Flavor | | Imprint | CPC-835 |

| Flavor | | | | Code | CFC,033 |
|------------------------------|------------------|--|----------------------|--------------------|---------|
| Contains | | | | | |
| Packaging | | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:0363-8350-06 | 365 in 1 BOTTLE; Type 0: Not a Combination Product | 08/12/2022 | | |
| 2 | NDC:0363-8350-02 | 600 in 1 BOTTLE; Type 0: Not a Combination Product | 10/17/2022 | | |
| 3 | NDC:0363-8350-01 | 1 in 1 CARTON | 02/02/2024 | | |
| 3 | | 100 in 1 BOTTLE; Type 0: Not a Combination Product | | | |
| Marketing Information | | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC Monograph Drug | | M012 | 08/12/2022 | | |

Labeler - Walgreen Company (008965063)

Revised: 2/2024

Walgreen Company