

ESOMEPRAZOLE MAGNESIUM- esomeprazole capsule, delayed release

Kroger Company

Kroger Co. Esomeprazole Magnesium Drug Facts

Active ingredient (in each capsule)

Esomeprazole 20 mg

(Each delayed-release capsule corresponds to 22 mg esomeprazole magnesium dihydrate)

Purpose

Acid reducer

Uses

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to esomeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

Inactive ingredients

FD&C blue no. 1, FD&C blue no. 1 aluminum lake, FD&C red no. 3, ferric oxide, gelatin, glyceryl monostearate, hypromellose, magnesium stearate, meglumine, methacrylic acid

and ethyl acrylate copolymer dispersion, polyethylene glycol, polysorbate 80, shellac, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-800-632-6900

Package/Label Principal Display Panel

COMPARE TO the active ingredient of NEXIUM® 24HR CLEAR MINIS™

See side panel

Kroger®

Esomeprazole Magnesium

OUR PHARMACIST RECOMMENDED

Treats Frequent Heartburn

24 HR

Mini Capsules

Delayed-Release Capsules, 20 mg

ACID REDUCER

actual size

42 CAPSULES

See New Warning Information

Three 14-Day Courses of Treatment

May Take 1 to 4 Days for Full Effect



Esomeprazole Magnesium

Delayed-Release Capsules, 20 mg
ACID REDUCER

Tips for Managing Heartburn

- Avoid foods or drinks that are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some acidic fruits and vegetables.
- Eat slowly and do not eat big meals.
- Do not eat late at night or just before bedtime.
- Do not lie flat or bend over soon after eating.
- Raise the head of your bed.
- Wear loose-fitting clothing around your stomach.
- If you are overweight, lose weight.
- If you smoke, quit smoking.

Clinically Proven to
Treat Frequent Heartburn



Treats
Frequent
Heartburn

24 HR

COMPARE TO the active ingredient of NEXIUM® 24HR CLEAR MINIS™

*See side panel

NDC 30142-273-03



Esomeprazole Magnesium

Delayed-Release Capsules, 20 mg
ACID REDUCER

See New Warning Information



Treats Frequent
Heartburn

24 HR

Mini Capsules

42 CAPSULES



actual size

Three 14-Day Courses of Treatment
May Take 1 to 4 Days for Full Effect

3 BOTTLES INSIDE



NDC 30142-273-01



Esomeprazole Magnesium

Delayed-Release Capsules, 20 mg
ACID REDUCER

Treats
Frequent
Heartburn

24 HR

Mini Capsules

14 CAPSULES

One 14-Day Course of Treatment
May Take 1 to 4 Days for Full Effect

actual size

DO NOT USE IF PRINTED FOIL SEAL UNDER CAP OR BAND AROUND THE CENTER OF EACH CAPSULE IS BROKEN OR MISSING.



PLEASE RECYCLE




0 4 1260 01541 0

Our Brands. Our Guarantee.
Love It or Your Money Back.

www.kroger.com

©2014 AVRI/EA

7U4D7 45 C1



KEEP CARTON FOR COMPLETE WARNINGS AND IMPORTANT INFORMATION.

Drug Facts

Active ingredient (in each capsule) **Purpose**
 Esomeprazole 20 mg.....Acid reducer
 (Each delayed-release capsule corresponds to 22 mg esomeprazole magnesium dihydrate)

Uses ■ treats frequent heartburn (occurs **2 or more** days a week)
 ■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to esomeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
 - heartburn with **lightheadedness, sweating or dizziness**
 - chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
 - frequent **chest pain**
- These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss ■ nausea or vomiting ■ stomach pain

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Drug Facts (continued)

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults 18 years of age and older
 - this product is to be used once a day (every 24 hours), every day for 14 days
 - may take 1 to 4 days for full effect
- 14-Day Course of Treatment**
- swallow 1 capsule with a glass of water before eating in the morning
 - take every day for 14 days
 - do not take more than 1 capsule a day
 - swallow whole. Do not crush or chew capsules.
 - do not use for more than 14 days unless directed by your doctor
- Repeated 14-Day Courses (if needed)**
- you may repeat a 14-day course every 4 months
 - **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
 - children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Drug Facts (continued)

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

Inactive ingredients

FD&C blue no. 1, FD&C blue no. 1 aluminum lake, FD&C red no. 3, ferric oxide, gelatin, glyceryl monostearate, hypromellose, magnesium stearate, meglumine, methacrylic acid and ethyl acrylate copolymer dispersion, polyethylene glycol, polysorbate 80, shellac, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-800-632-6900

DISTRIBUTED BY THE KROGER CO.
 CINCINNATI, OHIO 45202

For More Product Information,
 Scan UPC Using Your Kroger App
 or Call 800-632-6900

*Nexium® and Clear Minis™ are trademarks of AstraZeneca AB, SWEDEN SE-15185. AstraZeneca AB is not affiliated with The Kroger Co. or this product.

ESOMEPRAZOLE MAGNESIUM

esomeprazole capsule, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-273
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ESOMEPRAZOLE (UNII: N3PA6559FT) (ESOMEPRAZOLE - UNII:N3PA6559FT)	ESOMEPRAZOLE	20 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MEGLUMINE (UNII: 6HG8UB2MUJ)	
METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A (UNII: NX76LV5T8J)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SHELLAC (UNII: 46N107B71O)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	BLUE	Score	no score
Shape	CAPSULE	Size	11mm
Flavor		Imprint Code	7U4
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-273-01	1 in 1 CARTON	05/13/2022	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:30142-273-03	3 in 1 CARTON	05/25/2022	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA207193	05/13/2022	

Labeler - Kroger Company (006999528)