

**CLE DE PEAU BEAUTE RADIANT FOUNDATION I10- octinoxate and titanium dioxide powder**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION O10- octinoxate and titanium dioxide powder**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION O20- octinoxate and titanium dioxide powder**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION O30- octinoxate and titanium dioxide powder**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION O40- octinoxate and titanium dioxide powder**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION O50- octinoxate and titanium dioxide powder**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION O60- octinoxate and titanium dioxide powder**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION B10- octinoxate and titanium dioxide powder**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION B20- octinoxate and titanium dioxide powder**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION B30- octinoxate and titanium dioxide powder**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION BF20- octinoxate and titanium dioxide powder**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION WB20- octinoxate and titanium dioxide powder**  
**SHISEIDO AMERICAS CORPORATION**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CLÉ DE PEAU BEAUTÉ RADIANT FOUNDATION**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
OCTINOXATE 2.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

#### **Inactive Ingredients**

TALC•SYNTHETIC FLUORPHLOGOPITE•BARIUM SULFATE•ZINC OXIDE•TRIETHYLHEXANOIN•DIMETHICONE•SILICA•NYLON-12•STEAROXYMETHICONE/DIMETHICONE COPOLYMER•VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER•CALCIUM ALUMINUM BOROSILICATE•DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUIOXANE CROSSPOLYMER•DIPHENYLSILOXY PHENYL TRIMETHICONE•HYDROGENATED POLYISOBUTENE•ROSA ROXBURGHII FRUIT EXTRACT•DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER•SODIUM ACETYLATED HYALURONATE•SORBITAN SESQUIISOSTEARATE•ALUMINUM HYDROXIDE•TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE•ALUMINUM DISTEARATE•METHICONE•TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE•SODIUM MAGNESIUM SILICATE•POLYSILICONE-2•MAGNESIUM MYRISTATE•BUTYLENE GLYCOL•WATER•GLYCERIN•TOCOPHEROL•DIMETHICONE/METHICONE COPOLYMER•HYDROGEN DIMETHICONE•BHT•POLYMETHYLSILSESQUIOXANE•ALUMINA•CHLORPHENESIN•FRAGRANCE•MICA•TITANIUM DIOXIDE•BISMUTH OXYCHLORIDE•IRON OXIDES•

#### **Other information**

- protect this product in this container from excessive heat and direct sun.

#### **Questions or comments?**

Call toll free 1-800-906-7503

#### **PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - I10**

**clé de peau  
BEAUTÉ**

*radiant powder foundation*

**BROAD SPECTRUM SPF 23  
SUNSCREEN**

11g NET WT. .38 OZ.

**Drug Facts**  
(continued)

**Directions**

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive ingredients**

- TALC
- SYNTHETIC FLUOROPHLOGITE
- BARIUM SULFATE - JACO DUNE
- TRETHYLLERANUM
- DIMETHICONE - SILICA
- WAXEN-12
- STEAROYL METHYL DIMETHYL DIMETHACRYLATE
- VINYL DIMETHACRYLAMINE
- XYLXENOL
- CALCIUM ALUMINUM BORSILOATE
- OPHENIL DIMETHACRYLATE
- OPHENIL
- DIMETHACRYLATE
- CROSSPOLYMER
- OPHENYL DIMETHACRYLATE
- TITANIUM DIOXIDE

**Drug Facts**  
(continued)

**Inactive ingredients**

- HYDROGENATED POLYISODIAZOLE
- ROSA ROBINSONIA FRUIT EXTRACT
- DIMETHICONE/VINYL DIMETHACRYLATE
- CROSSPOLYMER
- SODIUM ACETYLATED HYALURONATE
- SPIRITAN SESQUISOCTATE
- ALUMINUM HYDROXIDE
- TRETHOXYSULFETHYL
- POLYDIMETHYLSILOXANETHYL DIMETHACRYLATE
- ALUMINUM OXISEPARATE
- INERTICONE
- TRETHOXYSULFETHYL
- POLYDIMETHYLSILOXANETHYL DIMETHACRYLATE
- SODIUM MABLESIUM SILICATE
- POLYISODIAZOLE-2
- MAGNESIUM NITRATE
- BUTYLENE GLYCOL - WATER
- GLYCERIN - 100% PHENOL
- DIMETHICONE/NEOMETHACRYLATE
- COPOLYMER
- HYDROGEN DIMETHACRYLATE
- POLYVINYLPIRROLIDONE
- ALUMINA - CHLOROPHENOL
- FRAGRANCE - VIOLETTA
- TITANIUM DIOXIDE
- ORSQUITH CARBONATE
- IRON OXIDES



clé de peau  
BEAUTÉ

radiant powder foundation

BROAD SPECTRUM SPF 23  
SUNSCREEN

11g NET WT. .38 OZ.

**Warnings**

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO, 11406  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

This package is made using bagasse paper (a non-wood paper).

7 30852 11406 7

縮小サイズ0.85倍 8mm×14mm×38mm

- reapply at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

clé de peau BEAUTÉ  
 RADIANT POWDER FOUNDATION (REFILL)  
 BROAD SPECTRUM SPF 23  
 SUNSCREEN  
**110**  
 READ INSERTION.

**Drug Facts**

**Active ingredients Purpose**

OCTINOXATE 2.9% ..... Sunscreen  
 TITANIUM DIOXIDE 2.9% ..... Sunscreen

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating

**Warnings**  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**



**Drug Facts (continued)**

**Other Information**  
 ■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free 1-800-906-7503

11406-41-5040  
 AAA

*radiant powder foundation*

**110**

**PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - O10**

**clé de peau**

**BEAUTÉ**

*radiant powder foundation*

**BROAD SPECTRUM SPF 23**

**SUNSCREEN**

11g NET WT. .38 OZ.

**Drug Facts**  
(continued)

**Directions**

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive ingredients**

- TALC:
- SYNTHETIC FLUOROPHOSPHATE
  - BARIUM SULFATE - ZINC OXIDE
  - TETRAPHENAMINE
  - DIMETHICONE - SILICA
  - VITAMIN E
  - STEROLINETHANONE/ DIMETHICONE COPOLYMER
  - VINYL DIMETHICONE/ETHANONE
  - SILSESQUOXIDE/ COPOLYMER
  - CALCIUM ALUMINUM BORSILICATE
  - OPIPHENYL DIMETHICONE/ VINYL DIMETHICONE/ COPOLYMER
  - DIMETHICONE/ SILSESQUOXIDE/ COPOLYMER
  - OPIPHENYL SILICON PHERYL DIMETHICONE

**Drug Facts**  
(continued)

**Inactive ingredients**

- HYDROGENATED POLYISOBUTYLENE
- ROSA ROXBURGHII FRUIT EXTRACT
- DIMETHICONE/ VINYL DIMETHICONE COPOLYMER
- SODIUM ACETYLATED HYALURONATE
- SPERMAL SESQUISULFATE
- ALUMINUM HYDROXIDE
- TETRAPHENYL ETHER
- POLYETHYLENE DIMETHYL METHYL DIMETHICONE
- ALUMINUM DISTEARATE
- METALICONE
- TETRAPHENYL ETHER
- POLYETHYLENE DIMETHYL DIMETHICONE
- SODIUM MADRASSUM SULFATE
- POLYISOBUTYLENE
- MANDYCEAMINIBUTATE
- BUTYLENE GLYCOL - WATER
- GLYCERIN - TOCOPHEROL
- DIMETHICONE/ ETHANONE COPOLYMER
- HYDROGEN DIMETHICONE - BHT
- POLYETHYLENE/ SILSESQUOXIDE
- ALUMINA - CHLOROPHENESIN
- FRAGRANCE - MICA
- TITANIUM DIOXIDE
- BISMUTH OXYCHLORIDE
- IRON OXIDES

clé de peau  
BEAUTÉ

radiant powder foundation  
BROAD SPECTRUM SPF 23  
SUNSCREEN

11g NET WT. .38OZ.

**Warnings**

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 11407  
www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 30852 11407 4

縮小サイズ0.85倍 8mm×1-  
14mm×38mm

● **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: ●

● reapply at least every 2 hours

clé de peau BEAUTÉ  
 RADIANT POWDER FOUNDATION (REFILL)  
 BROAD SPECTRUM SPF 23  
 SUNSCREEN  
 O10  
 READ INSERTION.  
**Drug Facts**

**Active ingredients Purpose**  
 OCTINOXATE 2.9% ..... Sunscreen  
 TITANIUM DIOXIDE 3.3% ... Sunscreen

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating

**Warnings**  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**



**Drug Facts (continued)**

**Other Information**  
 ■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free 1-800-906-7503

*radiant powder foundation*

**O10**

11407-41-5040  
 AAA



**PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - O20**

**clé de peau  
BEAUTÉ**

***radiant powder foundation***

***BROAD SPECTRUM SPF 23  
SUNSCREEN***

11g NET WT. .38 OZ.



**Drug Facts**  
(continued)

**Directions**

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: ask a doctor

**Inactive ingredients**

- TALC
- SYNTHETIC FLUOROPOLYACRYLATE
- BARIUM SULFATE-ZINC OXIDE
- TETRAHYDRAANON
- DIMETHICONE-SILICA
- WAXEN-2-
- STEAROYL DIMETHICONE/ DIMETHICONE COPOLYMER
- WAXYL DIMETHICONE DIMETHICONE
- 3,3,5,5-TETRAISOBUTYL-4-PHENYL-1,3-DIOXANE
- CALCIUM ALUMINUM BODISILICATE
- BOROSILICATE
- OPHENYL DIMETHICONE/WAXYL DIMETHICONE
- OPHENYL
- DIMETHICONE/SILSSULQUANONE
- CROSSPOLYMER
- OPHENYL/SILICON PHENYL DIMETHICONE
- TETRAHYDRAANON

**Drug Facts**  
(continued)

**Inactive ingredients**

- HYDRATED POLYSILOXANE
- ROSA ROXBURGHAN FRUIT EXTRACT
- DIMETHICONE/WAXYL DIMETHICONE
- CROSSPOLYMER
- SODIUM ACETYLATED HALLOWATE
- SODIUM SESQUISULFATE
- SPRITAN SESQUISULFATE
- ALUMINUM HYDROXIDE
- TRETHOXYSILYLETHYL
- POLYDIMETHYLSILOXANETHYL DIMETHICONE
- ALUMINUM DISTEARATE
- METHICONE
- TRETHOXYSILYLETHYL
- POLYDIMETHYLSILOXANETHYL DIMETHICONE
- SODIUM MAGNESIUM SILICATE
- POLYSILOXANE-2-
- MAGNESIUM NINTEGRATE
- BUTYLENE GLYCOL-NATTE
- GLYCERIN-TOCOPHEROL
- DIMETHICONE/METHICONE COPOLYMER
- HYDROGEN DIMETHICONE-BHT
- POLYMERIZED SILSSULQUANONE
- ALUMINA-CHLOROPHENISIN
- FRAGRANCE-MICA
- TITANIUM DIOXIDE
- BISULPHONIC CHLORIDE
- IRON OXIDES

**Warnings**


- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

**Uses**

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 

This package is made using bagasse paper (a non-wood paper).

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 11408  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

clé de peau  
BEAUTÉ

*radiant powder foundation*  
**BROAD SPECTRUM SPF 23  
SUNSCREEN**

11g NET WT. .38 OZ.

7 30852 11408 1

縮小サイズ0.85倍 8mm×1  
14mm×38mm

clé de peau BEAUTÉ  
 RADIANT POWDER FOUNDATION (REFILL)  
 BROAD SPECTRUM SPF 23  
 O 20  
 SUNSCREEN

**Drug Facts**

**Active ingredients Purpose**  
 OCTINOXATE 2.9% ..... Sunscreen  
 TITANIUM DIOXIDE 3.3% ... Sunscreen

READ INSERTION.

**Warnings**  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating  
 ■ reapply at least every 2 hours



**Drug Facts (continued)**

**Other Information**  
 ■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free  
 1-800-906-7503

O 20

*radiant powder foundation*

11408-41-5040  
 AAA



**PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - O30**

**clé de peau  
BEAUTÉ**

*radiant powder foundation*

**BROAD SPECTRUM SPF 23  
SUNSCREEN**

11g NET WT. .38 OZ.

**Drug Facts**  
(continued)

**Directions**

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive ingredients**

- TALC:
- SYNTHETIC FLUOROPOLYACRYLATE
  - BARIUM SULFATE - ZINC OXIDE
  - TETRAPHENYLBENZOIN
  - DIMETHICONE - SILICA
  - NYLON-12
  - STERIODIETHANONE/ DIMETHICONE COPOLYMER
  - NYLON DIMETHICONE/ DIMETHICONE
  - NYLON DIMETHICONE/ DIMETHICONE COPOLYMER
  - CALCIUM ALUMINUM BODISULFATE
  - OPHENYL DIMETHICONE/ NYLON DIMETHICONE/ NYLON DIMETHICONE/ NYLON DIMETHICONE COPOLYMER
  - OPHENYL DIMETHICONE/ NYLON DIMETHICONE/ NYLON DIMETHICONE COPOLYMER
  - TETRAPHENYLBENZOIN
  - DIMETHICONE

**Drug Facts**  
(continued)

**Inactive ingredients**

- HYDROGENATED POLYISOBUTENE
- ROSA ROXBURGHII FRUIT EXTRACT
- DIMETHICONE/ NYLON DIMETHICONE COPOLYMER
- SODIUM ACETYLATED PALMOLINATE
- SQUALIN SEQUOISISTEARATE
- ALUMINUM HYDROXIDE
- TETRAPHENYLBENZOIN
- POLYDIMETHYLSILOXYETHYL DIMETHICONE
- ALUMINUM DISTEARATE
- NENIACONE
- TETRAPHENYLBENZOIN
- POLYDIMETHYLSILOXYETHYL DIMETHICONE
- SODIUM MAGNESIUM SILICATE
- POLYISOBUTENE-2
- MAGNESIUM NITRATE
- BUTYLENE GLYCOL - WATER
- GLYCERIN - TOCOPHEROL
- DIMETHICONE/ DIMETHICONE COPOLYMER
- HYDROGEN DIMETHICONE - BHT
- POLYDIMETHYLSILOXYLANE
- ALUMINA - CHLOROPHENESIN
- FRAGRANCE - MICA
- TITANIUM DIOXIDE
- BISULFITE OXYPHOSPHORIDE
- IRON OXIDES



clé de peau  
BEAUTÉ

radiant powder foundation

BROAD SPECTRUM SPF 23  
SUNSCREEN

11g NET WT. .38OZ.

**Warnings**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 11409  
www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).



7 30852 11409 8

縮小サイズ0.85倍 8mm×14mm×38mm

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: reapply at least every 2 hours

clé de peau BEAUTÉ  
 RADIANT POWDER FOUNDATION (REFILL)  
 BROAD SPECTRUM SPF 23  
 SUNSCREEN  
 O 30  
 READ INSERTION.

**Drug Facts**

**Active ingredients Purpose**  
 OCTINOXATE 2.9% ..... Sunscreen  
 TITANIUM DIOXIDE 3.3% ... Sunscreen

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating

**Warnings**  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**



*radiant powder foundation*

O 30

**Drug Facts (continued)**

**Other Information**  
 ■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free 1-800-906-7503

11409-41-5040  
 AAA



**PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - O40**

**clé de peau  
BEAUTÉ**

*radiant powder foundation*

**BROAD SPECTRUM SPF 23  
SUNSCREEN**

11g NET WT. .38 OZ.



clé de peau BEAUTÉ  
 RADIANT POWDER FOUNDATION (REFILL)  
 BROAD SPECTRUM SPF 23  
 SUNSCREEN  
 O 40  
 READ INSERTION.

**Drug Facts**

**Active ingredients Purpose**  
 OCTINOXATE 2.9% ..... Sunscreen  
 TITANIUM DIOXIDE 3.3% ... Sunscreen

**Drug Facts (continued)**

**Warnings**

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating



*radiant powder foundation*

**O 40**

**Drug Facts (continued)**

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free  
 1-800-906-7503

11410-41-5040  
 AAA





**PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - O50**

**clé de peau  
BEAUTÉ**

***radiant powder foundation***

***BROAD SPECTRUM SPF 23  
SUNSCREEN***

11g NET WT. .38 OZ.



clé de peau BEAUTÉ  
RADIANT POWDER FOUNDATION (REFILL)  
BROAD SPECTRUM SPF 23  
SUNSCREEN  
O 50  
READ INSERTION.

**Drug Facts**  
**Active ingredients Purpose**  
OCTINOXATE 2.9% ..... Sunscreen  
TITANIUM DIOXIDE 3.3% ... Sunscreen

**Drug Facts (continued)**

**Warnings**  
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
■ apply liberally 15 minutes before sun exposure  
■ use a water resistant sunscreen if swimming or sweating



**Drug Facts (continued)**

**Other Information**  
■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free  
1-800-906-7503

*radiant powder foundation*  
**O 50**

11411-41-5040  
AAA



**PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - O60**

**clé de peau  
BEAUTÉ**

*radiant powder foundation*

**BROAD SPECTRUM SPF 23  
SUNSCREEN**

11g NET WT. .38 OZ.

**Drug Facts**  
(continued)

**Directions**

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive ingredients**

- TALC
- SYNTHETIC FLUOROPHOSPHATE
- BARIUM SULFATE - ZINC OXIDE
- TETRAHYDRAUMIN
- DIMETHICONE - SILICA
- VINYL-2-
- STEREOMETHACRYLATE/
- DIMETHACRYLATE COPOLYMER
- VINYL DIMETHACRYLAMINE
- XYLSESQUOXANE COPOLYMER
- CALCIUM ALUMINUM
- BOROSILOXATE
- OPHTHAL DIMETHACRYLATE
- OPHTHAL
- DIMETHACRYLATESILOXANE
- COPOLYMER
- OPHTHALSILICYL PHTHAL
- TETRAHYDRAUMIN

**Drug Facts**  
(continued)

**Inactive ingredients**

- HYDROGENATED POLYISOBUTENE
- ROSA ROBINSONII FRUIT EXTRACT
- DIMETHICONE/VINYL DIMETHICONE COPOLYMER
- SODIUM ACETYLATED HYALURONATE
- SODIUM SESQUISOXIFERATE
- ALUMINUM HYDROXIDE
- TETRAHYDRAUMIN
- POLYVINYL METHYL METHYL DIMETHICONE
- DIMETHICONE
- ALUMINUM OXIDE
- METHICONE
- TETRAHYDRAUMIN
- POLYVINYL METHYL METHYL DIMETHICONE
- DIMETHICONE
- SODIUM MAGNESIUM SILICATE
- POLYISOBUTENE-2
- MANGANESE NINTEGRATE
- BUTYLENE GLYCOL - WATER
- GLYCERIN - TOCOPHEROL
- DIMETHICONE/ETHANONE COPOLYMER
- HYDROGEN DIMETHACRYLATE
- POLYVINYL SESQUOXIFERATE
- ALUMINA - CALOPHTHEININ
- FRAGRANCE - NICIA
- TITANIUM DIOXIDE
- BRISNUTH OXYCHLORIDE
- IRON OXIDES



clé de peau  
BEAUTÉ

*radiant powder foundation*  
**BROAD SPECTRUM SPF 23**  
**SUNSCREEN**

11g NET WT. .38OZ.

**Warnings**

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs

**Uses**

- helps prevent sunburn
- decreases the risk of skin cancer and early skin aging caused by the sun
- if used as directed with other sun protection measures (see *Directions*).

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO, 11412  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

This package is made using bagasse paper (a non-wood paper).

7 30852 11412 8

縮小サイズ0.85倍 8mm×14mm×38mm

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: ▼

■ reapply at least every 2 hours

clé de peau BEAUTE  
RADIANT POWDER FOUNDATION (REFILL)  
BROAD SPECTRUM SPF 23  
SUNSCREEN  
O 60  
READ INSERTION.

**Drug Facts**

**Active ingredients Purpose**  
OCTINOXATE 2.9% ..... Sunscreen  
TITANIUM DIOXIDE 3.3% ... Sunscreen

**Drug Facts (continued)**

**Warnings**  
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
■ apply liberally 15 minutes before sun exposure  
■ use a water resistant sunscreen if swimming or sweating



**Drug Facts (continued)**

**Other Information**  
■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free  
1-800-906-7503

*radiant powder foundation*

**O 60**

11412-41-5040  
AAA



**PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - B10**

**clé de peau  
BEAUTÉ**

*radiant powder foundation*

**BROAD SPECTRUM SPF 23  
SUNSCREEN**

11g NET WT. .38 OZ.






clé de peau BEAUTÉ  
 RADIANT POWDER FOUNDATION (REFILL)  
 BROAD SPECTRUM SPF 23  
 SUNSCREEN  
**B 10**  
 READ INSERTION,  
**Drug Facts**  
**Active ingredients Purpose**  
 OCTINOXATE 2.9% ..... Sunscreen  
 TITANIUM DIOXIDE 2.0% ..... Sunscreen

**Drug Facts (continued)**

**Warnings**  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating



*radiant powder foundation*

**B 10**

**Drug Facts (continued)**

**Other Information**  
 ■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free  
 1-800-906-7503

11413-41-5040  
 AAA



**PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - B20**

**clé de peau**

**BEAUTÉ**

***radiant powder foundation***

***BROAD SPECTRUM SPF 23***

***SUNSCREEN***

11g NET WT. .38 OZ.

**Drug Facts**  
(continued)

**Directions**

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive ingredients**

- TALC
- SYNTHETIC FLUORPHENOLONE
- BARIUM SULFATE - ZINC OXIDE
- TETRAHEXANIN
- DIMETHICONE - SILICA
- WAXEN-12
- STEAROXYMETHICONE
- DIMETHICONE COPOLYMER
- WAXYL DIMETHICONE METHICONE
- XYLASSODIOLAC COPOLYMER
- CALCIUM ALUMINUM BODISILICATE
- OPHENYL DIMETHICONE/WAXYL DIMETHICONE
- OPHENYL DIMETHICONE/SILASSODIOLAC COPOLYMER
- OPHENYL/SILICA
- TRIMETHICONE

**Drug Facts**  
(continued)

**Inactive ingredients**

- HYDROGENATED POLYISOBUTENE
- ROSA ROXBURGII FRUIT EXTRACT
- DIMETHICONE/WAXYL DIMETHICONE COPOLYMER
- SODIUM ACETYLATED HYALURONATE
- SORBITAN SESQUISULFATE
- ALUMINUM HYDROXIDE
- TRETHOXYSULFETHYL POLYDIMETHYL DIMETHYL DIMETHICONE
- ALUMINUM DISTEARATE
- METHICONE
- TRETHOXYSULFETHYL POLYDIMETHYL DIMETHYL DIMETHICONE
- SODIUM MAGNESIUM SILICATE
- POLYSILOXONE-2
- MAGNESIUM NITRATE
- BUTYLENE GLYCOL - WATER
- GLYCERIN - TOCOPHEROL
- DIMETHICONE METHICONE COPOLYMER
- HYDROGEN DIMETHICONE - BUTYL DIMETHICONE/SILASSODIOLAC
- ALUMINA - CHLORPHENESIN
- FRAGRANCE - MICA
- TITANIUM DIOXIDE
- BISULPHOXYCHLORIDE
- IRON OXIDES



clé de peau  
BEAUTÉ

*radiant powder foundation*

**BROAD SPECTRUM SPF 23  
SUNSCREEN**

11g NET WT. .38 OZ.

**Warnings**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLD. 11414  
www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).



7 30852 11414 2

縮小サイズ0.85倍 8mm×1-  
14mm×38mm

■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: ▼

Copyright © 2011 Shiseido

clé de peau BEAUTÉ  
 RADIANT POWDER FOUNDATION (REFILL)  
 BROAD SPECTRUM SPF 23  
 SUNSCREEN  
**B 20**  
 READ INSERTION.

**Drug Facts**


**Active Ingredients Purpose**

OCTINOXATE 2.9% ..... Sunscreen  
 TITANIUM DIOXIDE 3.3% ... Sunscreen

**Drug Facts (continued)**

**Warnings**  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating  
 ■ reapply at least every 2 hours



*radiant powder foundation*

**B 20**

**Drug Facts (continued)**

**Other Information**  
 ■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free  
 1-800-906-7503

11414-41-5040  
 AAA



**PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - B30**

**clé de peau  
BEAUTÉ**

***radiant powder foundation***

***BROAD SPECTRUM SPF 23  
SUNSCREEN***

11g NET WT. .38 OZ.

**Drug Facts**  
(continued)

**Directions**

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months - Ask a doctor

**Inactive ingredients**

- TALC
- SYNTHETIC FLUOROPOLYACRYLATE
- BARIUM SULFATE - ZINC OXIDE
- TETRAHYDROXYMETHYLSULFONIA
- DIMETHICONE - SILICA
- WAXEN-2-
- STEREOMETHACRYLATE
- DIMETHACRYLATE COPOLYMER
- WAXEN DIMETHACRYLATE
- 3,3-TETRAHYDROXYBIS(4-HYDROXYBENZOYL)PROPANE
- CALCIUM ALUMINUM BODISULFATE
- BOROSILOXANE
- OPHENYL DIMETHACRYLATE
- OPHENYL
- DIMETHACRYLATE COPOLYMER
- CROSSPOLYMER
- OPHENYL DIMETHACRYLATE
- TETRAHYDROXYMETHYLSULFONIA

**Drug Facts**  
(continued)

**Inactive ingredients**

- HYDROGENATED POLYSILOXANE
- ROSA ROBINSONII FRUIT EXTRACT
- DIMETHACRYLATE COPOLYMER
- CROSSPOLYMER
- SODIUM ACETYLATED HYALURONATE
- SORBAN SEQUOIOSULFATE
- ALUMINUM HYDROXIDE
- TETRAHYDROXYMETHYLSULFONIA
- POLYETHYLENE GLYCOL DIMETHACRYLATE
- DIMETHICONE
- ALUMINUM DISTEARATE
- METHACRYLATE
- TETRAHYDROXYMETHYLSULFONIA
- POLYETHYLENE GLYCOL DIMETHACRYLATE
- DIMETHICONE
- SODIUM MABDISIUM SULFATE
- POLYSILOXANE-2
- MANGANESE NITRATE
- BUTYLENE GLYCOL - WATER
- GLYCERIN - TOCOPHEROL
- DIMETHACRYLATE COPOLYMER
- HYDROGEN DIMETHACRYLATE - BHT
- POLYETHYLENE GLYCOL DIMETHACRYLATE
- ALUMINA - CHLOROPHENESIN
- FRAGRANCE - VICA
- TITANIUM DIOXIDE
- BISNITROPHENYL OXALOPICRATE
- IRON OXIDES

**Warnings**

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

clé de peau  
BEAUTÉ

*radiant powder foundation*  
**BROAD SPECTRUM SPF 23**  
**SUNSCREEN**

11g NET WT. .38OZ.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO, 11415  
www.cledepeau-beaute.com

This package is made using begasse paper (a non-wood paper).

7 30852 11415 9

縮小サイズ0.85倍 8mm×14mm×38mm

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: ■ reapply at least every 2 hours

clé de peau BEAUTÉ  
RADIANT POWDER FOUNDATION (REFILL)  
BROAD SPECTRUM SPF 23  
SUNSCREEN  
B 30  
READ INSERTION.

**Drug Facts**  
**Active Ingredients Purpose**  
OCTINOXATE 2.9% ..... Sunscreen  
TITANIUM DIOXIDE 3.3% ... Sunscreen

**Directions**  
For sunscreen use:  
■ apply liberally 15 minutes before sun exposure  
■ use a water resistant sunscreen if swimming or sweating

**Warnings**  
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**



*radiant powder foundation*

**B 30**

**Drug Facts (continued)**

**Other Information**  
■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free  
1-800-906-7503

11415-41-5040  
AAA



**PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - BF20**

**clé de peau  
BEAUTÉ**

***radiant powder foundation***

***BROAD SPECTRUM SPF 23  
SUNSCREEN***

11g NET WT. .38 OZ.





clé de peau BEAUTÉ  
 RADIANT POWDER FOUNDATION (REFILL)  
 BROAD SPECTRUM SPF 23  
 SUNSCREEN  
**BF 20**  
 READ INSERTION.

**Drug Facts**

**Active Ingredients Purpose**  
 OCTINOXATE 2.9% ..... Sunscreen  
 TITANIUM DIOXIDE 3.3% .... Sunscreen

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating

**Warnings**  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**



**Drug Facts (continued)**

**Other Information**  
 ■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free 1-800-906-7503

11416-41-5040  
 AAA

*radiant powder foundation*  
**BF 20**



**PRINCIPAL DISPLAY PANEL - 11 g Tray Carton - WB20**

**clé de peau  
BEAUTÉ**

*radiant powder foundation*

**BROAD SPECTRUM SPF 23  
SUNSCREEN**

11g NET WT. .38 OZ.



clé de peau BEAUTÉ  
 RADIANT POWDER FOUNDATION (REFILL)  
 BROAD SPECTRUM SPF 23  
 SUNSCREEN  
**WB 20**  
 READ INSERTION.

**Drug Facts**

**Active Ingredients Purpose**  
 OCTINOXATE 2.9% ..... Sunscreen  
 TITANIUM DIOXIDE 3.3% ... Sunscreen

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating  
 ■ reapply at least every 2 hours

**Warnings**  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**



*radiant powder foundation*

**WB 20**

**Drug Facts (continued)**

**Other Information**  
 ■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free  
 1-800-906-7503

11417-41-5040  
 AAA



## CLE DE PEAU BEAUTE RADIANT FOUNDATION I10

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-241
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

### Inactive Ingredients

Ingredient Name	Strength
TALC (UNII: 7SEV7J4RIU)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-241-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**CLE DE PEAU BEAUTE RADIANT FOUNDATION O10**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-242
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
TALC (UNII: 7SEV7J4R1U)	
BARIIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-242-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**CLE DE PEAU BEAUTE RADIANT FOUNDATION O20**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-243
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
TALC (UNII: 7SEV7J4R1U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-243-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------



**CLE DE PEAU BEAUTE RADIANT FOUNDATION O30**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-244
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
TALC (UNII: 7SEV7J4R1U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-244-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**CLE DE PEAU BEAUTE RADIANT FOUNDATION O40**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-245
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
TALC (UNII: 7SEV7J4R1U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-245-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**CLE DE PEAU BEAUTE RADIANT FOUNDATION O50**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-246
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

**Inactive Ingredients**

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-246-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**CLE DE PEAU BEAUTE RADIANT FOUNDATION O60**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-247
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
TALC (UNII: 7SEV7J4R1U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-247-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**CLE DE PEAU BEAUTE RADIANT FOUNDATION B10**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-248
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

**Inactive Ingredients**

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-248-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**CLE DE PEAU BEAUTE RADIANT FOUNDATION B20**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-249
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

**Inactive Ingredients**

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-249-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**CLE DE PEAU BEAUTE RADIANT FOUNDATION B30**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-250
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

**Inactive Ingredients**

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-250-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**CLE DE PEAU BEAUTE RADIANT FOUNDATION BF20**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-251
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
OCTINO XATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
TALC (UNII: 7SEV7J4R1U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANO IN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-251-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------



**CLE DE PEAU BEAUTE RADIANT FOUNDATION WB20**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-252
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	319 mg in 11 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	363 mg in 11 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
TALC (UNII: 7SEV7J4R1U)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-252-30	1 in 1 CARTON	03/01/2015	
1		11 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC MONOGRAPH NOT FINAL	part352	03/01/2015	
-------------------------	---------	------------	--

**Labeler - SHISEIDO AMERICAS CORPORATION (193691821)**

**Establishment**

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	MANUFACTURE(58411-241, 58411-242, 58411-243, 58411-244, 58411-245, 58411-246, 58411-247, 58411-248, 58411-249, 58411-250, 58411-251, 58411-252) , ANALYSIS(58411-241, 58411-242, 58411-243, 58411-244, 58411-245, 58411-246, 58411-247, 58411-248, 58411-249, 58411-250, 58411-251, 58411-252)

Revised: 12/2019

SHISEIDO AMERICAS CORPORATION