

**UDDERDINE 502 NPE FREE- iodine teat dip liquid**  
**BouMatic, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Udderdine 502 NPE Free**

CAUTION

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

FIRST AID:

If in eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician.

Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center.

PRECAUTION:

Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

STORAGE:

Store in a closed container away from sources of heat. If product becomes frozen, thaw and mix well before use.

SEE MATERIAL SAFETY DATA SHEET

**IODINE TEAT DIP OR SPRAY**

Helps reduce the spread of organisms which may cause Mastitis

USE DIRECTIONS

NOT FOR HUMAN USE

FOR EXTERNAL USE ONLY

USE AT FULL STRENGTH

PRE-DIPPING: Before milking, dip or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

POST-DIPPING: After milking, spray or dip entire teat with this product. Allow to air dry.

Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.

Active Ingredient (Iodine 0.5%)

Emollients (Glycerin 2%, Sorbitol 1%)



# Udderdine™ 502

IODINE TEAT DIP OR SPRAY



SELLADOR DE YODO O SPRAY



**USE DIRECTIONS**  
**NOT FOR HUMAN USE**  
**USE AT FULL STRENGTH**

**PRE-DIPPING:** Before milking, dip teats with this product to help reduce the spread of organisms which may cause Mastitis.

**POST-DIPPING:** After milking, spray or dip entire teat with this product to help reduce the spread of organisms which may cause Mastitis.

**NOTE:** If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.

**Ingredients Active (Iodine 0.5%)**  
**Emollientes (Glycerin 2%, Sorbitol 1%)**


**Ingredients Actives (Iodo 0.5%)**  
**Emolientes (Glicerina 2%, Sorbitol 1%)**

**Always use caution when handling your cows to avoid teat dip.**  
**Remember these industry practices:**

**Replace dip cups and/or clean dip lines** before milking. Always replace dip cups and/or teats to prevent the new dip from mixing with the old dip. If teat dip or dip lines are used, lines should be kept wet with hot water to clean.


**Aggressively maintain teats and udders after milking.** A primary reason of mastitis is common after milking. To help reduce the spread of organisms which may cause mastitis, use Udderdine 502 on teats and udders after milking. Use Udderdine 502 on teats and udders after milking. Use Udderdine 502 on teats and udders after milking. Use Udderdine 502 on teats and udders after milking.

**Monitor teat state, substitute a new dip if introduced.** If analysis conditions are found, monitor closely and, if necessary, substitute a new dip.



# Udderdine™ 502

IODINE TEAT DIP OR SPRAY



SELLADOR DE YODO O SPRAY



**USE DIRECTIONS**  
**NOT FOR HUMAN USE**  
**USE AT FULL STRENGTH**

**PRE-DIPPING:** Before milking, dip teats with this product to help reduce the spread of organisms which may cause Mastitis.

**POST-DIPPING:** After milking, spray or dip entire teat with this product to help reduce the spread of organisms which may cause Mastitis.

**NOTE:** If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.

**Ingredients Active (Iodine 0.5%)**  
**Emollientes (Glycerin 2%, Sorbitol 1%)**

**Ingredients Actives (Iodo 0.5%)**  
**Emolientes (Glicerina 2%, Sorbitol 1%)**

**Always use caution when handling your cows to avoid teat dip.**  
**Remember these industry practices:**

**Replace dip cups and/or clean dip lines** before milking. Always replace dip cups and/or teats to prevent the new dip from mixing with the old dip. If teat dip or dip lines are used, lines should be kept wet with hot water to clean.

**Aggressively maintain teats and udders after milking.** A primary reason of mastitis is common after milking. To help reduce the spread of organisms which may cause mastitis, use Udderdine 502 on teats and udders after milking. Use Udderdine 502 on teats and udders after milking. Use Udderdine 502 on teats and udders after milking. Use Udderdine 502 on teats and udders after milking.

**Monitor teat state, substitute a new dip if introduced.** If analysis conditions are found, monitor closely and, if necessary, substitute a new dip.

## UDDERDINE 502 NPE FREE

iodine teat dip liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:48106-2007
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Iodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	Iodine	5 g in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48106-2007-1	56.8 L in 1 DRUM		

LN 980177  
 10.04.2015



BouMatic LLC • P.O. Box 8050 • 1319 S. Straight Road • Madison, WI • 53708-8050  
 Emergency No. Only: No. de Emergencia/No. de Emergencia: 1-800-335-3924 (Chembel, Inc)  
 International (+1-800-335-3924) (Chembel, Inc)  
 Made in U.S.A.

2	NDC:48106-2007-2	208 L in 1 DRUM		
3	NDC:48106-2007-3	1041 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2015	

**Labeler** - BouMatic, LLC (124727400)

### Establishment

Name	Address	ID/FEI	Business Operations
BouMatic, LLC		124727400	manufacture, api manufacture

Revised: 6/2024

BouMatic, LLC