

MEIJER LUBRICATING EYE DROPS - carboxymethylcellulose sodium solution
HANLIM PHARM. CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients-----Purpose

Carboxymethylcellulose Sodium 0.5%-----Lubricant

Glycerin 0.9%-----Lubricant

Uses

- For the temporary relief of burning, irritation, and discomfort due to dryness of the eye or from irritation from wind or sun.
- May be used to protect against further irritation.

Warnings

- For external use only.

When using this product

- To avoid contamination, do not touch tip of container to any surface. Replace cap after using.
- Do not use if solution changes color or gets cloudy

Stop use and ask a doctor if

You feel eye pain, changes in vision, continued redness, or irritation of the eye, or if the condition worsens or persists for more than 72 hours.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Put 1 or 2 drops in the affected eye/s as needed.

Inactive ingredients: Boric Acid, Calcium Chloride Dihydrate, Chlorhexidine Gluconate, Erythritol, Hexahydrate, Levocarnitine, Magnesium Chloride, Potassium Chloride, Purified Water, Sodium Borate Decahydrate, Sodium Citrate Dihydrate



Enter section text here

MEIJER LUBRICATING EYE DROPS

carboxymethylcellulose sodium solution

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11716-7901 |
| Route of Administration | OPHTHALMIC | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------|-----------------|
| CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) (CARBOXYMETHYLCELLULOSE - UNII:05JZI7B19X) | CARBOXYMETHYLCELLULOSE SODIUM | 5 mg in 1 mL |
| GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX) | GLYCERIN | 9 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| BORIC ACID (UNII: R57ZHV85D4) | |
| CALCIUM CHLORIDE (UNII: M4I0D6VV5M) | |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) | |
| ERYTHRITOL (UNII: RA96B954X6) | |
| LEVO CARNITINE (UNII: 0G389FZZ9M) | |
| MAGNESIUM CHLORIDE (UNII: 02F3473H9O) | |
| POTASSIUM CHLORIDE (UNII: 660YQ98I10) | |
| WATER (UNII: 059QF0K00R) | |
| SODIUM BORATE (UNII: 91MBZ8H3QO) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:11716-7901-2 | 1 in 1 CARTON | | |
| 1 | | 15 mL in 1 BOTTLE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part349 | 05/13/2010 | |

Labeler - HANLIM PHARM. CO., LTD. (687986034)

Revised: 5/2010

HANLIM PHARM. CO., LTD.