

**ARNICARE ARTHRITIS- arnica montana, harpagophytum procumbens root, harpagophytum zeyheri root cream**

**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Arnicare Arthritis Cream**

**Active ingredients\*\***

Arnica montana 1X HPUS 7%

Harpagophytum 1X HPUS 3%

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Purpose\***

Arnica montana 1X HPUS 7% ... Relieves muscle pain and stiffness, discoloration from bruises

Harpagophytum 1X HPUS 3% ... Relieves joint discomfort and stiffness associated with arthritis pain

**Uses\***

temporarily relieves minor joint and muscle pain and stiffness due to:

arthritis

minor injuries

overexertion

falls

repetitive motions

**For external use only.**

- if you are allergic to Arnica montana, Harpagophytum or to any of this product's inactive ingredients
- with other topical products for pain
- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use

**Stop use and ask a doctor if**

- conditions persists for more than 7 days or worsens
- symptoms clear up and occur again within a few days.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.
- Children under 12 years of age: Ask a doctor.
- do not use if glued carton end flaps are open or if the tube seal is broken
- store below 77° F (25° C)
- do not use if pouch is torn or open
- dispose of 1 day after opening

acrylamide/sodium acryloyldimethyltaurate copolymer , alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

## **Questions or comments?**

**Arnicare.com**

**BoironUSA.com**

**Info@Boiron.com**

**1-800-BOIRON-1** (1-800-264-7661)

Made in France

Distributed by Boiron, Inc.

Newtown Square, PA 19073

0.18 oz (5 g)

0.5 oz (14 g)

2.5 oz (70 g)

4.2 oz (120 g)

Arthritis Pain Relief\*

Quickly-Absorbing Cream

Fragrance-Free

Powered by Plants

No Known Drug Interactions

Dual Action Pain Relief\*

4.2 oz (120g) Pump:

**HOW TO OPEN**

1 Pull to remove safety clip from pump.

2 Twist top clockwise to open.

3 Pump until cream dispense.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

**Easy to Open and Close**



**Scientifically Formulated**

**Quickly Absorbed**

**Suitable for Use on All Joints**

**No Known Drug Interactions**

**Fragrance-Free**

Made in France  
Distributed by Boiron Inc.  
Newtown Square, PA 19073

 please recycle

MDC 0220-9077-82

**VALUE SIZE**

**ARTHROSIS PAIN RELIEF\***

**Arnicare®  
—ARTHROSIS  
CREAM**

**HOMEOPATHIC MEDICINE**

- Dual Action Pain Relief\*
- Fragrance-Free
- Powered by Plants
- Easy Open Cap

**TAKES PAIN AWAY**

NET WT.  
4.2 oz (120 g)

**BOIRON®**  
World Leader in Homeopathic Medicines

**Plant-Powered Ingredients for Dual Action Relief**

Nature provides us with the best resources for ingredients. Arnicare® Arthritis Cream combines pain-relieving Arnica with healing Harpagophytum for relief where you need it most.

**BOIRON®**

**The Boiron Promise**

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit [BoironUSA.com/promise](http://BoironUSA.com/promise) for details.



3 06969 07782 5

**Drug Facts**

Active Ingredients**	Purpose*
Arnica montana.....	Relieves muscle pain and stiffness, discoloration from bruises
TX HPUS 7X	
Harpagophytum.....	Relieves joint discomfort and stiffness associated with arthritis pain
TX HPUS 3X	

*The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.*

**Uses\***  
temporarily relieves minor joint and muscle pain and stiffness due to: ■ arthritis ■ minor injuries ■ overexertion ■ falls ■ repetitive motions

**Warnings**  
**For external use only.**

**Do not use**  
■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients  
■ with other topical products for pain

**When using this product**  
■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin  
■ use only as directed  
■ dryness or irritation may occur  
■ do not tightly wrap or bandage the treated area.  
■ do not apply heat or ice to the treated area immediately before or after use

**Stop use and ask a doctor if**  
■ condition persists for more than 7 days or worsens  
■ symptoms clear up and occur again within a few days

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**  
■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.  
■ Children under 12 years of age: Ask a doctor.

**Other information**  
■ do not use if (sealed) carton end flap are open or if the tube seal is broken  
■ store below 77°F (25°C)

**Inactive ingredients** acrylamide/hydroxyethyl methacrylate copolymer, alcohol, citric acid, diglycine, glycerin, hydroxyacetone, polyacrylate 10, purified water, sorbitan oleate, sweet almond oil

**Questions or comments?**  
[Arnicare.com](http://Arnicare.com) | [BoironUSA.com](http://BoironUSA.com)  
[Info@Boiron.com](mailto:Info@Boiron.com) | 1-800-808-0064 (1-800-264-7661)

**\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.**

\*\*C, K, CK, and X are homeopathic dilutions: see [BoironUSA.com/info](http://BoironUSA.com/info) for details.

**VALUE SIZE** NDC 0226-9077-82

**ARTHRITIS PAIN RELIEF\***

**Arnicare®**  
—**ARTHRITIS**  
CREAM

HOMEOPATHIC MEDICINE

- Dual Action Pain Relief\*
- Fragrance-Free
- Powered by Plants
- Easy Open Cap



NET WT.  
4.2 oz (120 g)

**BOIRON®**  
World Leader in  
Homeopathic Medicines



**Drug Facts**

**Active Ingredients\***

Arnica montana..... Relieves muscle pain and stiffness, disorientation from bruises  
 1X HPUS 7%  
 Harpagophytum..... Relieves joint discomfort and stiffness associated with arthritis pain  
 1X HPUS 3%

The letters "HPUS" indicate that the components in this product are officially recognized in the Homeopathic Pharmacopoeia of the United States.

**Uses\*** temporarily relieves minor joint and muscle pain and stiffness due to: ■ arthritis ■ minor injuries ■ overexertion ■ falls ■ repetitive motions

**Warnings**

For external use only.

**Do not use** ■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients ■ with other topical products for pain

**When using this product** ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use

**Stop use and ask a doctor if** ■ condition persists for more than 7 days or worsens ■ symptoms clear up and occur again within a few days

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children. If swallowed**, get medical help or contact a Poison Control Center right away.

**Directions** ■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis. ■ Children under 12 years of age: Ask a doctor.

**Other information** ■ do not use if sealed carton and caps are open or if the tube seal is broken ■ store below 77°F (25°C)

**Inactive ingredients** acrylamide/hexadecyl acrylate, dimethyl laurate copolymer, alcohol, citric acid, hydroxyethylcellulose, glycerin, isohexadecane, polyacrylate #8, purified water, sorbitan oleate, sweet almond oil

**Questions or comments?**

Arnicare.com | BoironUSA.com | Info@Boiron.com  
 1-800-808-0808-1 (1-800-864-7881)

Made in France

Distributed by Boiron Inc., Newtown Square, PA 19079

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.  
 \*C, K, CX, and X are homeopathic dilutions; see BoironUSA.com/info for details.

TMA-082-12/23

NDC 0220-9077-63

# ARTHRITIS PAIN RELIEF

## Arnicare® —ARTHRITIS CREAM

### HOMEOPATHIC MEDICINE

- Dual Action Pain Relief
- Fragrance-Free
- Powered by Plants



NET WT.  
2.5 oz (70 g)

**BOIRON®**  
World Leader in  
Homeopathic Medicines



### Drug Facts

#### Active Ingredients

Arnica montana ..... Relieves muscle pain and stiffness,  
1X HPUS 7% ..... discoloration from bruises  
Harpagophytum ..... Relieves joint discomfort and stiffness  
1X HPUS 3% ..... associated with arthritis pain

#### Purpose

**Uses** temporarily relieves minor joint and muscle pain and stiffness due to: ■ arthritis ■ minor injuries  
■ overexertion ■ falls ■ repetitive motions

#### Warnings

**For external use only. Do not use** ■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients ■ with other topical products for pain

**When using this product** ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin  
■ use only as directed ■ dryness or irritation may occur  
■ do not tightly wrap or bandage the treated area  
■ do not apply heat or ice to the treated area immediately before or after use **Stop use and ask a doctor if** ■ condition persists for more than 7 days or worsens ■ symptoms clear up and occur again within a few days **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.  
■ Children under 12 years of age: Ask a doctor.

#### Other information

■ do not use if glued carton end flaps are open or if the tube seal is broken ■ store below 77°F (25°C)

**Inactive ingredients** acrylamide/sodium acryloyldimethylsulfate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

Made in France  
Distributed by Boiron Inc.  
Newtown Square, PA 19073  
1-800-BOIRON-1 (1-800-264-7661)

TUA, J.J.Z. - 10/23

Easy to Open  
and Close



EASY OPEN CAP

NDC 0220-9077-63

# ARTHRITIS PAIN RELIEF\*

## Plant-Powered Ingredients for Dual Action Relief

Nature provided us  
with the best resources  
for ingredients.  
Arnicare® Arthritis  
Cream combines  
pain-relieving Arnica  
with healing  
Harpagophytum  
for relief where  
you need it most.

# Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Dual Action Pain Relief\*
- Fragrance-Free
- Powered by Plants



NET WT.  
2.5 oz (70 g)

BOIRON®

World Leader in  
Homeopathic Medicines

Scientifically  
Formulated



Quickly Absorbed



Suitable for Use  
on All Joints



No Known Drug  
Interactions



Fragrance-Free

Made in France  
Distributed by Boiron Inc.  
Newtown Square, PA 19073



please recycle

BOIRON®

### The Boiron Promise

Your health deserves  
the greatest respect.  
That's why we're  
committed to your  
satisfaction. Please visit  
[BoironUSA.com/promise](http://BoironUSA.com/promise)  
for details.



3 06969 07763 4

## Drug Facts

Active Ingredients*	Purpose*
Arnica montana 1X (HPUS 7%)	Relieves muscle aches and stiffness, discoloration from bruises
Harpagophytum 1X (HPUS 5%)	Relieves joint discomfort and stiffness associated with arthritis pain

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses\*** temporarily relieves minor joint and muscle pain and stiffness due to:  arthritis  hair injuries  overexertion  falls  repetitive motions

**Warnings**  
For external use only.

**Do not use**  
 if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients  
 with other topical products for pain

**When using this product**  
 avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin  
 use only as directed  dryness or irritation may occur  
 do not tightly wrap or bandage the treated area  
 do not apply heat or ice to the treated area immediately before or after use

**Stop use and ask a doctor if**  
 condition persists for more than 7 days or worsens  
 symptoms clear up and occur again within a few days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.  
 Children under 12 years of age: Ask a doctor.

**Other information**  do not use if glued cap and flap are open or if the tube seal is broken  store below 77°F (25°C)

**Inactive ingredients** acrylates/acrylate sodium acrylate, dimethylsiloxane copolymer, alcohol, cetyltrimethyl ammonium chloride, cetyltrimethyl ammonium bromide, cetyltrimethyl ammonium phosphate, glycerin, isobutylacrylate, polyacrylate 90, purified water, sorbitol, stearyl alcohol, sweet almond oil

**Questions or comments?**  
[Arnicare.com](http://Arnicare.com) | [BoironUSA.com](http://BoironUSA.com) | [info@boiron.com](mailto:info@boiron.com)  
1-800-838-0104 (1-800-864-2661)

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C, K, OX, and X are homeopathic dilutions; see [BoironUSA.com/info](http://BoironUSA.com/info) for details.



Scientifically Formulated



Suitable for Use on All Joints



No Known Drug Interactions



Fragrance-Free



No Burning or Stinging

Made in France  
Distributed by Boiron Inc.,  
Newtown Square, PA 19073



please recycle

VALUE SIZE

NDC 0220-9077-82

# ARTHRITIS PAIN RELIEF\*

## Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.  
4.2 oz (120 g)

BOIRON®

World Leader in Homeopathic Medicines

### Plant-Powered Ingredients

Nature provides us with the best resources for ingredients.

Arnicare® Arthritis Cream combines pain-relieving Arnica with healing Harpagophytum for relief where you need it most.



### The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit [BoironUSA.com/promise](http://BoironUSA.com/promise) for details.



3 06969 07782 5

### Drug Facts

#### Active ingredients\*\*

Arnica montana.....Relieves muscle pain and stiffness, 1X HPUS 7% discoloration from bruises  
 Harpagophytum..... Relieves joint discomfort and stiffness associated with arthritis pain 1X HPUS 3%

*The letters "HPUS" indicates that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.*

#### Purpose\*

#### Uses\*

temporarily relieves minor joint and muscle pain and stiffness due to:

■ arthritis ■ minor injuries

■ overexertion ■ falls ■ repetitive motions

#### Warnings

For external use only.

#### Do not use

■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients  
 ■ with other topical products for pain

#### When using this product

■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin  
 ■ use only as directed  
 ■ dryness or irritation may occur  
 ■ do not tightly wrap or bandage the treated area  
 ■ do not apply heat or ice to the treated area immediately before or after use

#### Stop use and ask a doctor if

■ condition persists for more than 7 days or worsens  
 ■ symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.  
 ■ Children under 12 years of age: Ask a doctor.

#### Other information

■ do not use if glued carton end flaps are open or if the tube seal is broken  
 ■ store below 77°F (25°C)

#### Inactive ingredients

alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polyacrylamide and sodium acryloyldimethyl taurate copolymers, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

#### Questions or comments?

Arnicare.com | BoironUSA.com  
Info@Boiron.com | 1-800-BOIRON-1 (1-800-264-7661)

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

VALUE  
SIZE

NDC 0220-8077-82

# ARTHRITIS PAIN RELIEF\*

## Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.  
4.2 oz (120 g)

BOIRON®  
World Leader in  
Homeopathic Medicines



### Drug Facts

#### Active Ingredients\*

Arnica montana ..... Relieves muscle pain and stiffness,  
1X HPUS 7% ..... discoloration from bruises  
Heparapophytum ..... Relieves joint discomfort and stiffness  
1X HPUS 3% ..... associated with arthritis pain

#### Purpose\*

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses\*** temporarily relieves minor joint and muscle pain and stiffness due to: ■ arthritis ■ minor injuries ■ overexertion  
■ falls ■ repetitive motions

#### Warnings

##### For external use only.

**Do not use** ■ if you are allergic to Arnica montana, Heparapophytum, or to any of this product's inactive ingredients  
■ with other topical products for pain

**When using this product** ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use

##### Stop use and ask a doctor if

■ condition persists for more than 7 days or worsens  
■ symptoms clear up and occur again within a few days

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis. ■ Children under 12 years of age: Ask a doctor.

**Other information** ■ do not use if glued carton and flaps are open or if the tube seal is broken ■ store below 77°F (25°C)

**Inactive ingredients** alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polyacrylamide and sodium acryloyldimethyl taurate copolymers, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

#### Questions or comments?

Arnicare.com | BoironUSA.com | info@boiron.com  
1-800-BOIRON-1 (1-800-264-7661)

Made in France

Distributed by Boiron Inc., Newtown Square, PA 19073

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

\*\*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

TUA,1HRN



NDC 0220-9077-93

# ARTHRITIS PAIN RELIEF\*

## Arnicare<sup>®</sup> - ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free



NET WT.  
0.18 oz (5 g)

Not labeled for individual sale

**BOIRON<sup>®</sup>**

World Leader in Homeopathic Medicines

### Drug Facts

**Active ingredients\***  
 Arnica montana 1X HPUS 7%  
 Haemaphysytum 1X HPUS 3%

**Purpose\***  
 Relieves muscle pain and stiffness, discoloration from bruises  
 Relieves joint discomfort and stiffness associated with arthritis pain

**Uses\*** temporarily relieves minor joint and muscle pain and stiffness due to:  
 ■ arthritis ■ minor injuries ■ overexertion  
 ■ falls ■ repetitive motions

### Warnings

**For external use only.** Do not use ■ if you are allergic to any of this product's ingredients ■ with other topical products for pain  
**When using this product** ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area. **Stop use and ask a doctor if** ■ condition persists for more than 7 days or worsens ■ symptoms clear up and occur again within a few days. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Adults and children 12 years of age and older: Apply a thin layer of cream to affected area at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying cream. ■ Children under 12 years of age: Ask a doctor.

**Other information** ■ do not use if pouch is torn or open ■ dispose of 1 day after opening ■ store below 77°F (25°C)

**Inactive ingredients** acrylamide/sodium acrylate/acrylonitrile/styrene copolymer, alcohol, cinnamidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

### Questions or comments?

Arnicare.com • 1-800-264-7661  
 Made in France. Distributed by Boiron Inc., Newtown Square, PA 19073

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*\*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.



ALL1198



Scientifically Formulated



Suitable for Use on All Joints



No Known Drug Interactions



Fragrance-Free



No Burning or Stinging

Made in France  
Distributed by Boiron Inc.,  
Newtown Square, PA 19073



please recycle

NDC 0220-9077-63

# ARTHRITIS PAIN RELIEF\*

## Arnicare® -ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.  
2.5 oz (70 g)

**BOIRON®**  
World Leader in Homeopathic Medicines

### Plant-Powered Ingredients

Nature provides us with the best resources for ingredients. Arnicare® Arthritis Cream combines pain-relieving Arnica with healing Harpagophytum for relief where you need it most.



### The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit [BoironUSA.com/promise](http://BoironUSA.com/promise) for details.



3 06969 07763 4

### Drug Facts

Active ingredients*	Purpose*
Arnica montana ..... 1X HPUS 7%	Relieves muscle pain and stiffness, discoloration from bruises
Harpagophytum ..... 1X HPUS 3%	Relieves joint discomfort and stiffness associated with arthritis pain

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses\*** Temporarily relieves minor joint and muscle pain and stiffness due to:

- arthritis
- minor injuries
- overexertion
- falls
- repetitive motions

#### Warnings

For external use only.

#### Do not use

- if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients
- with other topical products for pain

#### When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed. ■ dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use

#### Stop use and ask a doctor if

- condition persists for more than 7 days or worsens
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.
- Children under 12 years of age: Ask a doctor.

#### Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- store below 77°F (25°C)

#### Inactive ingredients

acrylamide/sodium acrylate dimethylsulfate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

#### Questions or comments?

Arnicare.com | BoironUSA.com | Info@Boiron.com  
1-800-BOIRON-1 (1-800-264-7661)

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

NDC 0220-9077-63

# ARTHRITIS PAIN RELIEF

## Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.  
2.5 oz (70 g)

**BOIRON®**  
World Leader in  
Homeopathic Medicines



### Drug Facts

#### Active Ingredients

Amica montana.....Relieves muscle pain and stiffness,  
1X HPUS 7% discoloration from bruises  
Harpagophytum .....Relieves joint discomfort and  
1X HPUS 3% stiffness associated with arthritis pain

#### Purpose

**Uses** temporarily relieves minor joint and muscle pain  
and stiffness due to: ■ arthritis ■ minor injuries  
■ overexertion ■ falls ■ repetitive motions

#### Warnings

**For external use only. Do not use** ■ if you are  
allergic to Amica montana, Harpagophytum, or to any  
of this product's inactive ingredients ■ with other  
topical products for pain **When using this product**  
■ avoid contact with eyes, mucous membranes, wounds,  
damaged or irritated skin ■ use only as directed  
■ dryness or irritation may occur ■ do not tightly wrap  
or bandage the treated area ■ do not apply heat or  
ice to the treated area immediately before or after use  
**Stop use and ask a doctor if** ■ condition persists  
for more than 7 days or worsens ■ symptoms clear  
up and occur again within a few days **If pregnant or  
breast-feeding**, ask a health professional before  
use. **Keep out of reach of children.** If swallowed,  
get medical help or contact a Poison Control Center  
right away.

**Directions** ■ Adults and children 12 years of  
age and older: Apply a thin layer of Arnicare Arthritis  
to affected area as soon as possible at the onset of  
symptoms up to 4 times a day. If heat or ice is applied,  
wait 5 minutes before applying Arnicare Arthritis.

■ Children under 12 years of age: Ask a doctor.

**Other information** ■ do not use if glued  
carton and flaps are open or if the tube seal  
is broken ■ store below 77°F (25°C)

#### Inactive ingredients

acrylamide/sodium acryloyldimethyltaurate copolymer,  
alcohol, chlorhexidine digluconate, glycerin,  
isohexadecane, polysorbate 80, purified water,  
sorbitan oleate, sweet almond oil

Made in France

Distributed by Boiron Inc.

Newtown Square, PA 19073

1-800-BOIRON-1 (1-800-264-7661)

TUA-1119-11/22

### Drug Facts

**Active ingredients\*** **Purpose\***  
 Arnica montana..... Relieves muscle pain and stiffness,  
 1X HPUS 7% discoloration from bruises  
 Harpagophytum..... Relieves joint discomfort and stiffness  
 1X HPUS 3% associated with arthritis pain

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses\***  
 temporarily relieves minor joint and muscle pain and stiffness due to:  
 ■ arthritis ■ minor injuries ■ overexertion  
 ■ falls ■ repetitive motions

**Warnings**  
 For external use only.

**Do not use**  
 ■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients  
 ■ with other topical products for pain

**When using this product**  
 ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin  
 ■ use only as directed  
 ■ dryness or irritation may occur  
 ■ do not tightly wrap or bandage the treated area  
 ■ do not apply heat or ice to the treated area immediately before or after use

**Stop use and ask a doctor if**  
 ■ condition persists for more than 7 days or worsens  
 ■ symptoms clear up and occur again within a few days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Adults and children 12 years of age and older: Apply a thin layer of Arnica Arthritis Cream to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnica Arthritis Cream.  
 ■ Children under 12 years of age: Ask a doctor.

**Other information**  
 ■ do not use if glued carton end flaps are open  
 ■ store below 77°F (25°C)

**Inactive ingredients**  
 acrylamide/sodium acryloyldimethylsulfate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

**Questions or comments?**  
 Arnica.com | BoironUSA.com  
 info@boiron.com  
 1-800-BOIRON-1 (1-800-264-7661)

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

\*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.



**Arnicare®**  
**-ARTHRITIS**  
**PUMP**

**Scientifically Formulated**

**Suitable for Use on All Joints**

**No Known Drug Interactions**

**Fragrance-Free**

**No Burning or Stinging**

### HOW TO OPEN

- 1 Pull to remove safety clip from pump.
- 2 Twist top clockwise to open.
- 3 Pump until cream dispenses.



Made in France  
 Distributed by Boiron Inc.,  
 Newtown Square, PA 19073



**VALUE SIZE** NDC 0220-8077-83

**ARTHRITIS**  
**PAIN RELIEF\***

**Arnicare®**  
**-ARTHRITIS**  
**PUMP**

**HOMEOPATHIC MEDICINE**

- Quick-Absorbing Cream
- Fragrance-Free
- Powered by Plants

**TAKES PAIN AWAY**



NET WT.  
 4.2 oz (120 g)

**BOIRON®**

**World Leader in Homeopathic Medicines**



### Plant-Powered Ingredients

Nature provides us with the best resources for ingredients. Arnicare® Arthritis Cream combines pain-relieving Arnica with healing Harpagophytum for relief where you need it most.

**BOIRON®**

### The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit [BoironUSA.com/promise](http://BoironUSA.com/promise) for details.



3 06969 07783 2

### Drug Facts (continued)

### Warnings (continued)

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

■ Adults and children 12 years of age and older: Apply a thin layer of Arnica Arthritis Cream to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnica Arthritis Cream.  
 ■ Children under 12 years of age: Ask a doctor.

### Other information

■ do not use if glued carton end flaps are open  
 ■ store below 77°F (25°C)

**Inactive ingredients**  
 acrylamide/sodium acryloyldimethylsulfate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

**Questions or comments?**  
 Arnica.com | BoironUSA.com  
 info@boiron.com  
 1-800-BOIRON-1 (1-800-264-7661)

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

\*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Made in France

Distributed by Boiron Inc., Newtown Square, PA 19073

ETH11HY

**VALUE SIZE** NDC 0220-8077-83

**ARTHRITIS**  
**PAIN RELIEF\***

**Arnicare®**  
**-ARTHRITIS**  
**PUMP**

**HOMEOPATHIC MEDICINE**

- Quick-Absorbing Cream
- Fragrance-Free
- Powered by Plants

**TAKES PAIN AWAY**



NET WT.  
 4.2 oz (120 g)

**BOIRON®**

**World Leader in Homeopathic Medicines**

### Drug Facts

**Active ingredients\*** **Purpose\***  
 Arnica montana..... Relieves muscle pain and  
 1X HPUS 7% stiffness, discoloration from bruises  
 Harpagophytum..... Relieves joint discomfort  
 1X HPUS 3% and stiffness associated  
 with arthritis pain

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses\*** temporarily relieves minor joint and muscle pain and stiffness due to:  
 ■ arthritis ■ minor injuries ■ overexertion  
 ■ falls ■ repetitive motions

### Warnings

For external use only.

**Do not use**  
 ■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients  
 ■ with other topical products for pain

**When using this product**  
 ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin  
 ■ use only as directed  
 ■ dryness or irritation may occur  
 ■ do not tightly wrap or bandage the treated area  
 ■ do not apply heat or ice to the treated area immediately before or after use

**Stop use and ask a doctor if**  
 ■ condition persists for more than 7 days or worsens  
 ■ symptoms clear up and occur again within a few days

**If pregnant or breast-feeding**, ask a health professional before use.

By the **#1**  
homeopathic  
**pain relief**  
brand



Suitable for Use  
on All Joints



No Known Drug  
Interactions



No Harsh  
Ingredients



No Burning  
or Stinging

Made in France  
Distributed by Boiron Inc.,  
Newtown Square, PA 19073



please recycle

**NEW!**

NDC 0220-9077-63

# ARTHRITIS PAIN RELIEF\*

## Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.  
2.5 oz (70 g)

**BOIRON®**  
World Leader in  
Homeopathic Medicines

### Plant-Powered Ingredients

Nature provides us with the best resources for ingredients. Arnicare® Arthritis Cream combines the pain-relieving Arnica plant with the healing Harpagophytum herb for relief where you need it most.



### The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit [BoironUSA.com/promise](http://BoironUSA.com/promise) for details.



3 06969 07763 4

### Drug Facts

Active ingredients*	Purpose*
Arnica montana 1X HPUS 7%	Relieves muscle pain and stiffness, discoloration from bruises
Harpagophytum 1X HPUS 3%	Relieves joint discomfort and stiffness associated with arthritis pain

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses\*** temporarily relieves minor joint and muscle pain and stiffness due to:
 

- arthritis
- minor injuries
- overexertion
- falls
- repetitive motions

#### Warnings

For external use only.

#### Do not use

- If you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients
- with other topical products for pain.

#### When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

#### Stop use and ask a doctor if

- condition persists for more than 7 days or worsens
- symptoms clear up and occur again within a few days.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.
- Children under 12 years of age: Ask a doctor.

#### Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- store below 77°F (25°C)

#### Inactive ingredients

acrylamide, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sodium acrylate/methylacrylate copolymer, sweet almond oil

#### Questions or comments?

Arnicare.com | BoironUSA.com | Info@Boiron.com  
1-800-BOIRON-1 (1-800-264-7661)

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C, K, CK, and X are homeopathic dilutions: see [BoironUSA.com/info](http://BoironUSA.com/info) for details.

NDC 0220-9077-63

# ARTHRITIS PAIN RELIEF

## Arnicare<sup>®</sup> —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.  
2.5 oz (70 g)

BOIRON<sup>®</sup>

World Leader in  
Homeopathic Medicines



220714 - 020/1/11

### Drug Facts

#### Active ingredients

Arnica montana ..... Relieves muscle pain and stiffness,  
1X HPUS 7% discoloration from bruises  
Harpagophytum ..... Relieves joint discomfort and  
1X HPUS 3% stiffness associated with arthritis pain

#### Purpose

**Uses** temporarily relieves minor joint and muscle pain  
and stiffness due to: ■ arthritis ■ minor injuries  
■ overexertion ■ falls ■ repetitive motions

#### Warnings

**For external use only. Do not use** ■ if you are  
allergic to Arnica montana, Harpagophytum, or to any of  
this product's inactive ingredients ■ with other topical  
products for pain. **When using this product**

■ avoid contact with eyes, mucous membranes, wounds,  
damaged or irritated skin ■ dryness or irritation may  
occur ■ do not tightly wrap or bandage the treated  
area ■ do not apply heat or ice to the treated area  
immediately before or after use. **Stop use and ask a  
doctor if** ■ condition persists for more than 7 days  
or worsens ■ symptoms clear up and occur again  
within a few days. **Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison  
Control Center right away.

**Directions** ■ Adults and children 12 years of  
age and older: Apply a thin layer of Arnicare Arthritis  
to affected area as soon as possible at the onset of  
symptoms up to 4 times a day. If heat or ice is applied,  
wait 5 minutes before applying Arnicare Arthritis.  
■ Children under 12 years of age: Ask a doctor.

**Other information** ■ do not use if glued  
carton end flaps are open or if the tube seal  
is broken ■ store below 77°F (25°C)

**Inactive ingredients** acrylamide,  
alcohol, chlorhexidine digluconate, glycerin,  
isohexadecane, polysorbate 80, purified water,  
sodium acryloyldimethyltaurate copolymer,  
sweet almond oil

Made in France  
Distributed by Boiron Inc.  
Newtown Square, PA 19073

1-800-BOIRON-1 (1-800-264-7661)

**Drug Facts** (continued)

**Stop use and ask a doctor if** ■ condition persists for more than 7 days or worsens ■ symptoms clear up and occur again within a few days.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis. ■ Children under 12 years of age: Ask a doctor.

**Drug Facts** (continued)

**Other information** ■ do not use if glued carton end flaps are open or if the tube seal is broken ■ store below 77°F (25°C)

**Inactive ingredients** acrylamide, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sodium acryloyldimethyltaurate copolymer, sweet almond oil

**Questions or comments?** 1-800-BOIRON-1 (1-800-264-7661)

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.  
™C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

By the **#1** homeopathic **pain relief** brand



**Suitable for Use on All Joints**



**No Harsh Ingredients**



**No Known Drug Interactions**



**No Burning or Stinging**



3

**SAMPLE NOT FOR SALE**

**ARTHRITIS PAIN RELIEF\***

NDC 0220-9077-69



**Arnicare<sup>®</sup> ARTHRITIS CREAM**

Quickly Absorbed ■ Fragrance-Free ■ Powered by Plants



**BOIRON<sup>®</sup>**

World Leader in Homeopathic Medicines

**HOMEOPATHIC MEDICINE**

NET WT. 0.5 oz (14 g)

**Drug Facts**

**Active ingredients\*\***

Arnica montana 1X HPUS 7% .....Relieves muscle pain and stiffness, discoloration from bruises

Harpagophytum 1X HPUS 3% .....Relieves joint discomfort and stiffness associated with arthritis pain

*The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.*

**Uses\*** temporarily relieves minor joint and muscle pain and stiffness due to:  
■ arthritis ■ minor injuries ■ overexertion ■ falls ■ repetitive motions

**Purpose\***

**Drug Facts** (continued)

**Warnings**

**For external use only.**


**Do not use** ■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients ■ with other topical products for pain.

**When using this product** ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use.

2202720 - 68H1VNL

NDC 0220-9077-69

# ARTHRITIS PAIN RELIEF



**Arnicare®**  
—ARTHRITIS  
CREAM

**HOMEOPATHIC MEDICINE**

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants

NET WT.  
0,5 oz (14 g)

**BOIRON®**  
World Leader in Homeopathic Medicines

**Drug Facts**  
**Active Ingredients:** Arnica montana 1X HPUS 7%, Harpagophytum 1X HPUS 3% **Uses:** temporarily relieves minor joint and muscle pain and stiffness. **Warnings:** For external use only. Do not use if you are allergic to any of this product's ingredients or with other topical products for pain. **When using this product:** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. **Stop use and ask a doctor if:** condition persists for more than 7 days or worsens. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying. **Other information:** do not use if glued carton end flaps are open or if the tube seal is broken. **Store below 77°F (25°C)**

Made in France 1-800-BOIRON-1 (1-800-264-7661)  
Distributed by Boiron Inc., Newtown Square, PA 19073

## ARNICARE ARTHRITIS

arnica montana, harpagophytum procumbens root, harpagophytum zeyheri root cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-9077
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HARPAGOPHYTUM PROCUMBENS ROOT</b> (UNII: 1OYM338E89) (HARPAGOPHYTUM PROCUMBENS ROOT - UNII:1OYM338E89)	HARPAGOPHYTUM PROCUMBENS ROOT	1 [hp_X] in 1 g
<b>HARPAGOPHYTUM ZEYHERI ROOT</b> (UNII: 1CTB7R80VI) (HARPAGOPHYTUM ZEYHERI ROOT - UNII:1CTB7R80VI)	HARPAGOPHYTUM ZEYHERI ROOT	1 [hp_X] in 1 g
<b>ARNICA MONTANA</b> (UNII: O80TY208Z W) (ARNICA MONTANA - UNII:O80TY208Z W)	ARNICA MONTANA	1 [hp_X] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------



<b>ALMOND OIL</b> (UNII: 66YXD4DKO9)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SODIUM ACRYLOYLDIMETHYLTAURATE-ACRYLAMIDE COPOLYMER (1:1; 90000-150000 MPA.S)</b> (UNII: 5F4963KLHS)
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>ACRYLAMIDE</b> (UNII: 20R035KLCI)
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9077-63	1 in 1 BOX	03/17/2022	
1		70 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0220-9077-69	1 in 1 BOX	03/17/2022	
2		14 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:0220-9077-83	1 in 1 BOX	03/28/2023	
3		120 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:0220-9077-93	5 g in 1 POUCH; Type 0: Not a Combination Product	06/09/2023	
5	NDC:0220-9077-82	1 in 1 BOX	07/17/2023	
5		120 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/17/2022	

**Labeler** - Boiron (282560473)

**Registrant** - Boiron Inc. (014892269)

### Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9077)

