

**ACADEMY CONTINUOUS SPORT SPF 50- avobenzone, octocrylene, oxybenzone spray
ACADEMY, LTD**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Avobenzone 3.0

Octocrylene 10.0

Oxybenzone 5.0

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable:Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120 °F. Do not use in the flame or spark. Keep away from sources of ignition. No smoking.

Do not use on damaged or broken skin.

When using this product

- Keep away from face to avoid breathing it.
- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

- May stain some fabrics.
- Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

- hold container 4-6 inches from the skin to apply
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- Do not spray directly on face. Spray on hands and then apply to face

- do not apply in windy conditions
- use in well ventilated area
- reapply
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Inactive ingredients

Alcohol Denat., Acrylates/Octylacrylamide Copolymer, Caprylyl Glycol, Mineral Oil, PEG-8 Dimethicone, Aloe Barbadensis Leaf Extract, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate Silica, Fragrance

Principal Display Panel

Academy

SPORTS+OUTDOORS

SUNSCREEN CONTINUOUS

SPRAY SPORT

BROAD SPECTRUM SPF 50

50

Water Resistant (80 Minutes)

Spray at any angle

UVA/UVB Protection

6 FL.OZ. (177 mL)

Overall Width of Can

165 mm

5mm bleed

5mm bleed

Shoulder
45 mm

Shoulder
45 mm

Upper Printing Margin-No text or graphics

5mm

Upper Printing Margin-No text or graphics

Academy
SPORTS+OUTDOORS

SUNSCREEN CONTINUOUS SPRAY
SPORT
BROAD SPECTRUM
SPF 50
50
Water Resistant
(80 Minutes)
Spray at any angle
UVA/UVB Protection



6 FL.OZ.
(177 mL)

Drug Facts

Active Ingredients Avobenzone 3.0%, Octocrylene 10.0%, Oxybenzone 5.0% } **Purpose** Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition-No smoking.

Do not use on damaged or broken skin

When using this product • Keep away from face to avoid breathing it

• Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

• Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

• May stain some fabrics.

Directions

• hold container 4-6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • **Do not spray directly on face.** Spray on hands then apply to face. • do not apply in windy conditions • use in well-ventilated area • reapply; • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses • children under 6 months of age. Ask a doctor

Inactive Ingredients Alcohol Denat., Acrylates/Octylacrylamide Copolymer, Caprylyl Glycol, Mineral Oil, PEG-8 Dimethicone, Aloe Barbadosis Leaf Extract, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thioceulfate Silica, Fragrance.

Other Information • protect this product from excessive heat and direct sun

DOT 2P M6655
93007763



Distributed by Academy, Ltd.
1800 N Mason Rd., Katy, TX 77449
academy.com®

Made in USA

Lower Printing Margin-No text or graphics

7mm

Lower Printing Margin-No text or graphics

Other information

- protect this product form excessive heat and direct sun

ACADEMY CONTINUOUS SPORT SPF 50

avobenzone, octocrylene, oxybenzone spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59054-141
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
MINERAL OIL (UNII: T5L8T28FGP)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59054-141-34	170 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/27/2013	

Labeler - ACADEMY, LTD (065092538)