# MCKESSON ASPIRIN- aspirin tablet, film coated McKesson Medical-Surgical

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## **McKesson Aspirin**

## **Drug Facts**

## Active ingredient (in each tablet)

Aspirin 325 mg (NSAID\*)

\*nonsteroidal ant-inflammatory drug

## **Purpose**

Pain reliever/fever reducer

#### Uses

temporarily relieves

- headache
- muscle pain
- minor pain of arthritis
- pain and fever of colds
- toothache
- menstrual pain

## Warnings

## Reye's syndrome:

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

## Allergy alert:

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

## Stomach bleeding warning:

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug

- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcohol drinks every day while using this product
- take more or for a longer time than directed

**Do not use** if you are allergic to aspirin or to any other pain reliever/fever reducer

#### Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- gout
- diabetes
- arthritis

## Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away
- you experience any of the following signs of stomach bleeding:
- feel faint vomit blood have bloody or black stools have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever lasts more than 3 days
- ringing in the ears or loss of hearing occurs
- redness or swelling is present
- new symptoms appear

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

• drink a full glass of water with each dose

**Adults and children:** Take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours

(12 years and older)

Children under 12 years: Consult a doctor

#### Other information

- store at room temperature
- avoid excessive heat and humidity
- tamper evident sealed packets

do not use any opened or torn packets

## Inactive ingredients

corn starch, hypromellose, polyethylene glycol, propylene glycol

### Questions or comments? Call 1-800-777-4908

McKesson

Aspirin 325 mg

Pain Reliever | Fever Reducer | (NSAID)

This Package is for Households without Young Children.

2 Per Pack | 250 Packes Per Box | MFR # 87676

NDC 68599-1311-3



## **MCKESSON ASPIRIN** aspirin tablet, film coated **Product Information Product Type** HUMAN OTC DRUG **Item Code (Source)** NDC:68599-1311 **Route of Administration ORAL Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E) **ASPIRIN** 325 mg

Inactive Ingredients			
Ingredient Name	Strength		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
STARCH, CORN (UNII: O8232NY3SJ)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	10mm		
Flavor		Imprint Code	ASPIRIN;44;157		
Contains					

Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:68599- 1311-3	250 in 1 BOX	05/02/2022				
1		2 in 1 PACKET; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part343	05/02/2022			

## Labeler - McKesson Medical-Surgical (023904428)

## Registrant - Unifirst First Aid Corporation (832947092)

Revised: 1/2023 McKesson Medical-Surgical