

**ZICAM COLD REMEDY- zinc acetate anhydrous and zinc gluconate lozenge
Church & Dwight Co., Inc.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Zicam® Cold Remedy Lozenges - Wild Cherry

Drug Facts

Active ingredients (in each lozenge)

Zincum aceticum 2x

Zincum gluconicum 2x

Purpose

Reduces duration of the common cold and helps relieve nasal congestion

Uses

- reduces duration of the common cold and helps relieve nasal congestion
- soothes sore throats and coughs

Zicam® Cold Remedy was not formulated to be effective for flu or allergies.

Warnings

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

If you are allergic or sensitive to zinc, consult a doctor before using.

Stop use and ask a doctor if symptoms persist or are accompanied by a fever or new symptoms occur.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **for best results, use at the first sign of a cold and continue to use until symptoms completely subside**
- adults and children 12 years of age and older:
 - take 1 lozenge at the onset of symptoms. Completely dissolve lozenge in mouth.

Do not chew. Do not swallow whole.

- repeat every 2 – 3 hours, not to exceed 7 lozenges in 24 hours. Take until symptoms are gone.
- to avoid minor stomach upset, do not take on an empty stomach
- do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- children under 12 years of age: ask a doctor before use

Other information

- store between 15-29°C (59-84°F)
- avoid freezing and excessive heat

Inactive ingredients

citric acid, corn syrup, FD&C Blue No. 1, FD&C Red No. 40, flavors, malic acid, purified water, sucralose, sucrose

PRINCIPAL DISPLAY PANEL - 25 Lozenge Pouch Carton

ZICAM[®]

COLD REMEDY

SHORTENS COLDS

SOOTHES SORE THROATS
AND COUGHS +

GREAT TASTING!

TAKE AT THE FIRST
SIGN OF A COLD

THE
PRE-COLD[®]
MEDICINE

SHORTENS COLDS

LOZENGES

Wild Cherry Flavor

HOMEOPATHIC

25
Individually Wrapped
LOZENGES

ZICAM[®] COLD REMEDY

DO NOT USE IF SEALED INNER POUCH IS DAMAGED OR TORN.
This product is not required to go through the FDA's New Drug Application approval process.

Drug Facts

Active ingredients (in each lozenge) *Purpose*
Zincum acetatum 2x..... Reduces duration of the common cold
Zincum gluconicum 2x.....and helps relieve nasal congestion

Uses

- reduces duration of the common cold and helps relieve nasal congestion
- soothes sore throats and coughs†

Zicam[®] Cold Remedy was not formulated to be effective for flu or allergies.

Warnings

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

If you are allergic or sensitive to zinc, consult a doctor before using.

Stop use and ask a doctor if symptoms persist or are accompanied by a fever or new symptoms occur.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- for best results, use at the first sign of a cold and continue to use until symptoms completely subside
- adults and children 12 years of age and older:
 - take 1 lozenge at the onset of symptoms. Completely dissolve lozenge in mouth. Do not chew. Do not swallow whole.
 - repeat every 2-3 hours, not to exceed 7 lozenges in 24 hours. Take until symptoms are gone.
 - to avoid minor stomach upset, do not take on an empty stomach
 - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
 - children under 12 years of age: ask a doctor before use

Other information

- store between 15-29°C (59-84°F)
- avoid freezing and excessive heat

Inactive ingredients citric acid, corn syrup, FD&C Blue No.1, FD&C Red No.40, flavors, malic acid, purified water, sucralose, sucrose

ZICAM[®]
COLD REMEDY

ZICAM[®]
COLD REMEDY

ZICAM[®]
COLD REMEDY

SHORTENS COLDS

GET RID OF YOUR
COLD FASTER™

- Great tasting wild cherry flavor
- Non-drowsy
- Non-habit forming

SATISFACTION GUARANTEED

Questions? Comments?
call 877-942-2626 toll free
www.zicam.com

KEEP CARTON FOR COMPLETE
WARNINGS AND INFORMATION

†Claims based on traditional homeopathic
practice, not accepted medical evidence.
Not FDA evaluated.

DISTRIBUTED BY CHURCH & DWIGHT CO., INC.
Ewing, NJ 08628

SOOTHES SORE THROATS
AND COUGHS†

GREAT
TASTING!



SHORTENS COLDS

LOZENGES

Wild Cherry Flavor

25 Individually Wrapped
LOZENGES

HOMEOPATHIC

HOMEOPATHIC

HOMEOPATHIC



Take every 2-3 HOURS
until symptoms are gone.

That first snuffle, sneeze
or throat tickle...
you have a Pre-Cold[®]
the first sign a full blown
cold is coming.

Take Zicam[®] Lozenges
now to shorten a cold.

GO FROM PRE-COLD[®]
TO NO COLD FASTER.

Zicam[®] Cold Remedy products are available
in a wide range of forms and flavors.

70101522
ZCFC-30148-01



ZICAM COLD REMEDY

zinc acetate anhydrous and zinc gluconate lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10237-473
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC ACETATE ANHYDROUS (UNII: H2ZEY72PME) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	2 [hp_X]
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	2 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALIC ACID (UNII: 817L1N4CKP)	
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	22mm
Flavor	CHERRY	Imprint Code	Z
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-473-25	1 in 1 CARTON	03/28/2022	
1		25 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/28/2022	

Labeler - Church & Dwight Co., Inc. (001211952)

Revised: 3/2022

Church & Dwight Co., Inc.