

VISAGE- zinc oxide emulsion
CA-Botana International

Visage Pro Youare Sunshine SPF 50

Active Ingredient

Zinc Oxide 21%..... Sunscreen

Purpose

Sunscreen

Ask Doctor

Stop use and ask a doctor if rash occurs

Keep out of reach of children

Keep out of reach of children

Inactive Ingredients

Water (Aqua), Coco-Caprylate/Caprata, Ceteary Alcohol, Propanediol, Stearyl Alcohol, Polyhydroxystearic Acid, Mica, Cetearyl Oliviate, Sorbitan Oliviate, Caprylhydroxamic acid. GlycerylCaprylate, Glycerin, Xanthan Gum, Equisetum arvense (Horsetail) extract, Rosmarinus officinalis (Rosemary) extract, Centella asiatica(Gotu-kola) extract, Aesculus hippocastanum (Horse chestnut) extract, Camellia sinensis(Green tea) extract, Olea europaea (Olive) extract, Tocopheryl Acetate, Potassium Sorbate, Sodium Phytate, Carthamus tinctorius (Safflower) Seed oil, Silica, Triethoxycaprylsilane, OXY CA (Rosmarinus officinalis (Leaf)CO2 Extract& Ascorbyl Palmitate & Caprylic/Capric Triglyceride & Ascorbic Acid & Tocopherol & Citric Acid), Glyceryl Stearate, Iron Oxide.

Safety information

Protect this product from excessive heat and direct sun

Dosage & Administration

Helps prevent sunburn. If used as directed with other sun protection measured decreases the risk of skin cancer and early skin aging caused by the sun. Apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Reapply : at least 2 hours. Children under 6 months: Ask a doctor. Sun protection measurements. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in

the sun, specially from 10 a.m.- 2 p.m Wear long-sleeveshirts, pants, hats, and sunglasses. Protect this product from excessive heat and direct sun.

Warnings

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. If product is swallowed get medical help or contact a poison Control Center right away.

Indications & Usage

Apply liberally 15 minutes before exposure, use water resistant sunscreen, if swimming or sweating. reapply at least every 2 hours. Children under 6 months: ask a doctor

Package Label Visage





IRREGULAR @ approx 4.25"x 3.4±"

INGREDIENTS FACTS

Serving Size: 2-3 pumps

CLEAR SKIN FUEL

- Supports Active Lifestyle ✓
- Freedom to Be in Nature ✓
- Non-Toxic Formulation ✓
- Sweat + Water Resistant 80 Minutes ✓
- Doubles as a Primer ✓
- Awesome Blur Effect ✓
- Skin Loving Ingredients ✓







Hi from Danielle & Kayleigh!

We both love the sunshine and hope you do too. ☀️

We made you this acne-safe tinted SPF that also doubles as a primer. Hope you absolutely love it!

PRO TIP:
Always apply SPF to face, neck, and decollete.


 Scan code for pore-clogging ingredients list.

YOU ARE SUNSHINE

Broad Spectrum SPF 50+

Green Tea +
Gotu Kola +
Zinc Oxide 21%

Soothing
Balancing
Protecting

BE CLEAR AGE WELL

2.1 oz / 61g

DRUG FACTS

Active ingredients	Purpose
Zinc Oxide 21%.....	Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings • For external use only. **When using this product** keep out of eyes. Rinse with water to remove. **Do not use** on damaged or broken skin. **Stop use and ask a doctor** if rash occurs. **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months: Ask a doctor. **Sun Protection Measures** • Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses.

Inactive ingredients: Aesculus hippocastanum (Horse Chestnut) Extract, Camellia sinensis (Green Tea) Extract, Caprylhydroxamic Acid, Carthamus tinctorius (Safflower) Seed oil, Centella asiatica (Gotu Kola) Extract, Cetearyl Alcohol, Cetearyl Oliviate, Coco-Caprylate/Caprate, Equisetum arvense (Horsetail) Extract, Glycerin, Glyceryl Caprylate, Glyceryl Stearate, Iron Oxide, Mica, Olea europaea (Olive) Extract, Oxy CA (Rosmarinus officinalis Leaf CO2 extract and Ascorbyl Palmitate and Caprylic/Capric Triglyceride and Ascorbic Acid and Tocopherol and Citric Acid), Polyhydroxystearic Acid, Potassium Sorbate, Propanediol, Rosmarinus officinalis (Rosemary) Extract, Silica, Sodium Phytate, Sorbitan Oliviate, Stearyl Alcohol, Tocopheryl Acetate, Triethoxy caprylylsilane, Water (Aqua), Xanthan Gum

Distributed by: **CLEARSTEM Skincare**
clearstemskincare.com
NDC 35192-046-17



zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:35192-046
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	12.81 g in 12.81 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
HORSE CHESTNUT (UNII: 3C18L6RJAZ)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SAFFLOWER OIL (UNII: 65UEH262IS)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
EQUISETUM ARVENSE WHOLE (UNII: 73DM367W4P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ROSEMARY (UNII: IJ67X351P9)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
WATER (UNII: 059QF0KO0R)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
HEXASODIUM PHYTATE (UNII: ZBX50UG81V)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
GLYCERYL CAPRATE (UNII: 197M6VFC1W)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
GREEN OLIVE (UNII: 6HD2W46UEG)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: VR1WPI7EW8)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	

Product Characteristics

Color	brown (light brownish)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:35192-046-17	61 g in 1 PACKAGE; Type 0: Not a Combination Product	04/04/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/04/2022	

Labeler - CA-Botana International (106276728)

Establishment			
Name	Address	ID/FEI	Business Operations
CA-Botana International		106276728	manufacture(35192-046)

Revised: 10/2023

CA-Botana International