

MEDI-FIRST ISOPROPYL ALCOHOL 70%- isopropyl alcohol spray
Unifirst First Aid Corporation

Medi-First Isopropyl Alcohol 70% Spray

Drug Facts

Active ingredient

Isopropyl Alcohol 70.0%

Purpose

First aid antiseptic

Uses

First aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only.

Flammable keep away from fire or flame.

Do not use

- near eyes or mucous membranes
- on deep or puncture wounds, animal bites, or serious burns consult a physician
- on large areas of the body
- for longer than one week unless directed by a doctor

Stop use and ask a doctor if

- condition persists or gets worse

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean affected area and spray 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first
- not to be used on children under 12 years of age

Inactive ingredient

purified water

Questions or comments? 1-800-634-7680

MEDI-FIRST ®

Isopropyl Alcohol

Pump Spray

Isopropyl Alcohol 70%

First Aid Antiseptic

Flammable, keep away from fire or flame.

For external use only.

If taken internally, serious gastric disturbance will result.

Store at room temperature

59°-86°F (15°-30°C)

2 FL OZ (59.1ML)

MEDI-FIRST®
Isopropyl Alcohol

Pump Spray
Isopropyl Alcohol 70%
First Aid Antiseptic

Flammable, keep away from fire or flame.
For external use only.
If taken internally, serious gastric disturbance will result.
Store at room temperature
59°-86°F (15°-30°C)
2 FL OZ (59.1 ML)

Drug Facts

Active ingredient	Purpose
Isopropyl Alcohol 70.0%	First aid antiseptic

Uses First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings
For external use only.
Flammable keep away from fire or flame.
Do not use ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns consult a physician ■ on large areas of the body ■ for longer than one week unless directed by a doctor

Stop use and ask a doctor if ■ condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ clean affected area & spray 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first ■ not to be used on children under 12 years of age

Inactive ingredient purified water

Questions or comments? 1-800-634-7680

Reorder #26802 Rev. 04/20
Mfg. for Medique Products
Fort Myers, FL 33967 USA
www.mediqueproducts.com

47682 26802 2

MEDI-FIRST ISOPROPYL ALCOHOL 70%

isopropyl alcohol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-263
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-263-02	59.1 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/06/2022	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M003	04/06/2022	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 1/2024

Unifirst First Aid Corporation