# REVERSE BRIGHTENING DEFENSE FLUID- avobenzone, homosalate, octocrylene, octisalate lotion Rodan & Fields

-----

# **Drug Facts**

# **Active Ingredients**

Avobenzone 2.8%,

Homosalate 9.3%,

Octisalate 4.67%,

Octocrylene 6.1%

# **Purpose**

Sunscreen

#### Uses

- Helps prevent sunburn.
- When used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

# Warnings

For external use only.

#### Do not use on

• damaged or broken skin.

# When using this product

• keep out of eyes. Rinse with water to remove.

# Stop use and ask a doctor if

• rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Every AM, apply liberally and evenly over face + neck 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Sun Protection Measures: Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun

protection measures including:

- Limit time in the sun, especially from 10 a.m-2 p.m.
- Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months: Ask a doctor.

### **Inactive Ingredients**

Adenosine, Aminomethyl Propanol, Aqua/Eau/Water, Benzyl Alcohol, Butylene Glycol, C12-15 Alkyl Benzoate, Calcium Gluconate, Citral, Citric Acid, Cynara Scolymus (Artichoke) Leaf Extract, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Dipotassium Glycyrrhizate, Fragrance/Parfum, Gluconolactone, Glycerin, Glycine Soja (Soybean) Oil, Hydrogenated Lecithin, Limonene, Linalool, Methyl Carboxymethylphenyl Aminocarboxypropylphosphonate, Phenoxyethanol, Propanediol, Rosmarinic Acid, Rutin, Sesamum Indicum (Sesame) Seed Extract, Silica, Sodium Benzoate, Sodium Carbomer, Titanium Dioxide (Cl 77891), Tocopherol, Xanthan Gum.

#### Other Information

Protect this product from excessive heat and direct sun.

## **Questions?**

1-888-995-5656

Principal Display Panel - 30 mL Carton Label

RODAN+FIELDS

**REVERSE** 

**Brightening Defense Fluid Lotion** 

**Broad Spectrum SPF 50** 

**3AM** 


30 mL/1. Fl. Oz. U.S.


#### R+FLightweight lotion with SHIELDRF **Drug Facts** Drug Facts (continued) Technology protects skin from harmful UVA + UVB rays. Helps Active **Purpose** protection measures prevent the formation of dark Ingredients including: marks on the skin, RF3 . Limit time in the sun, Avobenzone 2.8%; Antioxidant Complex enhances especially from 10 a.m.-2 p.m. Homosalate 9.3%, skin's resilience to environmental Sunscreen Wear long-sleeve shirts, S Octisalate 4.67%, aggressors that can lead to pants, hats and sunglasses. Octocrylene 6.1% dullness, discoloration and Children under 6 months: uneven skin tone. Glycerin + Ask a doctor. RODAN+FIEL Uses Dipotassium Glycyrrhizinate help · Helps prevent sunburn. **Inactive Ingredients** moisturize and calm skin for an When used as directed instant healthy radiance. Adenosine, Aminomethyl Propanol, Aqua/Eau/Water, with other sun protection measures (see Directions), Benzyl Alcohol, Butylene Glycol, Developed by Stanford-trained decreases the risk of skin C12-15 Alkyl Benzoate, Calcium Dermatologists Dr. Katie Rodan cancer and early skin aging Gluconate, Citral, Citric Acid, and Dr. Kathy Fields. caused by the sun. Cynara Scolymus (Artichoke) Leaf Extract, Dimethicone, Warnings Dimethicone/Vinyl Dime-For external use only. thicone Crosspolymer, Dipotassium Glycyrrhizate, Do not use on Fragrance/Parfum, Glucono- damaged or broken skin. lactone, Glycerin, Glycine Soja When using this product (Soybean) Oil, Hydrogenated keep out of eyes. Rinse Lecithin, Limonene, Linalool, with water to remove. Methyl Carboxymethylphenyl Aminocarboxypropylphospho-Stop use and ask a doctor nate, Phenoxyethanol, if . rash occurs. Propanediol, Rosmarinic Acid. Keep out of reach of Rutin, Sesamum Indicum children. If swallowed, get (Sesame) Seed Extract, Silica, medical help or contact a Sodium Benzoate, Sodium Carbomer, Titanium Dioxide (CI Poison Control Center right away. 77891), Tocopherol, Xanthan Gum. **Directions** · Every AM, apply liberally Other Information Protect this product from **Brightening Defense** and evenly over face + neck excessive heat and direct sun. 15 minutes before sun Fluid Lotion exposure. · Reapply at least every 2 Questions? **Broad Spectrum SPF 50** hours. -888-995-5656 Use a water-resistant sunscreen if swimming or sweating Sun Protection Measures: Dist. Rodan & Fields, LLC Spending time in the sun San Francisco, CA 94105 USA increases your risk of skin Made in USA with US and cancer and early skin aging. To Imported Materials decrease this risk, regularly use a sunscreen with a broad Please Recycle MIX 00 30 mL / 1 Fl. Oz. U.S. spectrum SPF value of 15 or rodanandfields.com higher and other sun 6000-05-0027 0A






Principal Display Panel - 30 mL Tube Label
RODAN+FIELDS
REVERSE
Brightening Defense Fluid Lotion
Broad Spectrum SPF 50
3AM







# **REVERSE BRIGHTENING DEFENSE FLUID**

avobenzone, homosalate, octocrylene, octisalate lotion

# **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:14222-2300

Route of Administration TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.028 g in 1 mL		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.093 g in 1 mL		
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.061 g in 1 mL		
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.0467 g in 1 mL		

Inactive Ingredients	
Ingredient Name	Strength
ADENOSINE (UNII: K72T3FS567)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CALCIUM GLUCONATE (UNII: SQE6VB453K)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
CITRAL (UNII: T7EU0O9VPP)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CYNARA SCOLYMUS LEAF (UNII: B71UA545DE)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPANEDIOL (UNII: 5965N8W85T)	
ROSMARINIC ACID (UNII: MQE6XG29YI)	
RUTIN (UNII: 5G06TVY3R7)	
SESAME SEED (UNII: 7Y1255HVXR)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SOYBEAN OIL (UNII: 241ATL177A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:14222- 2300-1	1 in 1 CARTON	03/09/2021		
1		30 mL in 1 TUBE; Type 0: Not a Combination Product			
2	NDC:14222- 2300-2	1 in 1 CARTON	06/01/2021		
2		7 mL in 1 TUBE; Type 0: Not a Combination Product			
3	NDC:14222- 2300-3	2 mL in 1 PACKET; Type 0: Not a Combination Product	04/12/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	03/09/2021		

# Labeler - Rodan & Fields (051659584)

Revised: 12/2023 Rodan & Fields