

**ORIENTAL MAGIC OIL- methyl salicylate oil**  
**Wei Yuan Trading Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Oriental Magic Oil**

**Active ingredients**

Methyl salicylate 45%.....External analgesic  
Menthol 7%.....External analgesic  
Camphor 4%.....External analgesic  
Capsicum oleoresin 0.25%.....External analgesic

Do not use otherwise than as directed

**Keep out of reach of children**

Keep out of reach of children to avoid accidental poisoning

**If pregnant**

If pregnant, ask a health professional before use

**Directions**

- Adults and children 2 years of age and older: Apply to the affected area not more than 3 to 4 times daily.
- Children under 2 years of age: Do not use or consult a doctor.

**Other information**

store at room temperature, 20° to 25°C(68° to 77F)

**Inactive ingredients**

Borneol, Turpentine oil, Lavender oil, Tienchi ginseng extract, Safflower flower extract, Red-root lithospermum oil extract, Pubescent angelica root oil extract, Sichuan lovage oil, Frankincense oil, Myrrh oil, Solvent Red, Solvent Brown, Paraffin

**Questions?**

+1-800-732-2328

**For external use only**

For external use only

**Purpose**

External analgesic

**Do not use**

- on wounds
- irritated or damaged skin
- sensitive skin
- with a heating pad
- if pregnant
- with, or as the same time as, other external analgesic products
- if allergic to aspirin or salicylates
- if allergic to any ingredients of this product

**When using this product**

- avoid contact with the eyes
- do not bandage tightly
- do not apply to wounds or damaged skin
- do not use 1 hour before or after bathing

**Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive irritation of the skin develops
- redness is present
- side effects occur. You may report side effects to FDA at 1-800-FDA-1088.

**Warnings**

For external use only

In case of overdose, get medical help or contact a Poison Control Center right away

**Uses**

For the temporary relief of minor pain and pains of muscles and joints due to:

- arthritis
- strains
- bruises
- sprains
- simple backache

**Oriental Magic Oil Principal Display Panel**

Oriental Magic Oil outer package

美国版



尺寸: 130\*80\*30mm

產品編碼  
PO011T



Manufactured By:  
Macau-union Pharmaceutical Limited  
Made in Macau

## ORIENTAL MAGIC OIL

methyl salicylate oil

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:71757-100 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ) | METHYL SALICYLATE | 45 g in 100 mL |
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)                  | MENTHOL           | 7 g in 100 mL  |

|  |             |                  |
|--|-------------|------------------|
| CAMPHOR OIL (UNII: 75IZZ8Y727) (CAMPHOR OIL - UNII:75IZZ8Y727)               | CAMPHOR OIL | 4 g in 100 mL    |
| CAPSICUM OLEORESIN (UNII: UW86K581WY) (CAPSICUM OLEORESIN - UNII:UW86K581WY) | CAPSAICIN   | 0.25 g in 100 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| BORNEOL (UNII: M89NIB437X)                                    |          |
| TURPENTINE OIL (UNII: C5H0QJ6V7F)                             |          |
| LAVENDER OIL (UNII: ZBP1YXW0H8)                               |          |
| PANAX NOTOGINSENG ROOT (UNII: GQX1C1175U)                     |          |
| CARTHAMUS TINCTORIUS FLOWER OIL (UNII: SDQ136WIM5)            |          |
| LITHOSPERMUM OFFICINALE SEED OIL (UNII: JB2TL7G759)           |          |
| ANGELICA PUBESCENS WHOLE (UNII: SV5CN7O3MB)                   |          |
| LIGUSTICUM SINENSE SUBSP. CHUANXIONG WHOLE (UNII: CAX256379F) |          |
| FRANKINCENSE OIL (UNII: 67ZYA5T02K)                           |          |
| MYRRH OIL (UNII: H74221J5J4)                                  |          |
| SOLVENT BROWN 1 (UNII: 0AL30EZ5L1)                            |          |
| SOLVENT RED 27 (UNII: G7S71FND9B)                             |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                                   |          |

### Packaging

| # | Item Code        | Package Description                                       | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:71757-100-01 | 1 in 1 BOX  | 04/04/2018           |                    |
| 1 | NDC:71757-100-02 | 50 mL in 1 VIAL, GLASS; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part348                                  | 04/04/2018           |                    |

**Labeler** - Wei Yuan Trading Inc (064973261)

### Establishment

| Name                           | Address | ID/FEI    | Business Operations                       |
|--------------------------------|---------|-----------|---|
| Macau-Union Pharmaceutical Ltd |         | 448605614 | manufacture(71757-100) , label(71757-100) |

Revised: 4/2018

Wei Yuan Trading Inc