

## **SKOPKO URINARY PAIN RELIEF - phenazopyridine hydrochloride tablet**

### **Skopko**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

## **DRUG FACTS**

### **Active Ingredient**

Phenazopyridine Hydrochloride 95 mg

### **Purpose**

Urinary Analgesic

### **Uses**

fast relief from urinary pain, burning, urgency and frequency associated with urinary tract infections.

### **Warning**

Do not exceed recommended dosage

### **Ask Doctor before use if you have**

- kidney disease
- allergies to foods, preservatives or dyes
- had a hypersensitive reaction to Phenazopyridine

### **When using this product**

- When using this product stomach upset may occur, taking this product with or after meals may reduce stomach upset
- your urine will become reddish-orange in color. This is not harmful, but care should be taken to avoid staining clothing or other items.

### **Stop use and ask a doctor if**

- your symptoms last for more than 2 days
- you suspect you are having an adverse reaction to the medication

**If pregnant or breast feeding**

ask a health professional before use.

**Keep out of the reach of children**

in case of an overdose, get medical help or contact a Poison Control Center right away.

**Directions**

■ Adults and children 12 and over: take 2 tablets 3 times daily with a full glass of water, with or after meals as needed

■ **Children under 12:** consult a doctor

■ **Do not use for more than 2 days (12 tablets) without consulting a doctor**

**Inactive Ingredients**

magnesium stearate, microcrystalline cellulose. May also contain carnauba wax,

croscarmellose sodium, hypromellose, lactose, magnesium silicate, maize starch, pharmaceutical

glaze, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate.



## SKOPKO URINARY PAIN RELIEF

phenazopyridine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37012-098
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PHENAZOPYRIDINE HYDROCHLORIDE</b> (UNII: 0EWG668W17) (PHENAZOPYRIDINE - UNII: K2J09EMJ52)	PHENAZOPYRIDINE HYDROCHLORIDE	95 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	

<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>MAGNESIUM SILICATE</b> (UNII: 9B9691B2N9)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	CPC64
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37012-098-01	1 in 1 CARTON	07/01/2013	
1	NDC:37012-098-50	32 in 1 CELLO PACK; Type 0: Not a Combination Product		
2	NDC:37012-098-30	30 in 1 CELLO PACK; Type 0: Not a Combination Product	07/01/2013	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/01/2013	

**Labeler** - Skopko (023252638)

**Registrant** - Reese Pharmaceutical Co (004172052)

Revised: 12/2022

Skopko