

**STAY ALL DAY 10-IN-1 ILLUMINATING SKIN VEIL BROAD-SPECTRUM SPF 30
SUNSCREEN WATER-RESISTANT 80 MINUTES KITTEN ILLUMINATING- zinc
oxide, titanium dioxide cream
Stila Style, LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Stay All Day® 10-in-1 Illuminating Skin Veil Broad-Spectrum SPF 30
Sunscreen Water-Resistant (80 minutes) Kitten - Illuminating**

Drug Facts

Active Ingredients

Zinc Oxide 19.75%

Titanium Dioxide 1.58%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin.

Stop use and ask a doctor

if rash occurs.

When using this product

keep out of eyes. Rinse with water to remove.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure and as needed
- Reapply at least every 2 hours
- Reapply after 80 minutes of swimming or sweating
- Reapply after towel drying
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- Limit time in the sun especially from 10 am - 2 pm
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients :

WATER/AQUA/EAU, ZINC OXIDE, BUTYLOCTYL SALICYLATE, C12-15 ALKYL BENZOATE, ISODODECANE, PROPANEDIOL, GLYCERIN, CYCLOPENTASILOXANE, MICA, CETYL DIGLYCERYL TRIS(TRIMETHYLSILOXY)SILYLETHYL DIMETHICONE, TITANIUM DIOXIDE, DIMETHICONE CROSSPOLYMER, 1,2-HEXANEDIOL, NIACINAMIDE, SODIUM CHLORIDE, HYDROXYACETOPHENONE, PYRUS MALUS (APPLE) FRUIT EXTRACT, TRIETHOXYCAPRYLYLSILANE, SILICA, CHLORPHENESIN, TRISODIUM ETHYLENEDIAMINE DISUCCINATE, ALLANTOIN, PARFUM, HEXADECENE, BAMBUSA VULGARIS EXTRACT, PRUNUS PERSICA (PEACH) FRUIT EXTRACT, TROPAEOLUM MAJUS FLOWER/LEAF/STEM EXTRACT, PHENOXYETHANOL, PALMITOYL TRIPEPTIDE-37, HYDROLYZED COLLAGEN, TIN OXIDE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, SODIUM HYALURONATE, HEXYLENE GLYCOL, LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE, IRON OXIDES (CI 77491, CI 77492, CI 77499), TITANIUM DIOXIDE (CI 77891). <ILN C211062>

Package Labeling:

illuminating

Drug Facts

Active Ingredients	Purpose
Zinc Oxide 19.75%	Sunscreen
Titanium Dioxide 1.58%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure and as needed • Reapply at least every 2 hours
- Reapply after 80 minutes of swimming or sweating • Reapply after towel drying • Children under 6 months: Ask a doctor.

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • Limit time in the sun especially from 10 am - 2 pm • Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information Protect the product in this container from excessive heat and direct sun.

Inactive ingredients : WATER/AQUA/EAU, ZINC OXIDE, BUTYLOCTYL SALICYLATE, C12-15 ALKYL BENZOATE, ISODODECANE, PROPANEDIOL, GLYCERIN, CYCLOPENTASILOXANE, MICA, CETYL DIGLYCERYL TRIS(TRIMETHYLSILOXY)SILYLETHYL DIMETHICONE, TITANIUM DIOXIDE, DIMETHICONE CROSSPOLYMER, 1,2-HEXANEDIOL, NIACINAMIDE, SODIUM CHLORIDE, HYDROXYACETOPHENONE, PYRUS MALUS (APPLE) FRUIT EXTRACT, TRIETHOXYCAPRYLYLSILANE, SILICA, CHLORPHENESIN, TRISODIUM ETHYLENEDIAMINE DISUCCINATE, ALLANTOIN, PARFUM, HEXADECENE, BAMBUSIA VULGARIS EXTRACT, PRUNUS PERSICA (PEACH) FRUIT EXTRACT, TROPAEOLIUM MAJUS FLOWER/LEAF/STEM EXTRACT, PHENOXYETHANOL, PALMITOYL TRIPEPTIDE-37, HYDROLYZED COLLAGEN, TIN OXIDE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, SODIUM HYALURONATE, HEXYLENE GLYCOL, LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE, IRON OXIDES (CI 77491, CI 77492, CI 77499), TITANIUM DIOXIDE (CI 77891). <ILN C211062>

PROTECT, PERFECT, AND ILLUMINATE

BENEFITS:

1. Protects with broad spectrum sunscreen SPF 30
2. Enriched with peptides to help the appearance of skin tone and texture
3. Blurs imperfections
4. Infused with skin-loving antioxidants
5. Hydrates for healthier-looking skin
6. Helps reduce the appearance of pores and controls shine
7. Exclusive complex helps soothe and reduce the appearance of redness
8. Natural coverage for a barely-there look
9. Illuminates and primes for a radiant glow
10. Oil-free, paraben-free, dermatologist-tested and designed for all skin types

COSMETIC USAGE: Apply to clean skin. Use alone or in conjunction with your favorite concealer and setting powder.

stila

Stay All Day®
10-in-1 Illuminating
Skin Veil

Broad-Spectrum
SPF 30 Sunscreen
Water-Resistant
(80 minutes)

kitten

1.0 fl. oz./30 mL

stilacosmetics.com
Dist. by Stila Styles, LLC
Los Angeles, CA 90027
Made in U.S.A.
SC86010110



FPO UPC: .375" x 1.25"
094800361225

FPO
Barcode

FRONT PANEL

BACK PANEL

UNPRINTABLE AREA (12mm)

stila

Stay All Day®
10-in-1 Illuminating Skin Veil

Broad-Spectrum
SPF 30 Sunscreen
Water-Resistant (80 minutes)

kitten

1.0 fl. oz./30 mL

PROTECT, PERFECT, AND ILLUMINATE

COSMETIC USAGE: Apply to clean skin, use alone or in conjunction with your favorite concealer and setting powder.

ACTIVE INGREDIENTS: Zinc Oxide 19.75%, Titanium Dioxide 1.58%

USES: • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



DIRECTIONS: • apply liberally 15 minutes before sun exposure and as needed • reapply at least every 2 hours • reapply after 80 minutes of swimming or sweating • reapply after towel drying • children under 6 months: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun especially from 10 am - 2 pm • wear long-sleeved shirts, pants, hats, and sunglasses.

OTHER INFORMATION: Protect the product in this container from excessive heat and direct sun.

stilacosmetics.com

Dist. by Stila Styles, LLC • Los Angeles, CA 90027

Made in U.S.A. SC86010760

STAY ALL DAY 10-IN-1 ILLUMINATING SKIN VEIL BROAD-SPECTRUM SPF 30 SUNSCREEN WATER-RESISTANT 80 MINUTES KITTEN ILLUMINATING

zinc oxide, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76049-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	197.5 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	15.8 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
ISODODECANE (UNII: A8289P68Y2)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
MICA (UNII: V8A1AW0880)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
NIACINAMIDE (UNII: 25X51I8RD4)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
APPLE (UNII: B423VGH5S9)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
ALLANTOIN (UNII: 344S277G0Z)	
HEXADECENE (MIXED ISOMERS) (UNII: 38H8547VP0)	
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)	
PEACH (UNII: 30KE88I3QG)	
TROPAEOLUM MAJUS FLOWERING TOP (UNII: RGT30824HY)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76049-201-30	1 in 1 CARTON	09/01/2022	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2022	

Labeler - Stila Style, LLC (809192896)

Revised: 4/2022

Stila Style, LLC