

**STAY ALL DAY 10-IN-1 ILLUMINATING SKIN VEIL BROAD-SPECTRUM SPF 30
SUNSCREEN WATER-RESISTANT 80 MINUTES KITTEN- octinoxate, zinc
oxide cream
Stila Style, LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Stay All Day® 10-in-1 Illuminating Skin Veil Broad-Spectrum SPF 30
Sunscreen Water-Resistant (80 minutes) KITTEN**

Drug Facts

Active Ingredients

Octinoxate 5.0%

Zinc Oxide 18.6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin.

Stop use and ask a doctor

if rash occurs.

When using this product

keep out of eyes. Rinse with water to remove.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure and as needed
- reapply at least every 2 hours
- reapply after 80 minutes of swimming or sweating
- reapply after towel drying
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun especially from 10am - 2pm
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients :

WATER/AQUA/EAU, C12-15 ALKYL BENZOATE, HYDROXYPROPYLCOCOATE PEG-8 DIMETHICONE, DIMETHICONE CROSSPOLYMER,- CYCLOPENTASILOXANE, GLYCERIN, ISOPENTYLDIOL, PYRUS MALUS (APPLE) FRUIT EXTRACT, ISODODECANE, DIMETHICONE, MICA, TRIETHOXYCAPRYLYLSILANE, PHENOXYETHANOL, SODIUM CHLORIDE, CAPRYLIC/CAPRIC TRIGLYCERIDE, PHYSALIS ANGULATA EXTRACT, HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL, DISTEARDIMONIUM HECTORITE, POLYHYDROXYSTEARIC ACID, SILICA, PEG/PPG-18/18 DIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, HEXYLENE GLYCOL, PROPYLENE CARBONATE, PARFUM, PHYTIC ACID, SODIUM HYDROXIDE, ROSMA R INUS OFFICINALIS (ROSEMARY) LEAF EXTRACT, PALMITOYL TRIPEPTIDE-37, DECARBOXY CARNOSINE HCL, TOCOPHEROL, BUTYLENE GLYCOL, LINALOOL, HEXYL CINNAMAL. (+/-) IRON OXIDES (CI 77491, CI 77492, CI 77499), TITANIUM DIOXIDE (CI 77891). <ILN C121042.2>

Package Labeling:

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.0%	Sunscreen
Zinc Oxide 18.6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes.

Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure and as needed
- reapply at least every 2 hours
- reapply after 80 minutes of swimming or sweating
- reapply after towel drying
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun especially from 10am - 2pm
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other Information Protect the product in this container from excessive heat and direct sun.

Inactive ingredients WATER/AQUA/EAU, C12-15 ALKYL BENZOATE, HYDROXYPROPYLCOCOATE PEG-8 DIMETHICONE, DIMETHICONE CROSSPOLYMER, CYCLOPENTASILOXANE, GLYCERIN, ISOPENTYLDIOL, PYRUS MALUS (APPLE) FRUIT EXTRACT, ISODODECANE, DIMETHICONE, MICA, TRIETHOXYCAPRYLYLSILANE, PHENOXYETHANOL, SODIUM CHLORIDE, CAPRYLIC/CAPRIC TRIGLYCERIDE, PHYSALIS ANGULATA EXTRACT, HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL, DISTEARDIMONIUM HECTORITE, POLYHYDROXYSTEARIC ACID, SILICA, PEG/PPG-18/18 DIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, HEXYLENE GLYCOL, PROPYLENE CARBONATE, PARFUM, PHYTIC ACID, SODIUM HYDROXIDE, ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT, PALMITOYL TRIPEPTIDE-37, DECARBOXY CARNOSINE HCL, TOCOPHEROL, BUTYLENE GLYCOL, LINALOOL, HEXYL CINNAMAL, (+/-) IRON OXIDES (CI 77491, CI 77492, CI 77499), TITANIUM DIOXIDE (CI 77891). <ILN C121042.2>

BENEFITS:

1. Protects with broad spectrum sunscreen SPF 30
2. Enriched with peptides to help the appearance of skin tone and texture
3. Blurs imperfections
4. Infused with skin-loving antioxidants
5. Hydrates for healthier-looking skin
6. Helps reduce the appearance of pores and controls shine
7. Exclusive complex helps soothe and reduce the appearance of redness
8. Natural coverage for a barely-there look
9. Illuminates and primes for a radiant glow
10. Dermatologist-tested and designed for all skin types

COSMETIC USAGE: Apply to clean skin. Use alone or in conjunction with your favorite concealer and setting powder.

stila

Stay All Day®
10-in-1 Illuminating
Skin Veil

Broad-Spectrum
SPF 30 Sunscreen
Water-Resistant
(80 minutes)

kitten

1.0 fl. oz./30 mL

stilacosmetics.com
Dist. by Stila Styles, LLC
Los Angeles, CA 90027
Made in U.S.A. SC67010110



FPO UPC: .375" x 1.25"
094800359727

FPO
Batch Code

FRONT PANEL

BACK PANEL

UNPRINTABLE AREA (12mm)

stila

Stay All Day®
10-in-1 Illuminating Skin Veil

Broad-Spectrum
SPF 30 Sunscreen
Water-Resistant (80 minutes)

kitten

1.0 fl. oz./30 mL

PROTECT, PERFECT AND ILLUMINATE

COSMETIC USAGE: Apply to clean skin, use alone or in conjunction with your favorite concealer and setting powder.

ACTIVE INGREDIENTS: Zinc Oxide 18.6%, Octinoxate 5%

USES • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS: • apply liberally 15 minutes before sun exposure and as needed • reapply at least every 2 hours • reapply after 80 minutes of swimming or sweating • reapply after towel drying • children under 6 months: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun especially from 10 am - 2 pm • wear long-sleeved shirts, pants, hats, and sunglasses.

OTHER INFORMATION: Protect the product in this container from excessive heat and direct sun.

stilacosmetics.com
Dist. by Stila Styles, LLC • Los Angeles, CA 90027
Made in U.S.A. SC67010760



STAY ALL DAY 10-IN-1 ILLUMINATING SKIN VEIL BROAD-SPECTRUM SPF 30 SUNSCREEN WATER-RESISTANT 80 MINUTES KITTEN
 octinoxate, zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76049-202
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	186 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
HYDROXYPROPYLCOCOATE PEG-8 DIMETHICONE (UNII: 8TE0BZU36S)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
APPLE (UNII: B423VGH5S9)	
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MICA (UNII: V8A1AW0880)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PHYSALIS ANGULATA WHOLE (UNII: W4TKW9D5GG)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
FYTIC ACID (UNII: 7IGF0S7R8I)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ROSEMARY (UNII: IJ67X351P9)	
DECARBOXY CARNOSINE HYDROCHLORIDE (UNII: 6X7K9I5QR7)	
TOCOPHEROL (UNII: R0ZB2556P8)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
CINNAMALDEHYDE (UNII: SR60A3XG0F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76049-202-30	1 in 1 CARTON	06/01/2021	

1	30 mL in 1 TUBE; Type O: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/01/2021	

Labeler - Stila Style, LLC (809192896)

Revised: 4/2022

Stila Style, LLC