

CLARITIN- loratadine tablet
Bayer HealthCare LLC.

Clairtin - Project Fortify

Drug Facts

Active ingredient (in each tablet)

Loratadine, 10 mg USP

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose ■ sneezing
- itchy, watery eyes ■ itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

Directions

| | |
|--|--|
| adults and children 6 years and over | 1 tablet daily; not more than 1 tablet in 24 hours |
| children under 6 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

Other information

■ store at 20° -25° C (68° -77° F) (see USP Controlled Room Temperature)

Inactive ingredients lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Questions or comments?

1-800-CLARITIN (1-800-252-7484) or www.claritin.com

Carton label 10 count tablets

Original Prescription Strength

Non-Drowsy*

Claritin®

loratadine tablets 10 mg/antihistamine

Indoor & Outdoor

Allergies

24

Hour

Relief of:

- **Sneezing**
- **Runny Nose**
- **Itchy, Watery Eyes**
- **Itchy Throat or Nose**

*When taken as directed.

See Drug Facts Panel





CLARITIN

loratadine tablet

Product Information

| | | | | |
|---|---|--|-----------------------------|---------------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11523-0800 | |
| Route of Administration | ORAL | | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name | | Basis of Strength | Strength | |
| LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN) | | LORATADINE | 10 mg | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | | | | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | | | | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | | | | |
| SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B) | | | | |
| Product Characteristics | | | | |
| Color | white | Score | no score | |
| Shape | ROUND | Size | 10mm | |
| Flavor | | Imprint Code | Claritin;10;458 | |
| Contains | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:11523-0800-1 | 1 in 1 CARTON | 03/16/2022 | |
| 1 | | 5 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 2 | NDC:11523-0800-2 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 03/16/2022 | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| ANDA | ANDA075209 | | 12/01/2020 | |

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 3/2023

Bayer HealthCare LLC.