SARCOLACTICUM ACIDUM- lactic acid, l- pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

SARCOLACTICUM ACIDUM 9C

Sarcolacticum acidum 9C

Active ingredient**: See product name on front panel (**contains 0.443 mg of the active ingredient per pellet).

See symptoms on front panel.

Relieves pain and stiffness from muscular overexertion*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073




Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.





Drug Facts


Active ingredient": See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.



SARCOLACTICUM ACIDUM

	-					
Product Info	rmation					
Product Type		HUMAN OTC DRUG	ltem C	Code	(Source)	NDC:0220-4476
Route of Admir	istration	ORAL				
Active Ingred	lient/Active	Moietv				
Ingredient Name				B	Basis of Strength	Strength
LACTIC ACID, L- (UNII: F9S9FFU82N) (LACTIC ACID, L-			UNII:F9S9FFU8			9 [hp_C] in 9 [hp
						_
Inactive Ingr	edients					
Ingredient Name						Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)						
SUCROSE (UNII: C						
Product Char	acteristics					
Color	V	vhite	Score			
Shape		ROUND	Size		4mm	
Flavor			Imprint Code			
Contains						
Packaging						
	Pa	ckage Descripti	on	Ma	rketing Start Date	Marketing En Date
# Item Code	- 9 [hp C] in 1]	TUBE; Type 0: Not a C	Combination	04/07	/2022	
NDC:0220 4476	Product					
1 NDC:0220-4476						
1 NDC:0220-4476	Product					
1 NDC:0220-4476	Product	ion				
NDC:0220-4476	Product	tion Number or N Citation	Ionograph	М	larketing Start Date	Marketing En Date

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment							
Name	Address	ID/FEI	Business Operations				
Boiron, Inc.		282560473	manufacture(0220-4476)				

Revised: 1/2024