

**TOPCARE MAXIMUM STRENGTH PAIN RELIEVING ANALGESIC- menthol,
unspecified form liquid
Topco Associates LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**TopCare Maximum Strength Pain Relieving Liquid
Topical Analgesic**

Drug Facts

Active ingredients

Menthol 16%

Purpose

Topical analgesic

Uses

for the temporary relief of minor aches and pains of muscles and joints associated with:

- ◆ simple backache
- ◆ arthritis
- ◆ strains
- ◆ bruises
- ◆ sprains

Warnings

For external use only. Test on a small patch of skin before applying generously.

When using this product

- ◆ use only as directed
- ◆ avoid contact with the eyes and mucous membranes
- ◆ do not apply to wounds or damaged skin
- ◆ do not bandage tightly
- ◆ do not use with heating pads or other heating devices
- ◆ if redness is present, discontinue use and consult a doctor
- ◆ if skin irritation occurs, discontinue use
- ◆ a transient burning sensation may occur upon application but generally disappears in several days

Stop use and consult a doctor if condition worsens, or if symptoms persist for

more than 7 days or clear up and occur again within a few days

Flammable

- ◆ keep away from fire or flame

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800222-1222) immediately.

Directions

adults and children 12 years of age and older:

- ◆ apply generously to affected area
- ◆ massage into painful area until thoroughly absorbed into skin
- ◆ repeat if necessary, but not more than 3 to 4 times daily
- ◆ **IF MEDICINE COMES IN CONTACT WITH HANDS, WASH WITH SOAP AND WATER.**

Children 12 years or younger: ask a doctor

Other information

store at room temperature

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, alcohol denat., capsaicin, citric acid, glycerin, isopropyl myristate, propylene glycol, water.

Questions or comments?

1-888-423-0139

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007

PRINCIPAL DISPLAY PANEL - 74 mL Bottle Carton

NDC 36800-894-01

TopCare
health®

COMPARE TO ICY HOT® ACTIVE INGREDIENT*

MAXIMUM STRENGTH

Cool n' Heat
Roll-On Liquid

External Analgesic
with Menthol 16%

STAIN FREE

- Powerful, Fast & Effective Pain Relief
- No-Mess Applicator
- Keeps Hands Clean

OUR PHARMACISTS
RECOMMEND

2.5 FL OZ (74 mL)



MAXIMUM STRENGTH

Cool n' Heat Roll-On Liquid

External Analgesic **with Menthol 16%**

NDC 36800-894-01



COMPARE TO ICY HOT® ACTIVE INGREDIENT*

MAXIMUM STRENGTH

Cool n' Heat Roll-On Liquid

External Analgesic

with Menthol 16%

STAIN FREE

- Powerful, Fast & Effective Pain Relief
- No-Mess Applicator
- Keeps Hands Clean



COMPARE TO ICY HOT® ACTIVE INGREDIENT*

MAXIMUM STRENGTH

Cool n' Heat Roll-On Liquid

External Analgesic

with Menthol 16%

STAIN FREE

- Powerful, Fast & Effective Pain Relief
- No-Mess Applicator
- Keeps Hands Clean





2.5 FL OZ (74 mL)



2.5 FL OZ (74 mL)

Actual Size



MAXIMUM STRENGTH

Cool n' Heat Roll-On Liquid

External Analgesic with Menthol 16%



COMPARE TO ICY HOT® ACTIVE INGREDIENT*

MAXIMUM STRENGTH

Cool n' Heat Roll-On Liquid

External Analgesic with Menthol 16%

STAIN FREE

Drug Facts

Active ingredient

Menthol 16% Topical analgesic

Purpose

Uses for the temporary relief of minor aches and pains of muscles and joints associated with:
• simple backache • arthritis • strains • bruises • sprains

Warnings

For external use only. Test on a small patch of skin before applying generously.

When using this product

- Use only as directed
- avoid contact with the eyes and mucous membranes
- do not apply to wounds or damaged skin
- do not bandage tightly
- do not use with heating pads or other heating devices
- if redness is present, discontinue use and consult a doctor
- if skin irritation occurs, discontinue use
- a transient burning sensation may occur upon application but generally disappears in several days

Stop use and consult a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

Flammable • keep away from fire or flame

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions adults and children 12 years of age and older:

- Apply to affected area not more than 3 to 4 times daily • massage into painful area until thoroughly absorbed into skin
 - repeat if necessary, but no more than 3 to 4 times daily
 - **IF MEDICINE COMES IN CONTACT WITH HANDS, WASH WITH SOAP AND WATER.**
- Children under 12 years of age, ask a doctor.

Other information store at room temperature

Inactive ingredients acrylates/C10-30 alkyl acrylate crosspolymer, alcohol denat., capsaicin, citric acid, glycerin, isopropyl myristate, propylene glycol, water.

Questions or comments? 1-888-423-0139

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007
©TOPCO GLBA0320 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com
MADE IN CANADA

*This product is not manufactured or distributed by Chattem, Inc., owner of the registered trademark ICY HOT®.

Retain carton for full drug facts information.

✓ **QUALITY GUARANTEED**



Scan here for more information.
Call 1-888-423-0139 for more information.

Powerful, Fast & Effective Pain Relief

- No-Mess Applicator
- Keeps Hands Clean



TOPCARE MAXIMUM STRENGTH PAIN RELIEVING ANALGESIC

menthol, unspecified form liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-894
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	160 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
Alcohol (UNII: 3K9958V90M)	
Capsaicin (UNII: S07O44R1ZM)	
Citric Acid Monohydrate (UNII: 2968PHW8QP)	
Glycerin (UNII: PDC6A3C0OX)	
Isopropyl Myristate (UNII: 0RE8K4LNJS)	
Propylene Glycol (UNII: 6DC9Q167V3)	
Water (UNII: 059QF0KO0R)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-894-01	1 in 1 CARTON	03/25/2020	
1		74 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part348	03/25/2020	

Labeler - Topco Associates LLC (006935977)

Registrant - Garcoa, Inc. (036464697)

Establishment

Name	Address	ID/FEI	Business Operations
Sigan Industries INC.		255106239	MANUFACTURE(36800-894)