

**TOM FORD SOLEIL GLOW TINTED MOISTURIZER BROAD SPECTRUM SPF 15-
octinoxate and titanium dioxide liquid
TOM FORD BEAUTY DIST**

TOM FORD SOLEIL GLOW TINTED MOISTURIZER BROAD SPECTRUM SPF 15

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Octinoxate 7.5%	Sunscreen
Titanium Dioxide 2.9%	Sunscreen

Use

Helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive Ingredients

water/aqua/eau • phenyl trimethicone • butylene glycol • pentaerythrityl tetraethylhexanoate • simmondsia chinensis (jojoba) seed oil • petrolatum • biosaccharide gum - 1 • steareth-21 • glyceryl stearate • tocopheryl acetate • sodium

hyaluronate • ethylhexylglycerin • peg-12 dimethicone • isohexadecane • magnesium aluminum silicate • xanthan gum • lecithin • aluminum hydroxide • citric acid • steareth-2 • polymethyl methacrylate • cetyl alcohol • potassium stearate • acrylamide/sodium acryloyldimethyltaurate copolymer • polysorbate 80 • caprylyl glycol • lavandula angustifolia (lavender) oil • linalool • tocopherol • phenoxyethanol • bht • sorbic acid • disodium edta • [+/-titanium dioxide (ci 77891) • iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499)] <iln47202>

Other Information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 50 ml Tube Carton

TOM FORD
SOLEIL

GLOW TINTED MOISTURIZER
BROAD SPECTRUM SPF 15

1.7 FL. OZ./OZ. LIQ./50 ml e

90824
TP 1215

1

GLOW TINTED MOISTURIZER
BROAD SPECTRUM SPF 15

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5%.....	Sunscreen
Titanium Dioxide 2.9%.....	Sunscreen

Use
Helps prevent sunburn

Warnings
For external use only
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
• apply liberally and evenly 15 minutes before sun exposure
• reapply at least every two hours
• use a water resistant sunscreen if swimming or sweating
Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m.
• wear long-sleeved shirts, pants hats and sunglasses
• children under 6 months of age: ask a doctor

Inactive Ingredients
water/aqua/eau • phenyl trimethicone • butylene glycol • pentaerythrityl tetraethylhexanoate • simmondsia chinensis (jojoba) seed oil • petrolatum • polysaccharide gum - 1 • steareth-21 • glyceryl stearate • tocopheryl acetate • sodium hyaluronate • ethylhexylglycerin • peg-12 dimethicone • ▶

TOM FORD BEAUTY, DIST.
NEW YORK, NY 10022
WLB LTD, GU32 3DD, UK
WLB NV, OEVEL, BE-2260
MADE IN BELGIUM T8C1

TF

TOM FORD
SOLEIL


Drug Facts [continued]

isohexadecane • magnesium aluminum silicate • xanthan gum • lecithin • aluminum hydroxide • citric acid • steareth-2 • polymethyl methacrylate • cetyl alcohol • potassium stearate • acrylamide/sodium acryloyldimethyltaurate copolymer • polysorbate 80 • caprylyl glycol • lavandula angustifolia (lavender) oil • linalool • tocopherol • phenoxyethanol • bht • sorbic acid • disodium edta • [+/- titanium dioxide (ci 77891) • iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499)] <ln47202>

Other Information
protect the product in this container from excessive heat and direct sun

GLOW TINTED MOISTURIZER
BROAD SPECTRUM SPF 15
1.7 FL. OZ./OZ. LIQ./50 ml e

90824 4067



TOM FORD SOLEIL GLOW TINTED MOISTURIZER BROAD SPECTRUM SPF 15

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76398-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	29 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PENTAERYTHRITYL TETRAETHYLHEXANOATE (UNII: XJ7052W897)	
JOJOBA OIL (UNII: 724GKU717M)	
PETROLATUM (UNII: 4T6H12BN9U)	
BIOSACCHARIDE GUM-1 (UNII: BB4PU4V09H)	
STEARETH-21 (UNII: 53J3F32P58)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
STEARETH-2 (UNII: V56DFE46J5)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
POTASSIUM STEARATE (UNII: 17V812XK50)	

POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SORBIC ACID (UNII: X045WJ989B)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76398-012-01	1 in 1 CARTON	02/21/2020	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/21/2020	

Labeler - TOM FORD BEAUTY DIST (005914387)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(76398-012) , pack(76398-012) , label(76398-012)

Revised: 12/2023

TOM FORD BEAUTY DIST