

**SARCOLACTICUM ACIDUM- lactic acid, l- pellet**  
**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**SARCOLACTICUM ACIDUM 30C MD**

Sarcolacticum acidum 30C

Active ingredient\*\*: See product name on front panel (\*\*contains 0.443 mg of the active ingredient per pellet).

See symptoms on front panel.

Relieves pain and stiffness from muscular overexertion\*

**Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen

**If pregnant or breast-feeding.** ask a health professional before use.

**Keep out of reach of children.**

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073

# Sarcolacticum acidum

# 30<sup>c</sup>

Relieves pain and stiffness from muscular overexertion  
\*

**BOIRON®**

Made in France

HOMEOPATHIC MEDICINE

HPUS NDC 0220-4477-41

Do not use if pellet dispenser seal is broken



LOT

EXP

3

06964

47741

5

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

Sarcolacticum acidum 30 c

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE.  
NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.**

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

**Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to  
dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

# Sarcolacticum acidum

30<sup>c</sup>

NDC 0220-4477-41



Relieves pain and stiffness from muscular  
overexertion\*



Lot:

Exp:

3 06964 47741 5

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

Sarcolacticum acidum 30<sup>c</sup>

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE.  
NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

## Drug Facts

**Active ingredient\*\*:** See product name on front  
panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms  
persist for more than 3 days or worsen. If pregnant or  
breastfeeding, ask a health professional before use. Keep  
out of reach of children.

**Directions:** ■ Adults and children: At the onset of  
symptoms, dissolve 5 pellets under the tongue 3 times a  
day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet  
dispenser seal is broken.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

### Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see  
BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to  
dispense pellets?



Turn tube upside  
down.



Twist until 5 pellets  
are dispensed  
into cap.



Carefully remove cap  
and use it to pour pellets  
under the tongue.

# SARCOLACTICUM ACIDUM

lactic acid, l- pellet

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-4477
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID, L- (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	30 [hp_C] in 30 [hp_C]

## Inactive Ingredients

Ingredient Name	Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

## Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-4477-41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	04/07/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/07/2022	

**Labeler** - Boiron (282560473)

**Registrant** - Boiron, Inc. (014892269)

**Establishment**

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-4477)

Revised: 1/2024

Boiron