## ACIDUM BENZOICUM- acidum benzoicum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM BENZOICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490
TWIST TO OPEN - USE ONLY IF SEALED

# ACIDUM BENZOICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



Hahnemann Labs Inc.

## ACIDUM BENZOICUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

sucrose

Inactive ingredients:

emann Labs Inc. 1940 Fourth St. San Rafael, CA
TWIST TO OPEN - USE ONLY IF SEALE

# ACIDUM BENZOICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



## Hahnemann Labs Inc.

## ACIDUM BENZOICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

Inactive ingredients:

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, CA

# ACIDUM BENZOICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



## Hahnemann Labs Inc.

## ACIDUM BENZOICUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

Inactive ingredients:

mann Labs Inc. 1940 Fourth St. San Rafael, CA

# ACIDUM BENZOICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

**Directions:** Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



## Hahnemann Labs Inc.

## ACIDUM BENZOICUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, CA
TWIST TO OPEN - USE ONLY IF SEALEI

# ACIDUM BENZOICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



## Hahnemann Labs Inc.

## ACIDUM BENZOICUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, CA

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



## Hahnemann Labs Inc.

## ACIDUM BENZOICUM 10M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

||||||||||||||| 00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



# ACIDUM BENZOICUM 10M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



## Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM BENZOICUM 10M

Min. net wt:100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



### **ACIDUM BENZOICUM**

acidum benzoicum pellet

Droc		Intorm	STION
PIUU	IUCL	Inform	aliui

Product Type HUMAN OTC DRUG

AN OTC DRUG Item Code (Source)

NDC:63545-428

**Route of Administration** 

ORAL

**Active Ingredient/Active Moiety** 

Ingredient Name	<b>Basis of Strength</b>	Strength
BENZOIC ACID (UNII: 85KN0B0MIM) (BENZOIC ACID - UNII:85KN0B0MIM)	BENZOIC ACID	6 [hp_C]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 428-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022		
2	NDC:63545- 428-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022		
3	NDC:63545- 428-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/14/2022	

acidum benzoicum pellet

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-431
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
BENZOIC ACID (UNII: 85KN0B0MIM) (BENZOIC ACID - UNII:85KN0B0MIM)	BENZOIC ACID	100 [hp_C]		

### **Inactive Ingredients**

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 431-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022			
2	NDC:63545- 431-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022			
3	NDC:63545- 431-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022			
4	NDC:63545- 431-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		04/14/2022		

acidum benzoicum pellet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-432		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
	Ingredient Name	<b>Basis of Strength</b>	Strength	
	BENZOIC ACID (UNII: 85KN0B0MIM) (BENZOIC ACID - UNII:85KN0B0MIM)	BENZOIC ACID	200 [hp_C]	

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor Imprint Code					
Contains					

P	Packaging						
#	# Item Code Package Description		Marketing Start Date	Marketing End Date			
1	NDC:63545- 432-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022				
2	NDC:63545- 432-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022				
3	NDC:63545- 432-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022				
4	NDC:63545- 432-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		04/14/2022		

acidum benzoicum pellet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-435		
Route of Administration	ORAL				

Active Ingredient/Active Moiety					
Ingredient Name	<b>Basis of Strength</b>	Strength			
BENZOIC ACID (UNII: 85KN0B0MIM) (BENZOIC ACID - UNII:85KN0B0MIM)	BENZOIC ACID	10 [hp_M]			

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	

Flavor	In	mprint Code	
Contains			

P	Packaging					
#	# Item Code Package Description		Marketing Start Date	Marketing End Date		
1	NDC:63545- 435-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022			
2	NDC:63545- 435-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022			
3	NDC:63545- 435-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022			
4	NDC:63545- 435-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		04/14/2022		
		04/14/2022		

acidum benzoicum pellet

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-433
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
BENZOIC ACID (UNII: 85KN0B0MIM) (BENZOIC ACID - UNII:85KN0B0MIM)	BENZOIC ACID	500 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 433-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022			
2	NDC:63545- 433-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022			
3	NDC:63545- 433-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022			
4	NDC:63545- 433-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		04/14/2022		

acidum benzoicum pellet

<b>Product</b>	Inform	ation
----------------	--------	-------

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63545-434

**Route of Administration** ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name

BENZOIC ACID (UNII: 85KN0B0MIM) (BENZOIC ACID - UNII:85KN0B0MIM)

BENZOIC ACID (UNII: 85KN0B0MIM) (BENZOIC ACID - UNII:85KN0B0MIM)

1 [hp\_M]

### **Inactive Ingredients**

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

### **Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

	ka		

# Item Code Package Description Marketing Start Marketing End
Date Date

1	NDC:63545- 434-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022
2	NDC:63545- 434-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022
3	NDC:63545- 434-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022
4	NDC:63545- 434-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	04/14/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

acidum benzoicum pellet

### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-429
--------------	----------------	--------------------	---------------

**Route of Administration** ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
BENZOIC ACID (UNII: 85KN0B0MIM) (BENZOIC ACID - UNII:85KN0B0MIM)	BENZOIC ACID	12 [hp_C]

# Inactive Ingredients Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545- 429-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022	
2	NDC:63545- 429-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022	

3	NDC:63545-	4000 in 1 BOTTLE, GLASS; Type 0: Not a	04/14/2022	
	429-03	Combination Product	04/14/2022	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	04/14/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

acidum benzoicum pellet

### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-430
--------------	----------------	--------------------	---------------

Route of Administration ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BENZOIC ACID (UNII: 85KN0B0MIM) (BENZOIC ACID - UNII:85KN0B0MIM)	BENZOIC ACID	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
ColorwhiteScoreno score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 430-01	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022			
2	NDC:63545- 430-02	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/14/2022			
3	NDC:63545- 430-03	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022			
4	NDC:63545- 430-04	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/14/2022			

Marketing Information				
Marketing End Date				

## Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(63545-428, 63545-429, 63545-430, 63545-431, 63545-432, 63545-433, 63545-434, 63545-435)

Revised: 4/2022 Hahnemann Laboratories, INC.