

**NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - GLEAM 40-  
octinoxate and oxybenzone gel**  
**NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - SHIMMER  
10- octinoxate and oxybenzone gel**  
**NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - SHINE 30-  
octinoxate and oxybenzone gel**  
**NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - GLOW 70-  
octinoxate and oxybenzone gel**  
**NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - GLAZE 60-  
octinoxate and oxybenzone gel**  
**NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - GLISTEN  
20- octinoxate and oxybenzone gel**  
**NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - SHEEN 50-  
octinoxate and oxybenzone gel**  
**NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - SPARKLE  
45- octinoxate and oxybenzone gel**  
**NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - GLIMMER  
15- octinoxate and oxybenzone gel**  
**Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Neutrogena MoistureShine Lip Soother Sunscreen SPF 20**

***Drug Facts***

**Active ingredients**

Octinoxate 7.5%, Oxybenzone 2%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

- **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only**
- **Do not use** on damaged or broken skin

- **When using this product** keep out of eyes. Rinse with water to remove
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

### For Sunscreen Use

- apply generously and evenly 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months of age: Ask a doctor

### Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

### Inactive ingredients

Polybutene, Bis-Diglyceryl Polyacyladipate-2, PPG-3 Benzyl Ether Myristate, Glycerin, C18-36 Acid Triglyceride, Diisocetyl Dodecanedioate, Flavor, Carthamus Tinctorius (Safflower) Seed Oil, Menthol, Cyclohexasiloxane, Cyclopentasiloxane, Propylparaben, Laminaria Saccharina Extract, Spirulina Maxima Extract, BHT, Saccharin, Aloe Barbadensis Leaf Extract, Chamomilla Recutita (Matricaria) Flower Extract, Cucumis Sativus (Cucumber) Fruit Extract, Ascorbyl Palmitate, Tocopherol.

### May Contain

Mica, Titanium Dioxide, Calcium Sodium Borosilicate, Ricinus Communis (Castor) Seed Oil, Iron Oxides, Silica, Red 7 Lake, Red 6 Lake, Carmine, Blue 1 Lake, Red 28 lake, Yellow 5 Lake, Tin Oxide, Red 30 Lake, Alumina

### Questions or comments?

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free **800-480-4812** or **215-273-8755** (collect)

Dist. by Neutrogena Corp. Los Angeles, CA 90045

### PRINCIPAL DISPLAY PANEL - 10 g Tube - Gleam 40

Neutrogena®

MoistureShine®

lip soother

with

sunscreen

SPF 20

cooling

hydrogel

Gleam 40

NET Wt. 0.35 OZ. (10g)

Neutrogena®

MoistureShine®  
lip soother

30022572

with  
sunscreen

SPF 20

cooling  
hydragel

Gleam 40

NET WT. 0.35 OZ. (10g)

## Drug Facts

### Active ingredients

Octinoxate 7.5%, Oxybenzone 2%

### Purpose

Sunscreen

**Use** • helps prevent sunburn

### Warnings

• **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

dodecanedioate, flavor, carthamus tinctorius (safflower) seed oil, menthol, cyclohexasiloxane, cyclopentasiloxane, propylparaben, laminaria saccharina extract, spirulina maxima extract, BHT, saccharin, aloe barbadensis leaf extract, chamomilla recutita (matricaria) flower extract, cucumis sativus (cucumber) fruit extract, ascorbyl palmitate, tocopherol. **May Contain:** mica, titanium dioxide, calcium sodium borosilicate, ricinus communis (castor) seed oil, iron oxides, silica, red 7 lake, red 6 lake, carmine, blue 1 lake, red 28 lake, yellow 5 lake, tin oxide, red 30 lake, alumina

### Questions or comments?


Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free **800-480-4812** or **215-273-8755** (collect)

© T.M. (M.R.) © Dist. by Neutrogena Corp.  
Los Angeles, CA 90045 30020855

**Directions** For Sunscreen Use:  
• apply generously and evenly 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics

**Inactive ingredients**  
polybutene, bis-diglyceryl polyacyladipate-2, PPG-3 benzyl ether myristate, glycerin, C18-36 acid triglyceride, diisocetyl ▼



PEEL HERE FOR DRUG FACTS  
Gleam 40

FPO UPC - 086800000938

**PRINCIPAL DISPLAY PANEL - 10 g Tube - Shimmer 10**

Neutrogena®

MoistureShine®

lip soother

with

sunscreen

SPF 20

cooling

hydrogel

Shimmer 10

NET Wt. 0.35 OZ. (10g)

Neutrogena®

MoistureShine®  
lip soother

30022568

with  
sunscreen

SPF 20

cooling  
hydragel

Shimmer 10

NET WT. 0.35 OZ. (10g)

NON-PRINT AREA

## Drug Facts

### Active ingredients

Octinoxate 7.5%, Oxybenzone 2%

### Purpose

Sunscreen

**Use** • helps prevent sunburn

### Warnings

• **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.


### Drug Facts (continued)

dodecanedioate, flavor, carthamus tinctorius (safflower) seed oil, menthol, cyclohexasiloxane, cyclopentasiloxane, propylparaben, laminaria saccharina extract, spirulina maxima extract, BHT, saccharin, aloe barbadensis leaf extract, chamomilla recutita (matricaria) flower extract, cucumis sativus (cucumber) fruit extract, ascorbyl palmitate, tocopherol. **May Contain:** mica, titanium dioxide, calcium sodium borosilicate, ricinus communis (castor) seed oil, iron oxides, silica, red 7 lake, red 6 lake, carmine, blue 1 lake, red 28 lake, yellow 5 lake, tin oxide, red 30 lake, alumina

### Questions or comments?

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

© T.M. (M.R.) © Dist. by Neutrogena Corp.  
Los Angeles, CA 90045 30020855



**PRINCIPAL DISPLAY PANEL - 10 g Tube - Shine 30**

Neutrogena®

MoistureShine®

lip soother

with

sunscreen

SPF 20

cooling

hydrogel

Shine 30

NET Wt. 0.35 OZ. (10g)

Neutrogena®

MoistureShine®  
lip soother

30022571

with  
sunscreen

SPF 20

cooling  
hydragel

Shine 30

NET WT. 0.35 OZ. (10g)

## Drug Facts

### Active ingredients

Octinoxate 7.5%, Oxybenzone 2%

### Purpose

Sunscreen

**Use** • helps prevent sunburn

### Warnings

• **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)


dodecanedioate, flavor, carthamus tinctorius (safflower) seed oil, menthol, cyclohexasiloxane, cyclopentasiloxane, propylparaben, laminaria saccharina extract, spirulina maxima extract, BHT, saccharin, aloe barbadensis leaf extract, chamomilla recutita (matricaria) flower extract, cucumis sativus (cucumber) fruit extract, ascorbyl palmitate, tocopherol. **May Contain:** mica, titanium dioxide, calcium sodium borosilicate, ricinus communis (castor) seed oil, iron oxides, silica, red 7 lake, red 6 lake, carmine, blue 1 lake, red 28 lake, yellow 5 lake, tin oxide, red 30 lake, alumina

### Questions or comments?

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

© T.M. (M.R.) © Dist. by Neutrogena Corp.  
Los Angeles, CA 90045 30020855





**PRINCIPAL DISPLAY PANEL - 10 g Tube - Glow 70**

Neutrogena®

MoistureShine®

lip soother

with

sunscreen

SPF 20

cooling

hydrogel

Glow 70

NET Wt. 0.35 OZ. (10g)

Neutrogena®

MoistureShine®  
lip soother

30022594

with  
sunscreen

SPF 20

cooling  
hydragel

Glow 70

NET WT. 0.35 OZ. (10g)

## Drug Facts

### Active ingredients

Octinoxate 7.5%, Oxybenzone 2%

### Purpose

Sunscreen

**Use** • helps prevent sunburn

### Warnings

• **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

dodecanedioate, flavor, carthamus tinctorius (safflower) seed oil, menthol, cyclohexasiloxane, cyclopentasiloxane, propylparaben, laminaria saccharina extract, spirulina maxima extract, BHT, saccharin, aloe barbadensis leaf extract, chamomilla recutita (matricaria) flower extract, cucumis sativus (cucumber) fruit extract, ascorbyl palmitate, tocopherol. **May Contain:** mica, titanium dioxide, calcium sodium borosilicate, ricinus communis (castor) seed oil, iron oxides, silica, red 7 lake, red 6 lake, carmine, blue 1 lake, red 28 lake, yellow 5 lake, tin oxide, red 30 lake, alumina

### Questions or comments?


Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

© T.M. (M.R.) © Dist. by Neutrogena Corp.  
Los Angeles, CA 90045 30020931

**Directions For Sunscreen Use:**  
• apply generously and evenly 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics

**Inactive ingredients**  
polybutene, bis-diglyceryl polyacyladipate-2, PPG-3 benzyl ether myristate, glycerin, C18-36 acid triglyceride, diisocetyl ▼



PEEL HERE FOR DRUG FACTS  
GLOW 70

FPO UPC - 086800690030

**PRINCIPAL DISPLAY PANEL - 10 g Tube - Glaze 60**

Neutrogena®

MoistureShine®

lip soother

with  
sunscreen  
SPF 20  
cooling  
hydrogel

Glaze 60

NET Wt. 0.35 OZ. (10g)

Neutrogena®

MoistureShine®  
lip soother

30022591

with  
sunscreen

SPF 20

cooling  
hydragel

Glaze 60

NET WT. 0.35 OZ. (10g)

## Drug Facts

### Active ingredients

Octinoxate 7.5%, Oxybenzone 2%

**Purpose** Sunscreen

**Use** • helps prevent sunburn

### Warnings

• **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

dodecanedioate, flavor, carthamus tinctorius (safflower) seed oil, menthol, cyclohexasiloxane, cyclopentasiloxane, propylparaben, laminaria saccharina extract, spirulina maxima extract, BHT, saccharin, aloe barbadensis leaf extract, chamomilla recutita (matricaria) flower extract, cucumis sativus (cucumber) fruit extract, ascorbyl palmitate, tocopherol. **May Contain:** mica, titanium dioxide, calcium sodium borosilicate, ricinus communis (castor) seed oil, iron oxides, silica, red 7 lake, red 6 lake, carmine, blue 1 lake, red 28 lake, yellow 5 lake, tin oxide, red 30 lake, alumina

### Questions or comments?

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

© T.M. (M.R.) © Dist. by Neutrogena Corp.  
Los Angeles, CA 90045 30020929

**Directions For Sunscreen Use:**  
 • apply generously and evenly 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics

**Inactive ingredients**  
 polybutene, bis-diglyceryl polyacyladipate-2, PPG-3 benzyl ether myristate, glycerin, C18-36 acid triglyceride, diisocetyl ▼

0 00000 00000 0

FPO UPC - 086800000914

PEEL HERE FOR DRUG FACTS ▼

Glaze 60

**PRINCIPAL DISPLAY PANEL - 10 g Tube - Glisten 20**

Neutrogena®

MoistureShine®

lip soother

with  
 sunscreen  
 SPF 20  
 cooling  
 hydrogel

Glisten 20

NET Wt. 0.35 OZ. (10g)

Neutrogena®

MoistureShine®  
lip soother

30022570

with  
sunscreen

SPF 20

cooling  
hydragel

Glisten 20

NET WT. 0.35 OZ. (10g)

## Drug Facts

### Active ingredients

Octinoxate 7.5%, Oxybenzone 2%

### Purpose

Sunscreen

**Use** • helps prevent sunburn

### Warnings

• **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

dodecanedioate, flavor, carthamus tinctorius (safflower) seed oil, menthol, cyclohexasiloxane, cyclopentasiloxane, propylparaben, laminaria saccharina extract, spirulina maxima extract, BHT, saccharin, aloe barbadensis leaf extract, chamomilla recutita (matricaria) flower extract, cucumis sativus (cucumber) fruit extract, ascorbyl palmitate, tocopherol.

**May Contain:** mica, titanium dioxide, calcium sodium borosilicate, ricinus communis (castor) seed oil, iron oxides, silica, red 7 lake, red 6 lake, carmine, blue 1 lake, red 28 lake, yellow 5 lake, tin oxide, red 30 lake, alumina

### Questions or comments?

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

© T.M. (M.R.) © Dist. by Neutrogena Corp.  
Los Angeles, CA 90045 30020855

**Directions** For Sunscreen Use:


• apply generously and evenly 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months of age: Ask a doctor

**Other information**

• protect this product from excessive heat and direct sun • may stain some fabrics

**Inactive ingredients**

polybutene, bis-diglyceryl polyacyladipate-2, PPG-3 benzyl ether myristate, glycerin, C18-36 acid triglyceride, diisocetyl ▼



**PRINCIPAL DISPLAY PANEL - 10 g Tube - Sheen 50**

Neutrogena®

MoistureShine®

lip soother

with

sunscreen

SPF 20

cooling

hydrogel

Sheen 50

NET Wt. 0.35 OZ. (10g)

Neutrogena®

MoistureShine®  
lip soother

30022574

with  
sunscreen

SPF 20

cooling  
hydragel

Sheen 50

NET WT. 0.35 OZ. (10g)

## Drug Facts

### Active ingredients

Octinoxate 7.5%, Oxybenzone 2%

### Purpose

Sunscreen

**Use** • helps prevent sunburn

### Warnings

• **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)


dodecanedioate, flavor, carthamus tinctorius (safflower) seed oil, menthol, cyclohexasiloxane, cyclopentasiloxane, propylparaben, laminaria saccharina extract, spirulina maxima extract, BHT, saccharin, aloe barbadensis leaf extract, chamomilla recutita (matricaria) flower extract, cucumis sativus (cucumber) fruit extract, ascorbyl palmitate, tocopherol. **May Contain:** mica, titanium dioxide, calcium sodium borosilicate, ricinus communis (castor) seed oil, iron oxides, silica, red 7 lake, red 6 lake, carmine, blue 1 lake, red 28 lake, yellow 5 lake, tin oxide, red 30 lake, alumina

### Questions or comments?

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

® T.M. (M.R.) © Dist. by Neutrogena Corp.  
Los Angeles, CA 90045 30020928





## PRINCIPAL DISPLAY PANEL - 10 g Tube - Sparkle 45

Neutrogena®

MoistureShine®

lip soother

with

sunscreen

SPF 20

cooling

hydrogel

Sparkle 45

NET Wt. 0.35 OZ. (10g)

Neutrogena®

MoistureShine®  
lip soother

30022573

with  
sunscreen

SPF 20

cooling  
hydragel

Sparkle 45

NET WT. 0.35 OZ. (10g)

## Drug Facts

### Active ingredients

Octinoxate 7.5%, Oxybenzone 2%

### Purpose

Sunscreen

**Use** • helps prevent sunburn

### Warnings

• **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.


### Drug Facts (continued)

dodecanedioate, flavor, carthamus tinctorius (safflower) seed oil, menthol, cyclohexasiloxane, cyclopentasiloxane, propylparaben, laminaria saccharina extract, spirulina maxima extract, BHT, saccharin, aloe-barbadensis-leaf extract, chamomilla recutita (matricaria) flower extract, cucumis sativus (cucumber) fruit extract, ascorbyl palmitate, tocopherol. **May Contain:** mica, titanium dioxide, calcium sodium borosilicate, ricinus communis (castor) seed oil, iron oxides, silica, red 7 lake, red 6 lake, carmine, blue 1 lake, red 28 lake, yellow 5 lake, tin oxide, red 30 lake, alumina

### Questions or comments?

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

® T.M. (M.R.) © Dist. by Neutrogena Corp.  
Los Angeles, CA 90045 30020927



**PRINCIPAL DISPLAY PANEL - 10 g Tube - Glimmer 15**

Neutrogena®

MoistureShine®  
lip soother

with  
sunscreen  
SPF 20  
cooling  
hydrogel

Glimmer 15  
NET Wt. 0.35 OZ. (10g)

Neutrogena®

MoistureShine®  
lip soother

30022569

with  
sunscreen

SPF 20

cooling  
hydragel

Glimmer 15

NET WT. 0.35 OZ. (10g)

## Drug Facts

### Active ingredients

Octinoxate 7.5%, Oxybenzone 2%

**Purpose** Sunscreen

**Use** • helps prevent sunburn

### Warnings

• **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

### Drug Facts (continued)

dodecanedioate, flavor, carthamus tinctorius (safflower) seed oil, menthol, cyclohexasiloxane, cyclopentasiloxane, propylparaben, laminaria saccharina extract, spirulina maxima extract, BHT, saccharin, aloe barbadensis leaf extract, chamomilla recutita (matricaria) flower extract, cucumis sativus (cucumber) fruit extract, ascorbyl palmitate, tocopherol. **May Contain:** mica, titanium dioxide, calcium sodium borosilicate, ricinus communis (castor) seed oil, iron oxides, silica, red 7 lake, red 6 lake, carmine, blue 1 lake, red 28 lake, yellow 5 lake, tin oxide, red 30 lake, alumina

### Questions or comments?

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

® T.M. (M.R.) © Dist. by Neutrogena Corp.  
Los Angeles, CA 90045 30020921

**Directions For Sunscreen Use:**

- apply generously and evenly 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months of age: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

**Inactive ingredients**

polybutene, bis-diglyceryl polyacyladipate-2, PPG-3 benzyl ether myristate, glycerin, C18-36 acid triglyceride, diisocetyl ▼

FPO UPC - 086800690016

PEEL HERE FOR DRUG FACTS

## NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - GLEAM 40

octinoxate and oxybenzone gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10812-198
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	20 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>D&amp;C RED NO. 30</b> (UNII: 2S42T2808B)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)
<b>PPG-3 BENZYL ETHER MYRISTATE</b> (UNII: 8075L58MKO)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>C18-36 ACID TRIGLYCERIDE</b> (UNII: ZRA72DR3R7)
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)
<b>ARTHROSPIRA MAXIMA</b> (UNII: 9K7IG15M0Q)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SACCHARIN</b> (UNII: FST467XS7D)
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)
<b>CHAMOMILE</b> (UNII: FGL3685T2X)
<b>CUCUMBER</b> (UNII: YY7C30VXJT)
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-198-01	10 g in 1 TUBE; Type 0: Not a Combination Product	06/11/2013	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/11/2013	

## NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - SHIMMER 10

octinoxate and oxybenzone gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10812-199
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	20 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>PPG-3 BENZYL ETHER MYRISTATE</b> (UNII: 8075L58MKO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>C18-36 ACID TRIGLYCERIDE</b> (UNII: ZRA72DR3R7)	
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>ARTHROSPIRA MAXIMA</b> (UNII: 9K7IG15M0Q)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SACCHARIN</b> (UNII: FST467XS7D)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>D&amp;C RED NO. 30</b> (UNII: 2S42T2808B)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-199-01	10 g in 1 TUBE; Type 0: Not a Combination Product	06/11/2013	12/01/2017

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/11/2013	12/01/2017

# NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - SHINE 30

octinoxate and oxybenzone gel

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10812-201
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OXYBENZONE</b> (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	20 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>PPG-3 BENZYL ETHER MYRISTATE</b> (UNII: 8075L58MKO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>C18-36 ACID TRIGLYCERIDE</b> (UNII: ZRA72DR3R7)	
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>ARTHROSPIRA MAXIMA</b> (UNII: 9K7IG15M0Q)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SACCHARIN</b> (UNII: FST467XS7D)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	



<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)				
<b>D&amp;C RED NO. 30</b> (UNII: 2S42T2808B)				
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-201-01	10 g in 1 TUBE; Type 0: Not a Combination Product	06/11/2013	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	06/11/2013		

## NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - GLOW 70

octinoxate and oxybenzone gel

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10812-292
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g	
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	20 mg in 1 g	
<b>Inactive Ingredients</b>			
Ingredient Name	Strength		
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)			
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)			
<b>PPG-3 BENZYL ETHER MYRISTATE</b> (UNII: 8075L58MKO)			
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)			
<b>C18-36 ACID TRIGLYCERIDE</b> (UNII: ZRA72DR3R7)			
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)			
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)			
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)			
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)			
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)			
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)			

SACCHARINA LATISSIMA (UNII: 68CMP2MB55)
ARTHROSPIRA MAXIMA (UNII: 9K7IG15M0Q)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SACCHARIN (UNII: FST467XS7D)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
CHAMOMILE (UNII: FGL3685T2X)
CUCUMBER (UNII: YY7C30VXJT)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
TOCOPHEROL (UNII: R0ZB2556P8)
MICA (UNII: V8A1AW0880)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CASTOR OIL (UNII: D5340Y2I9G)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
D&C RED NO. 6 (UNII: 481744AI4O)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
D&C RED NO. 28 (UNII: 767IP0Y5NH)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
STANNIC OXIDE (UNII: KM7N50LOS6)
D&C RED NO. 30 (UNII: 2S42T2808B)
ALUMINUM OXIDE (UNII: LMI26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-292-01	10 g in 1 TUBE; Type 0: Not a Combination Product	06/11/2013	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/11/2013	

## NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - GLAZE 60

octinoxate and oxybenzone gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10812-202
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	20 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>PPG-3 BENZYL ETHER MYRISTATE</b> (UNII: 8075L58MKO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>C18-36 ACID TRIGLYCERIDE</b> (UNII: ZRA72DR3R7)	
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>ARTHROSPIRA MAXIMA</b> (UNII: 9K7IG15M0Q)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SACCHARIN</b> (UNII: FST467XS7D)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>D&amp;C RED NO. 30</b> (UNII: 2S42T2808B)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-202-01	10 g in 1 TUBE; Type 0: Not a Combination Product	06/11/2013	

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC monograph not final	part352	06/11/2013	

## NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - GLISTEN 20

octinoxate and oxybenzone gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10812-203
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OXYBENZONE</b> (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	20 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>PPG-3 BENZYL ETHER MYRISTATE</b> (UNII: 8075L58MKO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>C18-36 ACID TRIGLYCERIDE</b> (UNII: ZRA72DR3R7)	
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>ARTHROSPIRA MAXIMA</b> (UNII: 9K7IG15M0Q)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SACCHARIN</b> (UNII: FST467XS7D)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)	

<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>D&amp;C RED NO. 30</b> (UNII: 2S42T2808B)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-203-01	10 g in 1 TUBE; Type 0: Not a Combination Product	06/11/2013	12/01/2017

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/11/2013	12/01/2017

## NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - SHEEN 50

octinoxate and oxybenzone gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10812-200
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OXYBENZONE</b> (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	20 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>PPG-3 BENZYL ETHER MYRISTATE</b> (UNII: 8075L58MKO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>C18-36 ACID TRIGLYCERIDE</b> (UNII: ZRA72DR3R7)	
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	

<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)
<b>ARTHROSPIRA MAXIMA</b> (UNII: 9K7IG15M0Q)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SACCHARIN</b> (UNII: FST467XS7D)
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)
<b>CHAMOMILE</b> (UNII: FGL3685T2X)
<b>CUCUMBER</b> (UNII: YY7C30VXJT)
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)
<b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)
<b>D&amp;C RED NO. 30</b> (UNII: 2S42T2808B)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-200-01	10 g in 1 TUBE; Type 0: Not a Combination Product	06/11/2013	12/01/2017

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/11/2013	12/01/2017

## NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - SPARKLE 45

octinoxate and oxybenzone gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10812-291
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	20 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>PPG-3 BENZYL ETHER MYRISTATE</b> (UNII: 8075L58MKO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>C18-36 ACID TRIGLYCERIDE</b> (UNII: ZRA72DR3R7)	
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>ARTHROSPIRA MAXIMA</b> (UNII: 9K7IG15M0Q)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SACCHARIN</b> (UNII: FST467XS7D)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>D&amp;C RED NO. 30</b> (UNII: 2S42T2808B)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:10812-291-01	10 g in 1 TUBE; Type 0: Not a Combination Product	06/11/2013	12/01/2017

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/11/2013	12/01/2017

## NEUTROGENA MOISTURESHINE LIP SOOTHER SUNSCREEN SPF20 - GLIMMER 15

octinoxate and oxybenzone gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10812-290
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZ ONE - UNII:95OOS7VE0Y)	OXYBENZ ONE	20 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>PPG-3 BENZYL ETHER MYRISTATE</b> (UNII: 8075L58MKO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>C18-36 ACID TRIGLYCERIDE</b> (UNII: ZRA72DR3R7)	
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>ARTHROSPIRA MAXIMA</b> (UNII: 9K7IG15M0Q)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SACCHARIN</b> (UNII: FST467XS7D)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	



<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>D&amp;C RED NO. 6</b> (UNII: 481744AI40)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>D&amp;C RED NO. 30</b> (UNII: 2S42T2808B)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-290-01	10 g in 1 TUBE; Type 0: Not a Combination Product	06/11/2013	12/01/2017

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/11/2013	12/01/2017

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023

Johnson & Johnson Consumer Inc.