

**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 0N1 PETAL-avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 0W1 PEARL-avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 1C0 CAMEO-avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 1W1 PORCELAIN-avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 2N1 NUDE- avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 2W1 NATURAL-avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 3N1 SAND- avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 3W1 BISQUE-avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 4C1 ALMOND-avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 4W1 TAWNY-avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 5N1 WALNUT-avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 5W1 TAN- avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 6N1 MOCHA-avobenzene, homosalate, octisalate, and octocrylene cream**  
**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 6C1 CACAO-avobenzene, homosalate, octisalate, and octocrylene cream**  
**Laura Mercier Cosmetics**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Laura Mercier Tinted Moisturizer Light Revealer Natural Skin Illuminator**

## Broad Spectrum SPF 25 Sunscreen

### Drug Facts

<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

#### For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- **For sunscreen use:**
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan

Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.

**Other information**

Protect the product in this container from excessive heat and direct sun

**Questions or comments?**

Call toll free **1-888-637-2437** M - F 9am - 5pm CST

**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 0N1 Petal**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- **For sunscreen use:**
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.


### Other information

Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 0W1 Pearl**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

• **For sunscreen use:**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating

• Reapply at least every 2 hours

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.


### Other information

Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 1C0 Cameo**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

• **For sunscreen use:**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating

• Reapply at least every 2 hours

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

• children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.

### Other information


Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531





**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 1W1 Porcelain**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- **For sunscreen use:**
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.


### Other information

Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 2N1 Nude**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- **For sunscreen use:**
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.


### Other information

Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 2W1 Natural**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- **For sunscreen use:**
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.


### Other information

Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 3N1 Sand**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- **For sunscreen use:**
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.

### Other information


Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531





**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 3W1 Bisque**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

• **For sunscreen use:**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.


### Other information

Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 4C1 Almond**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- **For sunscreen use:**
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.


### Other information

Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 4W1 Tawny**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- **For sunscreen use:**
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.


### Other information

Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 5N1 Walnut**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:** Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- **For sunscreen use:**
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.

### Other information


Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531





**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 5W1 Tan**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

• **For sunscreen use:**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating

• Reapply at least every 2 hours

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.


### Other information

Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 6N1 Mocha**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:** Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- **For sunscreen use:**
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.


### Other information

Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 6C1 Cacao**

LAURA MERCIER  
PARIS | NEW YORK

TINTED MOISTURIZER  
LIGHT REVEALER

Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's skin-illuminating secret to an effortless, no makeup-makeup look. With sheer, mineral pigment coverage, this water-break cream infuses deep, plant-based hydration to revive skin. Infused with French Algae, known to noticeably boost the look of skin's clarity and to enliven complexion. Broad Spectrum SPF 25 sunscreen helps protect against UV and environmental aggressors.

**THE TECHNIQUE:**  
Apply to clean skin with a foundation sponge or with fingertips.

**LAURA MERCIER**  
PARIS | NEW YORK

**TINTED MOISTURIZER  
LIGHT REVEALER**  
Natural Skin Illuminator

Broad Spectrum  
SPF 25 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

**LAURA MERCIER®**  
LAURA MERCIER COSMETICS  
NEW YORK, NY 10017 DIST.  
MADE IN USA  
lauramercier.com

### Drug Facts

Active ingredients	Purpose
Avobenzone (3.0%)	Sunscreen
Homosalate (5.0%)	Sunscreen
Octisalate (5.0%)	Sunscreen
Octocrylene (3.0%)	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- **For sunscreen use:**
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Octyldodecyl Neopentanoate, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Glycerin, Ascophyllum Nodosum Extract, Silica, Ethylhexylglycerin, Cetearyl Alcohol, Coco-Glucoside, Citric Acid, Batyl Alcohol, BIS-PEG/PPG-14/14 Dimethicone, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Potassium Hydroxide, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Xanthan Gum, Saccharide Isomerate, Sodium Citrate, Tin Oxide, Phenoxyethanol, Potassium Sorbate. May Contain: Iron Oxides, Mica, Titanium Dioxide.


### Other information

Protect the product in this container from excessive heat and direct sun

### Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

12725531



# LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 0N1 PETAL

avobenzone, homosalate, octisalate, and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-824
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BATILOL</b> (UNII: 39YR661C4U)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	

<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-824-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

## LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 0W1 PEARL

avobenzone, homosalate, octisalate, and octocrylene cream

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-825
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL



## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BATILOL</b> (UNII: 39YR661C4U)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-825-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH		12/01/2021	

# LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 1CO CAMEO

avobenzone, homosalate, octisalate, and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-826
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BATILOL</b> (UNII: 39YR661C4U)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2170H0QJE)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	

<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-826-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

## LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 1W1 PORCELAIN

avobenzone, homosalate, octisalate, and octocrylene cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-827
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	

<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>BATILOL</b> (UNII: 39YR661C4U)
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-827-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 2N1**

# NUDE

avobenzone, homosalate, octisalate, and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-828
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BATILOL</b> (UNII: 39YR661C4U)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

**FERRIC OXIDE YELLOW** (UNII: EX438O2MRT)

**FERROSOFERRIC OXIDE** (UNII: XM0M87F357)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-828-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

# LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 2W1 NATURAL

avobenzone, homosalate, octisalate, and octocrylene cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-829
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>BATILOL</b> (UNII: 39YR661C4U)
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-829-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

## LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 3N1 SAND

avobenzone, homosalate, octisalate, and octocrylene cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-830
---------------------	----------------	---------------------------	---------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BATILOL</b> (UNII: 39YR661C4U)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging



#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-830-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

# LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 3W1 BISQUE

avobenzone, homosalate, octisalate, and octocrylene cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-831
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	

<b>BATILOL</b> (UNII: 39YR661C4U)
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-831-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

## LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 4C1 ALMOND

avobenzone, homosalate, octisalate, and octocrylene cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-832
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BATILOL</b> (UNII: 39YR661C4U)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-832-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

## LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 4W1 TAWNY

avobenzone, homosalate, octisalate, and octocrylene cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-833
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BATILOL</b> (UNII: 39YR661C4U)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	

<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-833-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

## LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 5N1 WALNUT

avobenzone, homosalate, octisalate, and octocrylene cream

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-834
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)		AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)		HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)		OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	1.53 g in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BATILOL</b> (UNII: 39YR661C4U)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-834-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

# LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 5W1 TAN

avobenzone, homosalate, octisalate, and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-835
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BATILOL</b> (UNII: 39YR661C4U)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-835-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

## LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 6N1 MOCHA

avobenzone, homosalate, octisalate, and octocrylene cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-836
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	



<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>BATILOL</b> (UNII: 39YR661C4U)
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-836-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

**LAURA MERCIER TINTED MOISTURIZER LIGHT REVEALER NATURAL SKIN ILLUMINATOR BROAD SPECTRUM SPF 25 SUNSCREEN 6C1 CACAO**

avobenzone, homosalate, octisalate, and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-837
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.53 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.55 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.55 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.53 g in 50 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCOPHYLLUM NODOSUM</b> (UNII: 168S4EO8YJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BATILOL</b> (UNII: 39YR661C4U)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	

**FERROSOFERRIC OXIDE (UNII: XM0M87F357)****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-837-60	1 in 1 CARTON	12/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2021	

**Labeler** - Laura Mercier Cosmetics (193691821)

Revised: 11/2021

Laura Mercier Cosmetics