

**DYE-FREE CHILDRENS LORATADINE- loratadine tablet, chewable
RITE AID**

Dye-Free Children's Loratadine Chewable Tablets USP, 5 mg

Drug Facts

Active ingredient (in each tablet)

Loratadine USP, 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions?

call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-800-406-7984**.

DISTRIBUTED BY:

RITE AID
30 HUNTER LANE,
CAMP HILL, PA 17011

PRINCIPAL DISPLAY PANEL - 5 mg Tablet Blister Pack Carton

FREE
FROM
DYE FREE

24 HOUR

NDC 11822-8329-7

Compare to the active
ingredient of Children's
Claritin® Chewables**

AGES 2 YEARS & OLDER

CHILDREN'S
ALLERGY RELIEF

CHEWABLE TABLETS • ANTIHISTAMINE
DYE-FREE

LORATADINE CHEWABLE TABLETS USP, 5 mg
NON-DROWSY* INDOOR / OUTDOOR ALLERGIES
24 HOUR RELIEF OF

Sneezing • Runny nose • Itchy, watery eyes
Itchy throat or nose

ACTUAL SIZE

GRAPE
FLAVOR
30

CHEWABLE TABLETS

*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

THE CHEWABLE TABLETS ARE TO BE CHEWED BEFORE SWALLOWING.

AGES 2 YEARS & OLDER

CHILDREN'S ALLERGY RELIEF

CHEWABLE TABLETS • ANTIHISTAMINE

FREE FROM DYE FREE

NDC 11822-8329-7

Compare to the active ingredient of Children's Claritin® Chewables**

24 HOUR

AGES 2 YEARS & OLDER

CHILDREN'S ALLERGY RELIEF

CHEWABLE TABLETS • ANTIHISTAMINE
DYE-FREE

LORATADINE CHEWABLE TABLETS USP, 5 mg
NON-DROWSY* INDOOR / OUTDOOR ALLERGIES

24 HOUR RELIEF OF
Sneezing • Runny nose • Itchy, watery eyes
Itchy throat or nose



*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.



ACTUAL SIZE

GRAPE FLAVOR
30 CHEWABLE TABLETS

THE CHEWABLE TABLETS ARE TO BE CHEWED BEFORE SWALLOWING.

Non Varnish Area

Batch No.

Expiration Date

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Children's Claritin® Chewables.



0 11822 83297 7

1220 DISTRIBUTED BY:
RITE AID
30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com

SATISFACTION GUARANTEE
If you're not satisfied, we'll happily refund your money.

AGES 2 YEARS & OLDER

CHILDREN'S ALLERGY RELIEF

CHEWABLE TABLETS • ANTIHISTAMINE

Drug Facts

Active ingredient (in each tablet) Purpose
Loratadine USP, 5 mg Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

- chew or crush tablets completely before swallowing.
- adults and children 6 years and over: chew 2 tablets daily; not more than 2 tablets in 24 hours
- children 2 to under 6 years of age: chew 1 tablet daily; not more than 1 tablet in 24 hours
- children under 2 years of age: ask a doctor
- consumers with liver or kidney disease: ask a doctor

Other information

- phenylethanolamines: contains phenylethanolamine 1.25 mg per tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid


Questions? call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-800-406-7984**.

Keep the carton. It contains important information. See end panel for expiration date.

GLUE - NO COATING



5215226



5215226

DYE-FREE CHILDRENS LORATADINE

loratadine tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-8329
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJ03BO7QN) (Loratadine - UNII:7AJ03BO7QN)	Loratadine	5 mg

Inactive Ingredients

Ingredient Name	Strength
aspartame (UNII: Z0H242BBR1)	
anhydrous citric acid (UNII: XF417D3PSL)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
magnesium stearate (UNII: 70097M6B0)	
mannitol (UNII: 3OWL53L36A)	
microcrystalline cellulose (UNII: OP1R32D61U)	
sodium starch glycolate type a potato (UNII: 5856J3G2A2)	
stearic acid (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	WHITE (white to off-white)	Score	no score
Shape	ROUND (bevelled edge)	Size	10mm
Flavor	GRAPE	Imprint Code	106
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-8329-7	3 in 1 CARTON	09/01/2020	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210088	09/01/2020	

Labeler - RITE AID (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	MANUFACTURE(11822-8329)

Revised: 1/2021

RITE AID