

MICOMITIN ANTIFUNGAL- clotrimazole cream
PureTek Corporation

Micomitin™ Antifungal Cream

Drug Facts

Drug Facts

Active ingredient

Clotrimazole 1%

Purpose

Antifungal

Uses

- For the treatment of athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis).
- Relieves itching, burning, cracking, scaling, and discomfort which accompanies these conditions.

Warnings

For external use only.

When using this product avoid contact with eyes

Do not use

- on children under 2 years of age unless directed by a doctor
- for athlete's foot and ringworm - if irritation occurs or if there is no improvement within 4 weeks, discontinue use and consult a doctor
- for jock itch - if irritation occurs or if there is no improvement in 2 weeks, discontinue use and consult a doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area and dry thoroughly.
- Apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor.
- Supervise children in the use of this product.
- For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks.

- For jock itch, use daily for 2 weeks.
- If condition persists longer, consult a doctor.
- his product is not effective on the scalp or nails.

Use under the direction of a medical practitioner

Other information

■ Store at 15° - 30°C (59° - 86°F) ■ avoid excessive heat ■ do not use if package is damaged

Inactive ingredients

Aqua (Purified Water), Beta-Glucan, Butyrospermum Parkii (Shea) Butter, Caprylyl Glycol, Cetearyl Alcohol, Dimethicone, Disodium EDTA, Ethyl Alcohol, Glycerin, Glyceryl Caprylate, Glyceryl Stearate, Glycine Soja (Soybean) Oil, 1,2-Hexanediol, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Panthenol, PEG-100 Stearate, PEG-40 Stearate PEG-8, Polysorbate 60, Propylene Glycol, Sholigopeptide-1, Simmondsia Chinensis (Jojoba) Seed Oil, Sodium Hydroxide, DL-Alpha-Tocopheryl Acetate

Micomitin™ Antifungal Cream

Manufactured in the USA by:

PureTek Corporation

Panorama City, CA 91402

For questions or information

call toll-free: **877-921-7873**

Drug Facts

Active ingredients

Clotrimazole 1%

Purpose

Antifungal

Uses

- For the treatment of athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis).
- Relieves itching, burning, cracking, scaling and discomfort which accompany these conditions.

Warnings

For external use only.

When using this product

- avoid contact with eyes

Do not use

- on children under 2 years of age unless directed by a doctor
- for athlete's foot and ringworm - if irritation occurs or if there is no improvement within 4 weeks, discontinue use and consult a doctor
- for jock itch - if irritation occurs or if there is no improvement in 2 weeks, discontinue use and consult a doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area and dry thoroughly.
- Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor.
- Supervise children in the use of this product.
- For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks.
- For jock itch, use daily for 2 weeks.
- If condition persists longer, consult a doctor.
- This product is not effective on the scalp or nails.

Other information

- Store at 15° - 30°C (59° - 86°F) ■ avoid excessive heat ■ do not use if package is damaged

Inactive ingredients Aqua (Purified Water), Beta-Glucan, Butyrospermum Parkii (Shea) Butter, Caprylyl Glycol, Cetearyl Alcohol, Dimethicone, Disodium EDTA, Ethyl Alcohol, Glycerin, Glyceryl Caprylate, Glyceryl Stearate, Glycine Soja (Soybean) Oil, 1,2-Hexanediol, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Panthenol, PEG-100 Stearate, PEG-40 Stearate, PEG-8, Polysorbate 60, Propylene Glycol, Sh-oligopeptide-1, Simmondsia Chinensis (Jojoba) Seed Oil, Sodium Hydroxide, DL-Alpha-Tocopheryl Acetate.

List No. 642071AA Rev.38529

NDC 59088-642-07

Micomitin™ Antifungal Cream

Clotrimazole 1% (85 g)

Use under the direction of a medical practitioner

See enclosed insert(s) for full prescribing information.

Store at 15° to 30°C (59° to 86°F) [see USP Controlled Room Temperature].
Avoid excessive heat.

Keep this and all medication out of reach of children.

List No. 642071AA Rev.38528

Manufactured in the USA by:
PureTek Corporation
Panorama City, CA 91402
For questions or information
call toll-free: 877-921-7873



Please Recycle



N 3

59088 64207 118

MICOMITIN ANTIFUNGAL

clotrimazole cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:59088-642 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|--------------|
| CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65) | CLOTRIMAZOLE | 10 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| TEA TREE OIL (UNII: VIF565UC2G) | |
| NEPIDERMIN (UNII: TZK30RF92W) | |

| |
|---|
| SODIUM HYDROXIDE (UNII: 55X04QC32I) |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) |
| SOYBEAN OIL (UNII: 241ATL177A) |
| PANTHENOL (UNII: WW9CM0067Z) |
| CURDLAN (UNII: 6930DL209R) |
| SHEA BUTTER (UNII: K49155WL9Y) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) |
| .ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) |
| ALCOHOL (UNII: 3K9958V90M) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A) |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4) |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) |
| PEG-100 STEARATE (UNII: YD01N1999R) |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) |
| JOJOBA OIL (UNII: 724GKU717M) |
| PEG-40 STEARATE (UNII: ECU18C66Q7) |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) |
| POLYSORBATE 60 (UNII: CAL22UVI4M) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:59088-642-07 | 85 g in 1 TUBE; Type 0: Not a Combination Product | 04/19/2022 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M005 | 04/19/2022 | |

Labeler - PureTek Corporation (785961046)