

**PRITOX- copper naphthenate liquid**  
**FIRST PRIORITY INCORPORATED**

-----  
**Pritox®**

Water-Resistant Protection Without Bandaging

**Recommended as an Aid in Treating Horses and Ponies With Thrush Due to Organisms Susceptible to Copper Naphthenate.**

**Do Not Use in Horses Intended for Human Consumption.**

**FOR EXTERNAL USE ONLY**

**CAUTION: COMBUSTIBLE MIXTURE**

**For Animal Use Only • Keep Out of Reach of Children**

**INDICATIONS:**

Pritox® is indicated in the treatment of thrush in horses and ponies.

**GENERAL DIRECTIONS:**

Clean the hoof thoroughly, removing debris and necrotic material prior to application of Pritox®. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess Pritox® onto hair since contact with Pritox® may cause some hair loss. Do not contaminate feed.

**NOTE:** Pritox® is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

**CONTAINS FOIL SEAL – REMOVE BEFORE USE.**

**SHAKE WELL BEFORE USE.**

To report suspected adverse reactions or to obtain technical assistance, call 1-800-650-4899.

**ACTIVE INGREDIENT:**

Copper Naphthenate .....37.5% w/w

**INACTIVE INGREDIENTS:**

Inert Ingredients.....62.5% w/w

Total..... 100.0%

**CAUTION:**

Do not use in horses intended for human consumption.

**CAUTION: COMBUSTIBLE MIXTURE.**

Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

**KEEP OUT OF REACH OF CHILDREN AND PETS.**

## STORAGE:

Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

ANADA 200-304, Approved by FDA

Manufactured By:

FIRST PRIORITY, INC.,

Elgin, IL 60123-1146

www.prioritycare.com

## NOT RETURNABLE IF OUTDATED

Reorder No. TP280PC (8 oz)

Reorder No. TP281PC (16 oz)

Priority Care and Pritox are registered trademarks of First Priority, Inc.


## Net Contents:

8 oz (236 mL) Reorder No. TP280PC (rev. 10-12)

16 oz (473 mL) Reorder No. TP281PC (rev. 10-13)

## Image of 236 mL of bottle/case label (rev. 10-13)

NDC# 58829-289-08

**Priority Care** 

**Pritox**<sup>®</sup>

**INDICATIONS:** Pritox<sup>®</sup> is indicated in the treatment of thrush in horses and ponies.

**GENERAL DIRECTIONS:** Clean the hoof thoroughly, removing debris and necrotic material prior to application of Pritox<sup>®</sup>. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess Pritox<sup>®</sup> onto hair since contact with Pritox<sup>®</sup> may cause some hair loss. Do not contaminate feed.

**NOTE:** Pritox<sup>®</sup> is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

**CONTAINS FOIL SEAL - REMOVE BEFORE USE.**

**SHAKE WELL BEFORE USE.**

To report suspected adverse reactions or to obtain technical assistance, call 1-800-650-4899.

**Water-Resistant Protection Without Bandaging**

**Recommended as an Aid in Treating Horses and Ponies With Thrush Due to Organisms Susceptible to Copper Naphthenate.**

**Do Not Use in Horses Intended for Human Consumption.**

**ACTIVE INGREDIENT:**  
Copper Naphthenate ..... 37.5% w/w

**INACTIVE INGREDIENTS:** ..... 62.5% w/w

Total..... 100.0%

**CAUTION:** Do not use in horses intended for human consumption.

**CAUTION: COMBUSTIBLE MIXTURE.** Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

**KEEP OUT OF REACH OF CHILDREN AND PETS.**

**STORAGE:** Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

**FOR EXTERNAL USE ONLY**  
**CAUTION: COMBUSTIBLE MIXTURE**

**For Animal Use Only • Keep Out of Reach of Children**

**Net Contents: 8 oz (236 mL)**  
ANADA 200-304, Approved by FDA

Lot No.      Exp. Date

**No Varnish**


Reorder No. TP280PC

NOT RETURNABLE IF OUTDATED

6230828908

3

3

TAKE TIME  OBSERVE LABEL DIRECTIONS

Priority Care and Pritox are registered trademarks of First Priority, Inc.

Rev. 10-13

Made in U.S.A.

Manufactured By:  
FIRST PRIORITY, INC., Elgin, IL 60123

www.prioritycare.com

## Image of 473 mL bottle/case label

NDC# 58829-289-16

**Priority Care**

# Pritox<sup>®</sup>

**Water-Resistant Protection Without Bandaging**

**Recommended as an Aid in Treating Horses and Ponies With Thrush Due to Organisms Susceptible to Copper Naphthenate.**

**Do Not Use in Horses Intended for Human Consumption.**

**FOR EXTERNAL USE ONLY**  
**CAUTION: COMBUSTIBLE MIXTURE**

For Animal Use Only • Keep Out of Reach of Children

Net Contents: 16 oz (473 mL)  
ANADA 200-304, Approved by FDA

**INDICATIONS:** Pritox<sup>®</sup> is indicated in the treatment of thrush in horses and ponies.

**GENERAL DIRECTIONS:** Clean the hoof thoroughly, removing debris and necrotic material prior to application of Pritox<sup>®</sup>. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess Pritox<sup>®</sup> onto hair since contact with Pritox<sup>®</sup> may cause some hair loss. Do not contaminate feed.

**NOTE:** Pritox<sup>®</sup> is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

**CONTAINS FOIL SEAL - REMOVE BEFORE USE.**

**SHAKE WELL BEFORE USE.**

To report suspected adverse reactions or to obtain technical assistance, call 1-800-650-1899.

**ACTIVE INGREDIENT:**  
Copper Naphthenate ..... 37.5% w/w

**INACTIVE INGREDIENTS:**... 62.5% w/w

Total ..... 100.0%

**CAUTION:** Do not use in horses intended for human consumption.

**CAUTION: COMBUSTIBLE MIXTURE.** Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

**KEEP OUT OF REACH OF CHILDREN AND PETS.**

**STORAGE:** Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

NOT RETURNABLE IF OUTFLOWED

6230828916

Lot No.    Exp. Date

**No Varnish**

Reorder No. TP281PC

MAKING    CREDIT LABEL    DIRECTIONS

Priority Care and Pritox are registered trademarks of First Priority, Inc.

Rev. 10-13

Made in U.S.A.    Manufactured By:    www.prioritycare.com  
FIRST PRIORITY, INC., Elgin, IL 60123

(Rev. 10-13)

## PRITOX

copper naphthenate liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:58829-289
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COPPER NAPHTHENATE (UNII: 9J2IBN2H70) (COPPER - UNII:789U1901C5)	COPPER NAPHTHENATE	0.825 g in 1 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58829-289-08	12 in 1 CASE		
1		236 mL in 1 BOTTLE, DISPENSING		
2	NDC:58829-289-16	12 in 1 CASE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA	ANADA200304	10/01/2012	

**Labeler** - FIRST PRIORITY INCORPORATED (179925722)**Establishment**

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture

Revised: 10/2015

FIRST PRIORITY INCORPORATED