FIRST AID DIRECT PEPTUM TABS- bismuth subsalicylate tablet, chewable Cintas Corp

Active ingredient (in each tablet)

Bismuth subsalicylate 262 mg (each tablet contains 102mg salicylate)

Purpose

Antidiarrheal/Antacid

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink including:
- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occurs, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylate (including asprin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

When using this product a temporary, but harmless darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- chew or dissolve in mouth
- Adults and children 12 years and over: 2 tablets (1 dose) every ½ hour or 4 tablets (2 doses) every hour as needed for diarrhea
- 2 tablets (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (16 tablets) in 24 hours
- use until diarrhea stops but not more than 2 days
- Children under 12: ask a doctor
- drink plenty of fluids to help prevent dehydration which may accompany diarrhea

Other information

• **Phenylketonurics**: contains phenylalanine 1.1 mg per tablet

Calcium content per tablet: 73mg

- store at room temperature 15° 30°C (59° 86°F)
- avoid excessive heat (over 40°C or 104°F)
- do not use if cellophane unit is torn

Inactive ingredients

acacia gum, aspartame, calcium carbonate, D&C red #27 aluminum lake, dextrates, magnesium stearate, maltodextrin, microcrystalline cellulose, peppermint flavor, silicon dioxide

Questions?

1-800-327-2704 Monday-Friday 8:00am - 5:00pm (CDT)

Principal Display Panel - Box

Pep Tum[™]

Bismuth subsalicylate


COMPARE ACTIVE INGREDIENTS TO PEPTO-BISMOL®*

262 mg

SOOTHING RELIEF FOR:

- Upset Stomach
- Diarrhea
- Heartburn
- Indigestion
- Nausea

30 Chewable Tablets



FIRST AID DIRECT PEPTUM TABS

bismuth subsalicylate tablet, chewable

—			
Prod	IUCT	Inform	ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:42961-109

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID -	BISMUTH	262

UNII: 0414PZ4LPZ)

BISMUTH SUBSALICYLATE 262 mg

Inactive Ingredients	
Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
ASPARTAME (UNII: Z0H242BBR1)	

CALCIUM CARBONATE (UNII: H0G9379FGK)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
DEXTRATES (UNII: G263MI44RU)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
PEPPERMINT (UNII: V95R5KMY2B)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics				
Color	pink	Score	no score	
Shape	ROUND	Size	16mm	
Flavor		Imprint Code	RH046	
Contains				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:42961-109- 02	30 in 1 BOX	10/25/2021		
1	NDC:42961-109- 01	1 in 1 CELLO PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	10/25/2021	

Labeler - Cintas Corp (056481716)

Establishment				
Name	Address	ID/FEI	Business Operations	
Allegiant Health		079501930	manufacture(42961-109)	

Revised: 12/2023 Cintas Corp