PROTECTIVE FOUNDATION SUNSCREEN SPF 15 402 FAIR IVORY- sunscreen, avobenzone, octinoxate emulsion Sunrider Manufacturing L.P.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Protective Foundation Sunscreen SPF 15-402

USES:

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreased the risk of skin cancer and early skin aging caused by the sun.

RECOMMENDATION: PLACE A SMALL AMOUNT ON A SPONGE, BLEND EVENLY OVER FACE

DIRECTIONS:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin againg. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, expecially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

ACTIVE INGREDIENTS:

OCTINOXATE 6% AVOBENZONE 2%

OTHER INGREDIENTS:

Water (Deionized)

Glycereth-26

Caprylic/Capric/Myristic/Stearic Triglyceride

Isopropyl Palmitate

Kaolin

Propylene Glycol

Polysorbate 20

Glyceryl Stearate

Stearic Acid (Veg. Origin)

Dimethicone

Prunus Amygdalus Dulcis (Sweet Almond) Oil

Simmondsia Chinensis (Jojoba) Seed Oil

Ahnfeltia Concinna Extract

Sodium Hyaluronate

Tocopherol

Sorbitan Stearate
Sorbitan Palmitate
Cetyl Alcohol
Bis-Diglyceryl Polyacyladipate-2
Phenoxyethanol
Triethanolamine
Magnesium Aluminum Silicate
Oleth-20
Squalane (Veg. Origin)
Corn Starch Modified
Cellulose Gum
Citric Acid
Trisodium EDTA
Butylene Glycol
Ethylhexylglycerin

WARNINGS:

FOR EXTERNAL USE ONLY

Do not use on damaged or broken skin

When using this product keep oout of eyes. Rinse with water to remove.

Sto use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

KEEP OUT OF REACH OF CHILDREN. If product is swallowed, get medical help or contact a Poison Control Center right away.

US K Pro Found SPF 15 1oz pump lbl



PROTECTIVE FOUNDATION

SUNSCREEN SPF 15



NET WT. 1 fl. oz./30 mL WARNINGS: KEEP OUT OF REACH OF CHILDREN. FOR EXTERNAL USE ONLY. IF SWALLOWED, SEEK MEDICAL HELP OR CONTACT A POISON CONTROL CENTER IMMEDIATELY. IF CONTACT WITH EYES OCCURS, RINSE THOROUGHLY WITH WATER. DISCONTINUE USE AND CONSULT A DOCTOR IF PERSISTENT SIGNS OF IRRITATION OR RASH APPEAR.


PRODUCT INQUIRY: 1-310-781-8096



MANUFACTURED BY SUNRIDER MANUFACTURING, L.P. TORRANCE, CALIFORNIA 90501

MADE IN USA US S846510534

Production Note: Gold Foil is fixed and locked. Please do not move.





PROTECTIVE FOUNDATION SUNSCREEN SPF 15 402 FAIR IVORY

sunscreen, avobenzone, octinoxate emulsion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:62191-402

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) AVOBENZONE O.02 g in 1 g

OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) OCTINOXATE 0.06 g in 1 g

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| water (UNII: 059QF0KO0R) | | | |
| ALMOND OIL (UNII: 66YXD4DKO9) | | | |
| CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311) | | | |
| CETYL ALCOHOL (UNII: 936IST6ICN) | | | |

| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
|--|--|
| DIMETHICONE (UNII: 92RU3N3Y10) | |
| EDETATE TRISODIUM (UNII: 420IP921MB) | |
| GLYCERETH-26 (UNII: NNE56F2N14) | |
| GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M) | |
| KAOLIN (UNII: 24H4NWX5CO) | |
| MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC) | |
| OLETH-20 (UNII: YTH167I2AG) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SORBITAN MONOPALMITATE (UNII: 77K6Z421KU) | |
| SORBITAN MONOSTEARATE (UNII: NVZ 410H58X) | |
| SQUALENE (UNII: 7QWM220FJH) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| TOCOPHEROL (UNII: ROZB2556P8) | |
| TRICAPRIN (UNII: O1PB8EU98M) | |
| TRICAPRYLIN (UNII: 6P92858988) | |
| TROLAMINE (UNII: 903K93S3TK) | |
| AHNFELTIOPSIS CONCINNA (UNII: SMF2K46G8D) | |
| CAPRYLIC/CAPRIC/PALMITIC/STEARIC TRIGLYCERIDE (UNII: ZF29F7IK5I) | |
| JOJOBA OIL (UNII: 724GKU717M) | |
| BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T) | |
| CORN STARCH 3-E-DODECENYL SUCCINIC ANHYDRIDE MODIFIED (UNII: QG4MW19XYX) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |

| Other Ingredients | | | | |
|-------------------|-------------------------------------|----------|--|--|
| Ingredient Kind | Ingredient Name | Quantity | | |
| May contain | TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | | | |
| May contain | BROWN IRON OXIDE (UNII: 1N032N7MFO) | | | |

| P | Packaging | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:62191-402- 04 | 1 in 1 PACKAGE | 09/01/2016 | | |
| 1 | | 30 g in 1 TUBE; Type 0: Not a Combination Product | | | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph final | part352 | 09/01/2016 | |
| | | | |

Labeler - Sunrider Manufacturing L.P. (786951475)

Revised: 12/2021 Sunrider Manufacturing L.P.