# MINERAL OIL LIGHT, N.F- mineral oil oil GERITREX LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Mineral Oil

## **Active Ingredient:**

Mineral Oil 100%

### Use:

Helps treat and prevent diaper rash, protects chafted skin and seals out wetness.

Protects skin.

Keep out of reach of children

## **Caution: For External Use Only**

In case of accidental ingestion seek professional assistance or contact a Poison Control Center immediately. Avoid contact with eyes. In case of accidental eye contactl flush eyes gently with water for 15 minutes. Obtain medical attention if irritation persists. If diaper rash worsens or does not improve consult a physician

Clean area thoroughly and allow to dry. Apply mineral oil liberally and as often as needed. Protects the skin against wetness.

### Contains:

dl-alpha-tocopherol as preservative. Keep tightly closed and protect from direct sunlight.

Store at room temperature 15-30°C (59-86°F)

54162-190-16



# Mineral Oil U.S.P

# **LUBRICANT LAXATIVE**

**ODORLESS • TASTELESS • COLORLESS** 

16 FL. OZ. (472mL)



www.geritrex.com 144 Kingsbridge Road East Mount Vernon, NY 10550

**Jse:** For relief of occasional constipation (irregularity). Generally

produces bowel movement in 6 to 8 hours.

Warnings

if you are bedridden or aged.

period of 2 weeks.

Mineral oil 99.9% ...... Lubricant Laxative

.....Purpose

Active Ingredients .....

**Drug Facts** 

	29175	
<sup>2</sup>		

years of age • if you are pregnant • for a period longer than one week • vomiting • noticed a sudden change in bowel habits that persist over a Ask a doctor before use if you have • abdominal pain, nausea, or Do not use • if you have difficulty swallowing • in children under 6 product 2 or more hours before or after drugs. Laxatives may affect Ask a doctor or pharmacist before use if you are • presently taking a stool softener laxative • taking any other drug. Take this

When using this product do not take with meals. Take only at

now other drugs work.

bedtime.

Stop use and ask a doctor if you have rectal bleeding or failure to

Keep out of reach of children. Incase of overdose, get medical help or have a bowel movement after use. These could be signs of a If breast feeding, ask a health professional before use. serious condition

Directions Do not take with meals • take only at bedtime • may contact a Poison Control Center right away.

be taken as a single daily	be taken as a single daily dose or in divided doses
Adults and children	1 to 3 tablespoons (15 to 45 mL)
over 12 years of age	maximum 3 tablespoons (45 mL) in 24 hours
Children 6 to	1 to 3 teaspoons (5 to 15 mL)
under 12 years of age	maximum 3 teaspoons (15 mL) in 24 hours
Children under 6 years	Children under 6 years Do not use, consult a doctor

mixed tocopherols (added as a stabilizer) **Inactive Ingredients** 

## mineral oil oil

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54162-185	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	471.99 g in 472 mL	

Inactive Ingredients				
Ingredient Name	Strength			
.ALPHATO CO PHERO L, DL- (UNII: 7QWA1RIO 01)	0.00472 g in 472 mL			

l	Packaging				
l	#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ı	1	NDC:54162-185-16	472 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/31/2015	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part347	07/31/2015		

## Labeler - GERITREX LLC (112796248)

## Registrant - GERITREX LLC (112796248)

Establishment				
Name	Address	ID/FEI	Business Operations	
GERITREX LLC		112796248	manufacture(54162-185)	

Revised: 8/2017 GERITREX LLC