

ANTI-ITCH- diphenhydramine hcl gel
Navarro Discount Pharmacies,LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each gram)

Diphenhydramine HCl 2%

Purposes

Topical analgesic

Skin protectant

Uses

- temporarily relieves itching and pain associated with insect bites, minor skin irritations and rashes due to poison ivy, poison oak or poison sumac
- dries the oozing and weeping of poison ivy, poison oak, and poison sumac

Warnings

For external use only

Do not use

- on chicken pox or measles
- with any other product containing diphenhydramine, even one taken by mouth
- on large areas of the body, including large areas of poison ivy, sunburn, or broken, blistered or oozing skin

Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- adults and children 12 years of age and over: apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor
- do not use more often than directed

Other information

- store at 15°-25°C (59°-77°F)

Inactive ingredients

camphor, citric acid, ethanol, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate

Package label

Anti-Itch Gel

NDC #59970-076-01

*Compare to Benadryl Extra Strength® active ingredients.
*Compare con los ingredientes activos de Benadryl Extra Strength®.

Vida Mia
mi salud

Histamine Blocker
Bloqueador de Histamina

Anti-Itch Gel

Gel contra la Picazón

Extra Strength / Extra Potente

Topical Analgesic / Analgésico Tópico

FOR SKIN USE ONLY
PARA SER UTILIZADO SOLAMENTE EN LA PIEL

Fast Relief for Insect Bites & Skin Irritations
Alivio Rápido de las Picadas de Insectos y las Irritaciones de la Piel

2% Diphenhydramine Hydrochloride / Clorhidrato de Difenhidramina 2%

NET 4 oz (118 mL)

| Drug Facts | |
|---|-------------------|
| Active ingredient (in each gram) | Purpose |
| Diphenhydramine HCl 2%..... | Topical analgesic |

Peel back this panel to reveal more Drug Facts

*This product is not manufactured or distributed by Johnson & Johnson Consumer Companies, Inc., owner of the registered trademark Benadryl®.
*Este producto no es fabricado ni distribuido por Johnson & Johnson Consumer Companies, Inc, propietario de la marca registrada, Benadryl®.

Exclusively distributed by:
Distribuido exclusivamente por:

MAGE LAN
DISTRIBUTION SOLUTIONS
Medley, Florida 33178



Made in Korea / Fabricado en Corea



Para información en Español remover la etiqueta

LOT & EXP.

PEEL HERE

Drug Facts (continued)

Uses

Temporarily relieves pain and itching associated with: ■ insect bites
■ minor burns ■ sunburn ■ minor skin irritations ■ minor cuts
■ rashes due to poison ivy, poison oak, and poison sumac

Warnings

For external use only

Do not use

■ on large areas of the body
■ with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

■ on chicken pox or measles

When using this product

■ avoid contact with eyes

Stop use and ask a doctor if

■ condition worsens
■ symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ do not use more than directed
■ adults and children 2 years of age and older:
■ apply to affected area not more than 3 to 4 times daily
■ children under 2 years of age: ask a doctor

Other information

■ store at 15-25C (59-77F)

Inactive ingredients camphor, citric acid, ethanol, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate

ANTI-ITCH

diphenhydramine hcl gel

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:59970-076 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------------------|-----------------|
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 2 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| WATER (UNII: 059QF0KO0R) | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:59970-076-01 | 113 g in 1 BOTTLE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part336 | 01/18/2013 | |

Labeler - Navarro Discount Pharmacies,LLC (094930963)