

**WALGREENS DAYTIME CHILDRENS- cough and chest congestion liquid**  
**WALGREENS CO.**

-----  
**Walgreens Children's Cough and Chest Congestion**

**Active ingredients (in each 5 mL)**

Dextromethorphan HBr USP 5 mg

Guaifenesin. USP 100 mg

**Purposes for Day Time**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use**

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if**

- cough last more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

- measure only with dosing cup provided.
- keep dosing cup with product
- mL= milliliter
- do not take more than 6 doses in any 24-hour period

age	dose
Children under 4 years	Do not use
Children 4 to under 6 years	5 mL every 4 hours
Children 6 to under 12 years	10 mL every 4 hours
Adults and children 12 years and older	20 mL every 4 hours

## Other information

- each 5 mL contains: **sodium 3 mg**
- store at room temperature. Do not refrigerate
- contain low sodium
- **do not use if printed seal under cap is torn or missing**

## Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C Blue # 1, FD&C Red # 40, flavor, potassium citrate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

## Questions or comments?

**1-866-467-2748**

## Principal Display Panel

**NDC# 0363-7550-04**

**Compare to the Children's Robitussin® Daytime Cough & Chest Congestion DM**

**Children's COUGH & CHEST CONGESTIONS**

**Wal-Tussin® DM**

**DEXTROMETHORPHAN HBr, USP 5 mg / 5 mL**

**COUGH SUPPRESSANT**

# GUAIFENESIN, USP 100 mg / 5 mL

EXPECTORANT

DAYTIME

NON-DROWSY

**Relieves** cough, chest congestion & mucus

**4 YEARS & OLDER**

GRAPE FLAVOR

NATURALLY AND ARTIFICIALLY FLAVORED

Dosage cup included

2 - 4 FL OZ (118 mL) BOTTLES

Walgreens PHARMACIST RECOMMENDED<sup>†</sup>

Health expertise you rely on, quality you trust

<sup>†</sup>Walgreens Pharmacists Survey

\*This product is not manufactured or distributed by Pfizer, owner of the registered trademarks Children's Robitussin<sup>®</sup>

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

Walgreens

100% SATISFACTION GUARANTEED

**Walgreens.com ©2018 Walgreen Co.**

**TAMPER-EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS TORN OR MISSING**

**Active ingredients (in each 20 ml):**  
Dextromethorphan HBr, USP 20 mg; Guaifenesin, USP 200 mg

**Uses** temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold; helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**  
**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
**Ask a doctor before use if you have:** cough that occurs with too much phlegm (mucus); cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

**Walgreens**  
**Children's Cough & Chest Congestion Relief DM**  
DEXTROMETHORPHAN HBr, USP 20 mg / COUGH SUPPRESSANT  
GUAIFENESIN, USP 200 mg / EXPECTORANT  
Daytime  
AGES 4 YEARS & OLDER  
4 FL OZ (118 mL)  
Grape flavor naturally & artificially flavored

NDC 0363-0765-04

**Directions:** Do not take more than 6 doses in any 24-hour period. Measure only with dosing cup provided. Keep dosing cup with product. ml = milliliter.

age	dose
children under 4 years	do not use
children 4 to under 6 years	5 ml every 4 hours
children 6 to under 12 years	10 ml every 4 hours
adults and children 12 years and older	20 ml every 4 hours

**Other information:** each 20 ml contains: sodium 11 mg  
Store at room temperature. Do not refrigerate. Contains low sodium.  
**Inactive ingredients:** anhydrous citric acid, carboxymethylcellulose sodium, edetate disodium, FD&C Blue No. 1, FD&C Red No. 40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum. **See Carton For Full Information**  
Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com 1-866-467-2748  
©2021 Walgreen Co.  
ITEM 904625 W00000-0000-0  
W3ORG0322-F

LOT:  
**UNVARNISHED AREA DO NOT PRINT**  
EXP: 755GR04WAGLR

# WALGREENS DAYTIME CHILDRENS

cough and chest congestion liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-7550
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>	PURPLE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7550-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/16/2019	

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M012	07/16/2019	

**Labeler** - WALGREENS CO. (008965063)

Revised: 10/2023

WALGREENS CO.