BERYLLIUM OXYDATUM- beryllium oxydatum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

BERYLLIUM OXYDATUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490
TWIST TO OPEN - USE ONLY IF SEALED

BERYLLIUM OXYDATUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BERYLLIUM OXYDATUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BERYLLIUM OXYDATUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BERYLLIUM OXYDATUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

BERYLLIUM OXYDATUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. BERYLLIUM OXYDATUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C.

BERYLLIUM OXYDATUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BERYLLIUM OXYDATUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

BERYLLIUM OXYDATUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. BERYLLIUM OXYDATUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, C

BERYLLIUM OXYDATUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BERYLLIUM OXYDATUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

BERYLLIUM OXYDATUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. BERYLLIUM OXYDATUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children

pellets orally once Inactive ingredients: Sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, C.

BERYLLIUM OXYDATUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BERYLLIUM OXYDATUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

BERYLLIUM OXYDATUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. BERYLLIUM OXYDATUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, (

BERYLLIUM OXYDATUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BERYLLIUM OXYDATUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

BERYLLIUM OXYDATUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. BERYLLIUM OXYDATUM 1M

Min. net wt: 1g

MEDICINE

Active ingredient:

Listed above

Use: Traditional use

such as headache.

Keep out of reach

of children

Directions: Take 5

pellets orally once Inactive ingredients:

sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael

BERYLLIUM OXYDATUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BERYLLIUM OXYDATUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

BERYLLIUM OXYDATUM **1M**

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



BERYLLIUM OXYDATUM

beryllium oxydatum pellet

100		100	ori	2	-10	210
				116		

Product Type HUMAN OTC DRUG

Route of Administration ORAL

Active Ingredient/Active Moiety

NDC:63545-468

Item Code (Source)

Ingredient Name	Basis of Strength	Strength
BERYLLIUM OXYACETATE (UNII: NL5ZW5U7JX) (BERYLLIUM OXYACETATE - UNII: NL5ZW5U7JX)	BERYLLIUM OXYACETATE	6 [hp_C]

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics						
Color white Score no score						
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:63545- 468-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022				
2	NDC:63545- 468-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022				
3	NDC:63545- 468-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		04/27/2022			

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-469		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
BERYLLIUM OXYACETATE (UNII: NL5ZW5U7JX) (BERYLLIUM OXYACETATE - UNII: NL5ZW5U7JX)	BERYLLIUM OXYACETATE	12 [hp_C]		

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics						
Color white Score no score						
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:63545- 469-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022				
2	NDC:63545- 469-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022				
3	NDC:63545- 469-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		04/27/2022			

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-471		
Route of Administration	ORAL				

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BERYLLIUM OXYACETATE (UNII: NL5ZW5U7JX) (BERYLLIUM OXYACETATE UNII: NL5ZW5U7JX)	- BERYLLIUM OXYACETATE	100 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics					
ColorwhiteScoreno score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging				
# Item Code Package Description		Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 471-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022		
2	NDC:63545- 471-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022		
3	NDC:63545- 471-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022		
4	NDC:63545- 471-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		04/27/2022		

BERYLLIUM OXYDATUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-472	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BERYLLIUM OXYACETATE (UNII: NL5ZW5U7JX) (BERYLLIUM OXYACETATE - UNII:NL5ZW5U7JX)	BERYLLIUM OXYACETATE	200 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics						
Color white Score no score						
Shape	ROUND	Size	2mm			
Flavor		Imprint Code				
Contains	Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 472-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022		
2	NDC:63545- 472-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022		
3	NDC:63545- 472-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022		
4	NDC:63545- 472-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		04/27/2022		
потпеоранне				

beryllium oxydatum pellet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-470		
Route of Administration	ORAL				

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BERYLLIUM OXYACETATE (UNII: NL5ZW5U7JX) (BERYLLIUM OXYACETATE - UNII:NL5ZW5U7JX)	BERYLLIUM OXYACETATE	30 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

l	Packaging				
	# Item Code Package Description		Marketing Start Date	Marketing End Date	
	NDC:63545- 470-01	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022		
	NDC:63545- 470-02	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022		
	3 NDC:63545-470-03	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022		
	4 NDC:63545- 470-04	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022		

Marketing Information				
Application Number or Monograph Citation	graph Marketing Start Marketing Date Date			
	04/27/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information				
	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-473
ı	Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
	BERYLLIUM OXYACETATE	500 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	

Flavor	Imprint Code	
Contains		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 473-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022		
2	NDC:63545- 473-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022		
3	NDC:63545- 473-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022		
4	NDC:63545- 473-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	04/27/2022		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

beryllium oxydatum pellet

_		
Product	Intorm	ation

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-474
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

Strength

BERYLLIUM OXYACETATE (UNII: NL5ZW5U7JX) (BERYLLIUM OXYACETATE - UNII: NL5ZW5U7JX)

BERYLLIUM OXYACETATE

1 [hp_M]

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545- 474-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022	
2	NDC:63545- 474-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2022	
3	NDC:63545- 474-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022	
4	NDC:63545- 474-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2022	

larketing Start Marketing E Date Date	∃nd
27/2022	
	Date Date

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(63545-468, 63545-469, 63545-470, 63545-471, 63545-472, 63545-473, 63545-474)

Revised: 4/2022 Hahnemann Laboratories, INC.